DAILY RAINFALL 1901 1910

PEMBROKESHIRE

CASTLE MALGWYN LLECHRYD	1903, 06, 08 -	1910
FISHGUARD LANGTON. DWRBACH	1906	1910
HAVERFORDWEST HIGH STREET	1901	1910
" PICTON CASTLE GARDENS	1901	1904
" PORTFIELD	1902-05, 08-	1910
HENRY'S MOAT	1908	1910
NEWPORT LLWNGWAIR	1907	1909
PEMBROKE DOCK ADMIRALTY. RES	1903, 07 -	1910
" " COUNTY SCHOOL	1901, 04. -	1910
ST DAVID'S	1901	1910
SAUNDERSFOOT HEAN CASTLE	1906	1910
TREFGARNE	1903	1910
WHITLAND TREWERN.	1908	1910

Section A for the e

HAVERFORD WEST
HIGH. STREET

1901 - 1910.

Station No. 4122

METFORM 1090
(Rev. Feb. 1965)
Kept at Haver

R L IN 1901

from Met Soc Sch.
2nd O.

in the County of

Diameter of funnel of gauge
Height of top of gauge abov
Height of ground above sea

THE MORNING MEASUL E PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	tr	64	55	—	—	13	03	—	—	08	—	tr		1
2	tr	—	27	52	—	12	13	—	01	tr	—	01		2
3	—	03	18	44	—	05	—	05	—	61	—	01		3
4	—	37	15	—	—	03	—	—	—	—	tr	20		4
5	—	tr	18	46	17	20	—	51	05	04	tr	22		5
6	—	—	02	10	09	—	—	—	04	01	tr	05		6
7	—	—	07	35	16	—	—	—	56	63	—	73		7
8	—	—	—	31	—	—	—	—	29	13	—	04		8
9	12	01	—	15	—	—	—	—	05	—	—	17		9
10	01	—	—	38	11	—	—	17	05	06	—	06		10
11	07	03	—	13	—	02	tr	44	tr	15	102	69		11
12	21	—	—	43	—	07	—	05	—	07	11	45		12
13	tr	03	—	14	—	11	—	173	29	—	17	19		13
14	—	—	—	11	—	—	07	13	tr	40	05	tr		14
15	13	—	—	03	—	—	—	—	04	85	—	45		15
16	21	01	—	08	—	—	tr	51	144	19	—	14		16
17	06	—	—	—	—	—	—	05	08	68	tr	12		17
18	123	—	—	—	—	07	—	—	29	10	21	tr		18
19	23	—	20	—	—	65	—	—	39	23	—	10		19
20	48	—	tr	—	—	76	—	—	07	02	33	—		20
21	09	—	—	—	—	—	tr	—	23	29	27	—		21
22	03	—	—	—	—	85	—	—	125	05	13	—		22
23	09	—	—	—	—	—	09	—	17	44	—	57		23
24	16	04	05	—	—	—	34	—	tr	03	—	11		24
25	02	32	04	—	—	—	22	27	61	17	tr	07		25
26	17	34	03	—	—	—	tr	01	07	—	—	—		26
27	11	05	25	03	—	—	—	87	14	03	—	47		27
28	22	39	02	tr	—	—	—	—	tr	16	—	24		28
29	tr	X	83	—	39	71	20	08	—	04	—	53		29
30	54	X	41	—	44	03	07	18	—	—	—	tr		30
31	65	X	—	X	—	X	—	12	X	—	X	55		31
TOTAL	4·83	2·26	3·25	3·66	1·36	3·80	1·15	5·17	6·12	5·46	2·29	6·11	Year's Total 45·46	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1901

Kept at Haverfordwest.

in the County of

Copy from Met Soc Sch. 2nd O.

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	tr	64	55	—	—	13	03	—	—	08	—	tr		1
2	tr	—	27	52	—	12	13	—	01	tr	—	01		2
3	—	03	18	44	—	05	—	05	—	61	—	01		3
4	—	37	15	—	—	03	—	—	—	—	tr	20		4
5	—	tr	18	46	17	20	—	51	05	04	tr	22		5
6	—	—	02	10	09	—	—	—	04	01	tr	05		6
7	—	—	07	35	16	—	—	—	56	63	—	73		7
8	—	—	—	31	—	—	—	—	29	13	—	04		8
9	12	01	—	15	—	—	—	—	05	—	—	17		9
10	01	—	—	38	11	—	—	17	05	06	—	06		10
11	07	03	—	13	—	02	tr	44	tr	15	102	69		11
12	21	—	—	43	—	07	—	05	—	07	11	45		12
13	tr	03	—	14	—	11	—	173	29	—	17	19		13
14	—	—	—	11	—	—	07	13	tr	40	05	tr		14
15	13	—	—	03	—	—	—	—	04	85	—	45		15
16	21	01	—	08	—	—	tr	51	144	19	—	14		16
17	06	—	—	—	—	—	—	05	08	68	tr	12		17
18	123	—	—	—	—	07	—	—	29	10	21	tr		18
19	23	—	20	—	—	65	—	—	39	23	—	10		19
20	48	—	tr	—	—	76	—	—	07	02	33	—		20
21	09	—	—	—	—	—	tr	—	23	29	27	—		21
22	03	—	—	—	—	85	—	—	125	05	13	—		22
23	09	—	—	—	—	—	09	—	17	44	—	51		23
24	16	04	05	—	—	—	34	—	tr	03	—	11		24
25	02	32	04	—	—	—	22	27	61	17	tr	07		25
26	17	34	03	—	—	—	tr	01	07	—	—	—		26
27	11	05	25	03	—	—	—	87	14	03	—	47		27
28	22	39	02	tr	—	—	—	—	tr	16	—	24		28
29	tr	X	83	—	39	71	20	08	—	04	—	53		29
30	54	X	41	—	44	03	07	18	—	—	—	tr		30
31	65	X	—	X	—	X	—	12	X	—	X	55		31
TOTAL	4·83	2·26	3·25	3·66	1·36	3·80	1·15	5·17	6·12	5·46	2·29	6·11	Year's Total	45·46
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1902

Kept at Haverfordwest.

in the County of

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

Copy from Met. Soc Sch. 240.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	39	—	16	01	01	47	—	tr	—	—	—	76		1
2	02	—	tr	—	01	—	—	02	93	—	—	04		2
3	21	—	—	07	01	01	03	02	53	—	—	—		3
4	20	—	—	30	—	—	01	—	01	06	—	—		4
5	—	—	—	—	tr	21	—	90	02	—	18	—		5
6	—	—	—	—	02	08	—	27	05	—	19	—		6
7	01	28	—	—	06	11	—	27	—	—	60	—		7
8	06	01	02	—	—	01	tr	—	—	02	33	—		8
9	09	01	—	—	—	—	16	tr	12	77	16	—		9
10	—	—	tr	—	—	09	—	01	07	03	31	03		10
11	—	—	05	—	07	12	—	19	21	tr	92	tr		11
12	03	tr	—	—	tr	82	—	01	01	81	tr	14		12
13	—	—	28	—	tr	13	—	01	03	90	44	07		13
14	—	tr	59	—	14	19	—	—	tr	17	02	77		14
15	—	tr	02	—	01	11	—	—	01	tr	—	74		15
16	—	—	tr	08	25	—	—	—	01	10	—	22		16
17	tr	—	—	—	16	—	—	57	—	24	—	43		17
18	—	—	07	28	14	04	—	02	—	—	—	—		18
19	—	—	11	15	03	34	97	02	tr	22	—	11		19
20	09	02	04	05	—	01	tr	—	08	tr	—	—		20
21	04	25	23	125	tr	—	—	—	07	11	21	—		21
22	tr	46	23	03	25	41	—	53	89	tr	59	—		22
23	34	69	05	04	—	tr	01	—	80	—	37	—		23
24	05	02	37	—	—	—	—	—	—	—	42	—		24
25	08	06	—	—	—	—	113	—	—	26	25	—		25
26	38	39	87	—	—	—	56	—	—	—	47	—		26
27	32	06	—	—	18	—	—	—	—	14	108	20		27
28	37	01	33	—	—	—	—	—	—	13	29	09		28
29	tr	X	28	01	01	01	—	—	—	15	08	16		29
30	—	x	02	09	08	—	—	12	—	—	20	01		30
31	—	x	tr	x	31	x	—	05	x	01	x	—		31
TOTAL	2·68	2·26	3·72	2·36	1·74	3·16	2·87	3·01	3·84	4·12	7·12	3·77	Year's Total	40·68
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) ..... (P.T.O.)

4122

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1903

Kept at Haverfordwest (High St.)

in the County of Pembroke

by 56.690

Lat. ..... Long. .....

Nearest Railway Station .....

Time of Observation .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground 1 ft. 0 in.

36.526 " " " Sea Level 95 T. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.04	.45	.05	.20	—	—	tr	.605	.09	1.07	—	1
2	.21	tr	.10	.03	.55	—	.09	.38	.21	.15	.19	.04	2
3	.22	.05	.03	.03	.01	—	—	.07	.05	.30	tr	.61	3
4	1.20 1.48	.08	.39	.01	.21	—	.16	tr	.17	.32	tr	.12	4
5	.42	tr	.07	.05	.05	—	.19	—	tr	.53	tr	.10	5
6	.38	.04	.32	tr	—	—	—	—	—	.22	—	.52	6
7	.09	.20	—	—	.02	—	—	—	.10	.61	—	.07	7
8	.27	.08	.13	—	1.15	—	—	.21	.38	—	.09	.41	8
9	.51	.03	.54	—	tr	.27	—	.04	.01	.08	tr	.43	9
10	.20	.01	.06	.02	.03	.23	—	.01	.69	.50	—	.43	10
11	—	.01	—	tr	—	—	.04	—	.05	.41	.03	.07	11
12	—	tr	.17	—	—	—	—	.01	.61	.14	.14	.51	12
13	—	—	.41	—	—	.13	.01	.60	tr	.27	.33	.08	13
14	—	—	.16	.27	—	.44	.16	.53	—	1.02	.08	.45	14
15	—	—	.19	.01	.22	.01	.43	—	—	.08	.02	.23	15
16	.11	—	.33	tr	.44	.10	.20	.42	—	.04	.09	.02	16
17	.01	—	.65	—	.12	—	.07	.62	—	tr	.03	tr	17
18	—	—	.95	—	—	—	—	.03	—	.29	—	.16	18
19	.01	.01	tr	—	.03	—	—	.33	—	.52	tr	.08	19
20	.03	.12	—	—	—	—	.01	.35	.23	.15	.03	tr	20
21	.04	.17	tr	—	—	—	1.02	—	.27	.23	—	.19	21
22	.64	.39	tr	—	—	—	.04	—	—	.14	.03	.16	22
23	.13	.05	.02	—	—	tr	—	.47	.01	.09	.18	—	23
24	.30	.62	.17	—	—	.05	.08	.55	.14	.73	—	.15	24
25	.16	.24	.57	1.10	—	.76	.79	—	—	.87	tr	—	25
26	.41	.58	.03	.44	—	.01	.16	.01	.65	.13	.43	—	26
27	.07	.01	.18	.03	—	.11	.05	.42	.01	.61	.42	—	27
28	tr	.36	.19	.20	.23	—	.11	.23	.28	.70	.13	—	28
29	.05	X	.13	.13	.11	—	tr	.24	.13	.65	—	—	29
30	.07	X	—	.53	—	—	—	.13	.08	.05	.05	—	30
31	.28	X	.16	X	—	X	.14	.02	X	.25	X	—	31
Total	~~1.838~~	~~1.202~~	~~2.170~~	~~1.100~~	~~1.152~~	~~.765~~	~~1.810~~	~~1.222~~	~~1.945~~	~~5.180~~	~~1.070~~	~~.610~~	~~20.164~~ for year
No. of Rain Days	6.11	3.09	6.43	2.90	3.37	2.12	3.75	5.67	4.87	10.17	3.34	4.83	56.65

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Section **A** for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19[illegible]04

Kept at Hawes Fordwest.

in the County of

Copy from Met Soc Sch.
2nd Order.

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	29	—	—	39	07	02	05	—	01	—	14		1
2	38	28	—	27	—	—	09	—	66	—	—	07		2
3	19	04	—	05	—	—	—	—	—	—	—	31		3
4	22	27	11	10	01	—	06	11	04	—	—	55		4
5	—	36	27	15	16	—	—	18	52	42	18	43		5
6	95	03	—	—	44	—	02	—	02	02	76	15		6
7	53	60	55	08	05	—	—	—	89	07	22	13		7
8	15	50	04	—	20	—	—	—	01	—	11	74		8
9	30	45	—	11	06	05	—	—	—	13	05	69		9
10	06	38	—	—	06	—	—	05	—	09	78	08		10
11	14	09	—	—	07	—	—	—	37	06	01	61		11
12	70	52	—	07	—	90	03	—	23	—	—	09		12
13	29	11	01	41	03	34	—	72	58	—	—	32		13
14	10	09	04	07	—	48	21	05	04	—	—	—		14
15	—	03	—	—	—	20	04	—	24	09	05	11		15
16	—	37	—	—	—	—	—	45	04	95	—	09		16
17	09	09	05	11	01	36	—	—	—	03	—	25		17
18	03	—	06	—	—	—	—	—	—	02	13	01		18
19	01	30	13	—	—	—	03	—	—	01	—	01		19
20	03	09	23	—	02	—	02	—	—	07	—	—		20
21	—	—	—	07	05	—	12	57	—	18	31	—		21
22	—	—	—	05	—	—	15	—	—	—	23	—		22
23	—	—	—	—	74	—	07	—	—	09	04	—		23
24	—	—	—	—	12	29	11	—	—	—	05	02		24
25	08	94	—	—	03	01	22	28	28	—	50	—		25
26	48	28	—	—	28	—	05	—	35	—	—	—		26
27	33	—	21	—	—	—	—	—	01	—	05	25		27
28	01	—	23	18	—	—	29	—	—	—	02	03		28
29	39	—	05	38	—	—	05	—	—	—	—	07		29
30	25	X	13	—	—	22	31	—	82	—	01	—		30
31	—	X	19	X	21	X	06	21	X	—	X	—		31
TOTAL	5·71	6·11	2·30	2·10	293	2·92	1·95	2·67	5·10	2·24	3·50	6·15	Year's Total 42·68	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

Section [A] for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1965

Kept at Haverfordwest

in the County of

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

Copy from Met Soc Sch. 2nd Order.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	01	06	18	01	43	17	83	10	12	01	48	02		1
2	03	05	—	17	05	10	08	65	—	12	18	06		2
3	—	04	05	07	—	—	—	20	—	17	27	—		3
4	29	03	48	03	—	—	—	39	07	08	37	01		4
5	49	01	—	01	—	—	15	—	11	02	03	38		5
6	—	19	05	06	—	—	—	55	13	09	12	30		6
7	—	—	07	09	—	01	—	03	16	11	—	30		7
8	45	01	47	24	—	—	—	11	75	—	—	10		8
9	01	—	09	12	—	—	—	14	81	—	27	—		9
10	08	02	102	14	32	—	18	—	01	—	130	—		10
11	13	02	29	—	06	—	20	—	—	—	23	—		11
12	—	—	07	33	—	04	09	—	04	01	41	—		12
13	—	01	53	26	—	—	—	—	04	01	41	—		13
14	—	03	43	—	—	—	05	—	—	05	01	—		14
15	36	03	15	24	—	11	—	03	01	07	01	—		15
16	53	07	14	25	—	08	—	—	—	—	04	—		16
17	09	01	44	—	—	—	01	23	—	—	—	—		17
18	01	03	—	—	—	01	—	09	—	—	—	13		18
19	01	02	—	—	—	59	—	21	01	—	—	01		19
20	—	12	—	—	—	21	—	—	—	—	01	03		20
21	—	—	—	—	—	02	—	19	—	—	—	04		21
22	—	—	—	—	—	—	21	72	—	—	96	—		22
23	02	—	44	—	—	—	—	—	—	02	03	—		23
24	15	14	—	69	—	—	02	09	—	03	—	—		24
25	—	53	30	03	—	—	03	51	—	—	48	—		25
26	—	18	38	12	—	—	10	12	—	15	28	—		26
27	—	10	02	17	13	—	—	85	—	—	53	33		27
28	—	12	35	28	12	—	10	13	—	35	07	—		28
29	—	X	06	26	—	40	13	11	—	HH	33	—		29
30	—	X	—	80	—	53	—	01	—	17	09	02		30
31	04	X	04	X	18	X	09	—	X	09	X	—		31
TOTAL	2.70	1.82	6.05	4.37	1.29	2.27	2.27	5.47	2.26	1.99	6.91	1.73	Year's Total	39.15
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) .....

(P.T.O.)

Section [A] for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1966

Kept at Haverfordwest

in the County of

Copy from Met Soc Sch of 2nd Order.

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	39	03	19	—	13	06	05	178	—	84	04	23		1
2	82	09	—	—	38	—	—	137	—	157	34	17		2
3	11	08	—	—	06	—	—	01	—	01	39	—		3
4	25	01	02	—	02	—	—	—	—	114	—	07		4
5	110	—	07	01	129	—	09	02	—	03	—	10		5
6	04	08	—	—	10	—	—	01	—	11	20	—		6
7	38	—	29	—	06	—	04	—	—	08	03	11		7
8	24	01	03	—	17	—	—	—	—	42	05	15		8
9	01	31	05	—	—	—	02	05	—	05	01	05		9
10	—	26	112	—	—	—	—	—	—	04	—	29		10
11	50	—	20	—	32	—	—	07	01	01	—	20		11
12	37	16	03	—	—	—	15	142	18	26	—	21		12
13	09	01	35	—	19	—	11	—	40	09	—	04		13
14	10	19	13	—	—	—	03	79	53	04	33	04		14
15	70	24	20	—	—	05	—	01	17	09	42	25		15
16	36	44	—	02	12	—	—	—	—	33	21	04		16
17	68	—	13	01	18	H1	02	02	—	95	46	—		17
18	16	18	05	—	02	—	20	—	—	01	36	01		18
19	—	04	—	04	—	—	—	01	—	—	—	—		19
20	05	—	—	—	01	08	—	02	—	33	86	—		20
21	—	—	—	—	—	07	03	—	—	19	36	—		21
22	—	71	07	—	14	—	02	—	—	17	—	—		22
23	—	12	—	02	21	67	—	38	—	23	01	—		23
24	67	36	05	24	22	05	—	71	—	—	—	17		24
25	01	08	—	17	23	—	—	06	—	—	01	45		25
26	—	28	—	—	36	17	21	—	—	43	05	02		26
27	06	03	—	29	37	77	05	—	—	29	02	80		27
28	09	34	—	25	05	—	20	—	—	19	02	30		28
29	—	X	—	08	—	—	—	—	—	26	04	62		29
30	—	X	—	03	18	09	32	—	02	64	03	31		30
31	15	X	—	X	07	X	16	—	X	01	X	22		31
TOTAL	7·33	4·05	2·98	1·16	4·88	2·42	1·70	6·73	1·31	8·81	4·24	4·85	Year's Total	50·45
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .....

(P.T.O.)

Section [A] for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1907

Kept at Haverfordwest.

in the County of

Copy from Met. Soc. Sch 2nd Order.

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	60	—	—	—	33	02	—	—	33	54	13	04		1
2	16	—	—	81	—	—	39	1·11	04	30	25	35		2
3	—	—	—	07	31	03	23	19	34	30	06	13		3
4	04	02	02	01	—	127	11	—	47	02	04	40		4
5	07	—	—	23	33	06	01	—	—	07	—	—		5
6	02	—	21	26	33	01	—	—	22	25	—	18		6
7	01	12	06	24	11	51	18	39	—	07	04	65		7
8	09	36	03	10	16	16	04	24	—	47	11	16		8
9	07	—	08	06	07	23	01	06	—	08	—	35		9
10	10	28	06	31	51	01	—	01	—	49	—	15		10
11	01	64	—	19	14	44	—	57	—	39	13	04		11
12	01	08	19	63	—	33	—	—	—	31	04	16		12
13	05	—	02	—	—	23	19	29	—	27	02	41		13
14	—	15	09	—	—	30	01	59	—	30	23	—		14
15	10	01	19	—	—	—	—	—	—	12	—	09		15
16	—	—	35	—	—	—	—	32	—	71	33	11		16
17	—	03	17	—	—	03	—	42	—	45	07	17		17
18	—	16	02	—	—	07	—	—	—	23	—	13		18
19	—	35	03	—	—	01	—	—	—	05	18	30		19
20	14	07	—	85	—	29	—	—	—	19	—	26		20
21	45	01	—	02	—	07	—	—	—	84	01	14		21
22	—	03	—	01	01	05	—	06	—	40	81	—		22
23	—	—	—	—	03	20	—	—	—	13	03	01		23
24	—	—	—	—	03	26	45	—	—	18	67	02		24
25	—	—	—	—	08	15	02	10	—	35	52	—		25
26	21	—	—	24	—	03	13	02	—	02	32	—		26
27	01	—	—	01	—	07	32	—	—	15	09	—		27
28	03	—	—	20	—	—	07	—	—	01	15	—		28
29	04	X	—	03	26	—	01	—	—	19	—	—		29
30	05	X	—	10	73	06	—	—	—	89	—	01		30
31	—	X	—	X	17	X	01	—	X	02	X	—		31
TOTAL	2·26	2·31	1·62	4·37	3·60	4·89	2·18	4·37	1·40	8·79	4·23	4·26		Year's Total 44·18
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) ..... (P.T.O.)

REGISTER OF RAINFALL IN 1908

FORM A. BRITISH RAINFALL. 4122

17 APR 1909

Kept at Haverfordwest

in the County of the same Town

by Edward Picton Phillips

Lat. 51° 48' N Long. 4. 58 W

Nearest Railway Station Haverfordwest

Time of Observation 9 A.M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3/4 in.

" " " Sea Level 95 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.024	.056	.006	—	.445	—	—	.040	—	—	—	1
2	—	.046	.274	.018	.278	.026	—	—	.330	—	—	.020	2
3	—	.004	—	.002	.002	—	—	—	.288	—	—	.138	3
4	—	—	—	.028	.418	—	—	—	—	—	—	.003	4
5	.238	.004	1.034	—	.388	—	—	—	—	—	—	.436	5
6	.448	.002	.074	—	.002	—	—	—	.024	.040	—	.140	6
7	.794	—	.077	—	.270	.068	.576	—	.029	.022	—	.018	7
8	.054	—	.046	—	.105	—	.116	—	.388	.270	—	.584	8
9	—	.004	.053	—	.036	—	1.410	.063	.298	.137	—	.434	9
10	—	.008	.002	.186	—	.017	.236	.043	.056	—	.110	.120	10
11	—	.054	—	—	.028	.406	.359	—	.056	—	.196	—	11
12	—	—	—	—	.053	—	.030	—	.002	—	.258	.333	12
13	.2 .018	.148	.383	.018	.184	.032	.100	.030	.012	—	.240	.100	13
14	.4 .039	.223	.008	—	.300	.003	.033	.058	.135	—	—	.400	14
15	.9 .586	.122	.032	—	—	.173	.194	—	—	.468	—	1.828	15
16	.6 .368	.828	.034	—	.012	—	.883	—	.520	.138	.042	.210	16
17	.4 .037	.038	—	—	.020	—	.023	—	—	1.030	—	.154	17
18	tr .003	.016	—	—	.008	—	—	—	.018	.063	.308	.108	18
19	.5 .048	.002	—	.030	.002	—	.002	—	.714	.018	.074	.038	19
20	—	.003	—	—	—	—	—	.488	.003	.760	.058	.113	20
21	.4 .036	.030	.558	.010	.246	—	—	.073	.187	—	.440	.083	21
22	—	.008	.114	.108	—	.049	.003	.368	.057	—	—	.435	22
23	—	.004	.224	.088	—	.009	.002	.925	.008	—	.035	.018	23
24	.014	.02 .020	.888	.204	.136	—	.774	.274	.002 .798	—	.107	—	24
25	—	.002	.002	.003	—	—	.003	.069	.798	—	.075	—	25
26	.10 .097	.290	—	.039	—	—	—	1.070	.014	—	—	.562	26
27	tr .002	.078	.443	1.060	—	—	.074	.246	.130	—	—	.020	27
28	.128	.018	—	.079	—	—	.002	.017	.020	.576	.688	.460	28
29	.01 .008	.347	.185	.965	—	—	—	—	.002	—	.002	.086	29
30	.9 .188		.368	.007	—	.008	—	.166	—	.048	—	.540	30
31	—		.002		.002	—	—	1.185	[illegible]	—		.018	31
Total	3.072	2.325	4.863	2.851	2.672	1.266	4.820	5.077	4.132	3.570	2.633	7.625	TOTAL for year 44.90
No. of Rain Days	16	18	18	15	15	10	13	15	21	12	13	26	

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

Waterlow and Sons Limited, Printers, London Wall, London.

Section **A** for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~1905~~ 1908

Kept at Haverfordwest.

in the County of

Copy.

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		02	06	01		47			04					1
2		05	27	02	28	03			33			02		2
3									29			14		3
4				03	42							01		4
5	23		103		39							44		5
6	44		07						02	04		14		6
7	79		08		27	07	58		03	02		02		7
8	05		05		11		12		39	27		58		8
9			05		06		141	07	30	14		43		9
10		01		19		02	24	04	06		11	12		10
11		05			03	41	36		06		20			11
12					05		03				26	55		12
13	02	15	39	02	18	03	10	03	01		24	10		13
14	04	22	01		50		03	06	13			40		14
15	59	12	03			17	19			47		183		15
16	36	83	03		01		88		52	14	04	21		16
17	04	04			02		02			103		15		17
18		02			01				02	06	31	11		18
19	05			03					71	02	07	04		19
20		01						49		76	06	11		20
21	04	03	56	01	21			07	19		44	09		21
22		01	11	11		05		37	06			43		22
23			22	09		01		93	01		03	02		23
24	01	02	89	20	14		77	27			11			24
25								07	80		07			25
26	10	29		04				107	01			56		26
27		08	45	106			07	25	13			02		27
28	12	02		08				02	02	58	69	46		28
29	01	35	19	97								09		29
30	19	X	37	01		01		17		05		54		30
31		X		X		X		115	X		X	02		31
TOTAL	308	232	486	287	268	127	480	506	413	358	263	763	Year's Total 4491	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

Sent Rothera out returned GW Phillips 8.III.10

out by October.

REGISTER OF RAINFALL IN 1909

FORM A. BRITISH RAINFALL.

1/26

26 JAN 1910

4122

Kept at Haverfordwest High Street

in the County of Pembroke

by E. Picton Phillips Esq

Lat. ..... Long. .....

Nearest Railway Station .....

Time of Observation .....

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " Sea Level 95" ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·020	·002	·020	·002	—			·073	·018	·025"		064	1
2	·018	·002	362	·098			·055"		·002	410	·008	·318	2
3			·070	480		·037	·074		·002	182		338	3
4		·038	·028						177	490	·093	·200	4
5	·186		1·064				·120		·225"	·004	108	·210	5
6	·140		·039		—	·328	·233			·018		453	6
7	·120		·300				·002		·084	340			7
8	·018	·265	·298										8
9	·098	100	·003				·750			640	·029	·550	9
10	440	·066					·006			450		1·100	10
11	·002			·135"						245"		140	11
12	·078		·015"	·218					·010	1·143		·003	12
13	144		·128	105"			·250			·080	386		13
14	398	·002	·292		·024					328			14
15	·295"		·048	·240			·017			350			15
16	·024	·003	340	·034						259		246	16
17	·074	·008	230	340	·002			·380		197		·150	17
18	230		·072			·130	·024			006		078	18
19			·064	238		·053		340		656		210	19
20			·052			·215	·140			082			20
21			·118	·058		·567	·002	·016		·010		1·098	21
22			·120	·428	·100	·374	·067	310		338		270	22
23			187	360		228		·093	280	·578		·097	23
24			·503	130	·505"		·667	·002	·014	133	·034	·056	24
25	·010		·058	·054	·288		·067			208		220	25
26		·028		·158	·327		404		·002	210	386	120	26
27		014	788				906		440		410	224	27
28	·038		856	090	150		·038		1·436		255"		28
29			138	415			028	337		050	078	080	29
30			·008	020	041				·170		385"	278	30
31	·002		·080		024	t·003	310					001	31
Total	2·335"	·528	6·281	3·603	1·461	1·935"	4·160	1·751	2·860	7·452	2·172	6·504	TOTAL for year 41·042
No. of Rain Days	17	7	27	18	8	8	18	7	10	25"	11	22	178

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
6,000, XI, '08.
Price 2d.

Section [A] for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~1965~~ 1909

Kept at Hawes Gardens

in the County of

Copy

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	02		02					07	02	03		06		1
2	02		36	10			05			41	01	32		2
3			07	48		04	07			18		34		3
4		04	03						18	49	09	20		4
5	19		106				12		23		11	21		5
6	14		04			33	23			02		45		6
7	12		30						08	34				7
8	02	27	30				75							8
9	10	10					01			64	03	55		9
10	44	07								45		110		10
11				13						25		14		11
12	08		01	22					01	114				12
13	14		13	11			25			08	39			13
14	40		29		02					35				14
15	29		05	24			02			35				15
16	02		34	03						26		25		16
17	07	01	23	34				58		20		15		17
18	23		07			13	02			01		08		18
19			06	24		05		34		66		21		19
20			05			21	14			08				20
21			12	06		54		02		01		110		21
22			12	43	10	37	07	31		34		27		22
23			19	36		23		09	28	58		10		23
24			50	13	51		67		01	13	03	06		24
25	01		06	05	29		07			21		22		25
26		03		16	33		40			21	39	12		26
27		01	79				91		44		41	22		27
28	04		86	09	15		04		144		25			28
29		X	14	41			03	34		05	08	08		29
30		X	01	02	04				17		39	28		30
31		X	08	X	02	X	31		X		X			31
TOTAL	233	53	628	360	146	193	416	175	286	747	218	651	Year's Total 406	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) ..... (P.T.O.)

W D2 corby C. 28.IV.11

Sca

REGISTER OF RAINFALL IN 1910

FORM A2. BRITISH RAINFALL.

12 JAN 1911

4122

Kept at Haverfordwest

in the County of the same Town 4

by J. W. Phillips Esq

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. " " " Sea Level 90 ft.

Time of Observation 9 A.M.

Nearest Railway Station G.W.R: Name Haverfordwest Distance ½ mile Direction S W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. entered to previous day

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·076	·334	·299	—	—	332	—	·682	—	174	—	·217	1
2	·030	·038	—	—	—	—	·323	·299	—	·437	·004	—	2
3	·017	·110	—	·030	·168	·010	·017	·146	—	·002	·555	—	3
4	·004	·150	—	—	·248	·008	·036	·212	—	—	·160	·297	4
5	·006	·372	·026	·148	·154	·333	·073	·002	—	·003	·400	·741	5
6	—	·151	·304	·215	·040	·033	—	·035	—	·002	·135	·300	6
7	—	·044	·116	—	·224	·418	—	—	—	—	·183	·254	7
8	·118	·040	·384	—	·018	·162	—	·242	—	—	·021	1·301	8
9	·094	·030	·303	—	—	·046	—	·004	—	—	—	·357	9
10	·260	·114	·002	—	·002	·493	—	—	·008	·038	·248	·391	10
11	·508	·065	—	·057	·087	—	—	·413	—	·208	·004	·018	11
12	·028	·028	—	·266	·038	—	—	·198	—	·272	·396	·442	12
13	·140	·248	—	·426	·115	—	—	·017	—	·009	·472	·144	13
14	·008	·510	·008	·038	·033	—	—	·393	·181	—	·241	·718	14
15	·290	·150	—	·178	—	—	—	—	·003	·083	·109	·769	15
16	·234	·200	·030	·010	·336	—	·016	·306	—	·381	—	·312	16
17	·184	·050	·132	·260	—	—	·010	—	—	·017	·005	—	17
18	·090	·400	·018	·002	·318	—	—	·533	—	·562	·068	·029	18
19	·080	·125	·076	·108	·045	—	·073	·359	—	·257	·119	·028	19
20	·062	·371	—	·002	—	·050	·715	·169	—	·512	·003	·291	20
21	·148	·030	—	·174	—	·173	·013	·018	—	·003	·009	·005	21
22	·198	·210	—	·002	—	·087	·124	·149	—	—	·530	·003	22
23	·410	·314	—	·094	—	·307	·415	1·139	—	—	·658	·041	23
24	·115	·295	—	·046	—	·517	·322	—	—	·003	·061	·055	24
25	·080	·040	—	·016	·010	·010	·009	·360	·001	—	·149	—	25
26	—	·128	—	—	—	—	·018	—	·014	·091	·111	·052	26
27	·544	·310	·065	·008	·022	·143	·227	·960	—	·644	·444	·102	27
28	·190	·090	—	·137	—	·020	·483	·139	·006	·201	—	·065	28
29	—		—	—	·372	·021	·002	1·136	·015	·005	·004	—	29
30	—		—	—	·131		·009	·008	—		·021	—	30
31	·290		—				—	·058		·403		·144	31
Total	4·249	4·927	1·706	2·247	2·401	3·163	2·885	6·977	·228	4·277	5·449	7·106	TOTAL for year 45·606
No. of Rain Days	26	28	12	17	18	18	17	23	5	17	24	24	224

9,000, IX. '10.

Section **A** for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~1965~~ 1910

Kept at Haverfordwest.

in the County of

Copy

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	08	33	30			33		68		17		22		1
2	03	04					32	30		44	01			2
3	02	11		03	17	01	02	15			55			3
4	01	15			25	01	04	21			16	30		4
5	01	37	03	18	15	33	07				40	74		5
6		15	31	21	04	03		03			13	30		6
7		04	12		04	42					18	25		7
8	12	04	38		22	16		24			02	130		8
9	09	03	30		02	05						36		9
10	26	11				49			01	04	25	39		10
11	51	07		06				41		21		02		11
12	03	03		27	09			20		27	40	44		12
13	14	25		43	04			02		01	48	14		13
14	01	51	01	04	11			39	18		24	72		14
15	29	15		18	03					08	11	77		15
16	23	20	03	01			02	31		38		31		16
17	19	05	13	26	34		01			02	01			17
18	09	40	02					53		56	07	03		18
19	08	13	02	11	32		07	36		26	12	03		19
20	06	37			05	05	71	17		51		29		20
21	18	03		17		17	01	02			01	01		21
22	20	21				09	12	15			53			22
23	41	31		09		31	41	114			66	04		23
24	11	29		05		52	32				06	05		24
25	08	04		02		01	01	36			15			25
26		13			01		02		01	09	11	05		26
27	54	31	07	01		14	23	96		61	77	10		27
28	19	07		14	02	02	48	14	01	20		07		28
29		X				02	–	14	01	01				29
30		X			37		01	01			02			30
31	29	X		X	13	X		06	X	40	X	17		31
TOTAL	425	492	172	226	240	316	287	698	22	426	544	710	Year's Total 4558	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

REGIS

CASTLE MALGWYN
LLECHRYD
PEMBROKESHIRE

1903, 1906, 08 – 1910

FORM A.
BRITISH RAINFALL.

Kept at Castle Ma

in the County of Pembro

by 58·67

in.

ove Ground ft. in.

Sea Level ft.

NOTE.—Rain should be measured da
of rain and particulars as to the British
to Dr. H. R. MILL, 62, Camden Square, London, N.W.

ull instructions for the measurement
ervers," sent post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·66										1
2								·67	·60				2
3													3
4	·75												4
5													5
6													6
7										·87			7
8													8
9			·69										9
10						·79			·66				10
11										·74			11
12													12
13			1·43										13
14								·78		1·18			14
15													15
16			·62										16
17							1·25	·62					17
18													18
19													19
20													20
21		1·33					·88						21
22	·78												22
23													23
24		1·17						·87					24
25			·90	·85			·82			·77			25
26		·85											26
27										1·12			27
28													28
29													29
30													30
31													31
Total	1·53	3·35	3·64	·85	—	·79	2·95	2·94	1·26	4·68	—	—	TOTAL for year 22·79
No. of Rain Days													

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Castle Malgwyn Llechryd

in the County of Pembrokeshire

by 58·67

Lat. ..... Long. .....

Nearest Railway Station .....

Time of Observation .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

36·88 „ „ „ Sea Level ..... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·66										1
2								·67	·60				2
3													3
4	·75												4
5													5
6													6
7										·87			7
8													8
9			·69										9
10						·79			66				10
11										·74			11
12													12
13			1·43										13
14								·78		1·18			14
15													15
16			·62										16
17							1·25	·62					17
18													18
19													19
20													20
21		1·33					·88						21
22	·78												22
23													23
24		1·17						·87					24
25			·90	·85			·82			·77			25
26		·85											26
27										1·12			27
28													28
29													29
30													30
31													31
Total	1·53	3·35	3·64	·85	—	·79	2·95	2·94	1·26	4·68	—	—	TOTAL for year 22·79
No. of Rain Days													

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

M∝

REGISTER OF RAINFALL IN 1906

Kept at Castle Malgwyn [Llechryd]

in the County of Pembroke

~~by~~ 45.26 f.e. .455

RAIN GAUGE.

Lat. ..... Long. .....

Time of Observation .....

Diameter 5

Height of top above Ground 1.0

" 28.49 ✓ Sea Level —

63

NOTE.—Full instructions respecting the measurement of rain are given in "*The British Rainfall Organization—Rules for Rainfall Observers*," which is sent post-free on application to ~~Mr. SOWERBY WALLIS or~~ Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.95		.58			1
2	.58							1.20		.54			2
3													3
4										1.02			4
5	1.28												5
6													6
7			.50										7
8										.90			8
9													9
10			.78										10
11	.57												11
12								1.27					12
13			.52										13
14													14
15	.50												15
16													16
17	.75									1.50			17
18											.50		18
19													19
20													20
21													21
22		.52											22
23													23
24	.70												24
25													25
26										.60			26
27				.46		.55							27
28													28
29													29
30													30
31													31
Totals	4.38	.52	1.80	.46	—	.55	—	3.42	—	5.14	.50	—	16.77
Total from Jan. 1													28.49

K/4,000/11/02. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

Hpd - ARR

REGISTER OF RAINFALL IN 1908

Exc D B

2/53. FORM A. BRITISH RAINFALL.

22 JAN 1909

Kept at Castle Malgwyn [Llechryd)

in the County of Pembroke.

by W. H. Baldwin.

Lat. ..... Long. .....

Nearest Railway Station .....

Time of Observation .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " Sea Level ..... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.06	.02	.01		.82			.03				1
2		.05	.09	.02	.14	.16			.02				2
3		.08							.36			.08	3
4				.06	.29			.04					4
5	.10	.03	.87		.55							.25	5
6	.21		.16		.25							.15	6
7	.78	.05	.03		.18	.06	.40					.05	7
8	.05		.18		.04	.02	.42		.46	.15		.73	8
9		.03	.05		.22		.94	.03	.68	.27		.45	9
10		.02		.25		.01	.08	.08	.30		.10	.36	10
11		.01		.03		.30	.68		.40		.30	.01	11
12					.21		.07		.02		.52	.10	12
13		.10	.28	.04	.15	.04		.03	.02	.01	.47	.17	13
14	.07	.12	.02		.58	.06	.03		.10	.08		.55	14
15	.35	.11	.12						.03	.08		1.75	15
16	.18	.42	.10				.75		.30	.01		.12	16
17		.08					.18			.40		.13	17
18		.02								.53	.48	.07	18
19	.14			.04					.18		.02	.09	19
20		.01					.01	.30	.08	.90	.03		20
21		.10	.42		.20			.20	.02	.04	.57	.03	21
22		.08	.32	.14				.46			.18	.07	22
23		.10	.26	.16				.94	.05		.03	.01	23
24			1.12	.35	.05		.20	.14			.22		24
25		.03		.15			.03	.10	1.07		.01		25
26	.15	.40		.02				.98	.01			.30	26
27	.02	.25	.42	.56				.38	.02			.20	27
28	.23	.05		.16						.40	.64	.21	28
29	.03	.58	.22	.42								.03	29
30	.10		.35							.13		.10	30
31					.98			1.60				.05	31
Total	2.41	2.78	5.03	2.41	3.36	1.47	3.79	5.28	4.09	3.00	3.57	6.00	TOTAL for year 43.19
No. of Rain Days	13	23	18	15	13	8	12	13	19	12	13	25	184

6,000, XI. '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Dr. 80

Exp P

REGISTER OF RAINFALL IN 1909

2/5·3

FORM A.
BRITISH RAINFALL.

26 JAN 1910

Kept at Castle Malgwyn Llechryd

in the County of Pembroke

by Mr H. Baldwin

Lat. ____ Long. ____

Nearest Railway Station ____

Time of Observation ____

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ____ in.

" " " Sea Level ____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·09	·15"		·02			·05"	·17		·03	·07	1
2			·40	·05"						·35"	·08	·35"	2
3			·15"	·15"		·03	·15"		·03	·06	·01	·50	3
4			·08						·35"	·34	·04	·55"	4
5	·05"		·33				·05"		·13	·04	·18	·34	5
6	·09		·03				·02		·15"	·05"	·03	·33	6
7	·36		·08				·02		·42	·83	·01		7
8	·03	·20	·03						·02	·03			8
9	·12	·23					·68			·30	·05"	·17	9
10	·45"	·15"					·05"			·70		·27	10
11				·05"						·50		·04	11
12				·30			·02		·05"	1·50			12
13	·13		·12	·16			·24			·08	·40		13
14	·50	·02	·14							·22	·02		14
15	·35"		·40	·18		·03	·03			·43			15
16	·02		·05"	·05"	·07					·18		·30	16
17	·10		·22	·30	·08			·75"		·18		·34	17
18	·33		·23					·12				·25"	18
19			·12	·14		·07		·05"		·50		·04	19
20			·16			·57	·07	·20					20
21	·03		·13			·40		·09		·06		·96	21
22				·62	·02	·32	·02	·08		·17		·55"	22
23			·05"	·34		·21		·02	·15"	·70		·10	23
24			·45"	·06	·55"		·33	·05"		·03	·06		24
25			·07	·67	·20	·01	·08			·10	·17	·36	25
26		·03		·45"	·42		·21	·03		·11	·30	·02	26
27		·02	·12	·01		·02	·80		·49		·15"	·25"	27
28	·10	·02	·86	·17	·09	·25"	·03		1·11		·07		28
29			·35"	·42			·09	·42		·25"	·05"	·03	29
30	·03		·02	·09	·06		·03		·07	·06	·45"	·17	30
31	·04		·03		·02		·03						31
Total	2·76	·76	4·77	4·21	1·53	1·91	2·95"	1·86	3·14	7·77	2·10	6·19	TOTAL for year 39·95
No. of Rain Days	17	8	25"	18	10	10	19	11	12	25"	17	21	148

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

6,000, XI '07.

Price 2d.

REGISTER OF RAINFALL IN 1910

2/51 FORM A. BRITISH RAINFALL. 25 JAN 1911

Kept at Castle Malgwyn, Llechryd

in the County of Pembroke

by Mr H. Baldwin

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. ____ in. " " " Sea Level — ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.32	.75	.08		.43	.08	.17		.12	.01	.45	1
2	.02			.27	.30		.25	.38	.01	.90	.05	.01	2
3					.14	.13	.08	.20			.39	.02	3
4	.01			.13	.13	.08	.03	.53			.21	.26	4
5		.30		.20	.13	.75	.26				.36	.80	5
6		.50	.46		.04	.04		.07			.23	.63	6
7		.12	.15		.08	.15					.08	.11	7
8	.19	.05	.48		.17			.12			.14	.90	8
9	.10		.58			.07						.68	9
10	.30	.08				.78				.09	.55	.35	10
11	.19	.03						.17	.03	.45	.05	.10	11
12	.06	.09		.35	.13			.18		.18	.48	.50	12
13	.12	.18		.52				.06			.40	.40	13
14		.70	.05	.16	.03			.24	.23		.47	.46	14
15	.27	.03		.60				.01		.06	.28	.84	15
16	.22	.18		.31	.28		.06	.25		.01		.52	16
17	.10	.14	.30	.11	.20		.03	.44		.03	.07		17
18	.05	.52	.05	.05				.15		.40	.35		18
19	.02	.16	.08	.15	.57			.36		.34	.18	.03	19
20	.04	.93			.13	.04	.44	.27		.03		.32	20
21	.08	.11		.40	.02	.14	.02					.02	21
22	.20	.50		.02		.08	.03	.06			.47		22
23	.36	.48		.03		.25	.05	1.12			.50	.05	23
24	.21	.52		.13		.21	.22			.01		.11	24
25	.08	.20		.07		.18	.02	.35			.52	.02	25
26		.22							.13		.06	.15	26
27	.50	.28	.06	.08		.05	.16	1.58		.44	.52	.02	27
28	.13	.10			.05		.33	.06		.31	.08	.05	28
29	.03					.17		.25					29
30					.17	.11		.03			.17		30
31	.31				.07			.03		.50		.12	31
Total	3.59	6.74	2.96	3.66	2.94	3.66	2.06	7.08	.40	3.87	6.62	7.92	TOTAL for year 51.50
No. of Rain Days	23	24	10	18	17	17	15	24	4	15	24	26	217

6,000. V. '09.

4123. FISHGUARD

PEMBROKE

LANGTON · DWRBACH

1906 – 10 1922

Kept at Langt

in the County of

by J. C.

1906

58' N Long. 4° 58 W = 5 JAN 1907

Railway Station

Observation 9 a.m.

5 in.

top above Ground 1 ft. – in.

,, Sea Level 320 ft.

NOTE.—Full instruct

"Rules for

British Rainfall Organization are given in

2, Camden Square, London, N.W.

FORM A. BRITISH RAINFALL.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	020	016	—	002	—	007	258	—	055	033	023	1
2	019	005	020	—	004	003	—	239	001	062	010	011	2
3	044	007	001	—	030	—	—	003	—	006	029	005	3
4	008	011	0	—	012	—	—	—	—	158	—	007	4
5	021	0	002	—	003	—	005	—	—	004	006	006	5
6	118	—	012	003	093	—	001	—	001	020	006	001	6
7	007	013	—	—	012	—	009	—	—	037	013	004	7
8	037	—	041	—	004	—	—	—	—	047	012	018	8
9	020	002	005	—	015	—	002	077	—	005	—	004	9
10	—	032	007	—	—	—	—	00	—	004	—	016	10
11	—	020	071	—	—	—	—	005	007	005	—	044	11
12	060	003	023	—	012	—	014	219	003	003	—	025	12
13	037	015	006	—	—	—	006	010	030	007	—	005	13
14	005	006	027	006	—	—	004	073	056	003	037	—	14
15	007	024	011	—	—	—	—	003	013	008	035	027	15
16	055	026	019	—	001	008	001	002	—	032	033	—	16
17	013	047	001	007	011	042	—	019	—	061	052	—	17
18	088	002	007	002	023	—	019	—	001	003	053	—	18
19	022	018	005	001	004	—	—	004	—	—	—	001	19
20	—	006	—	004	—	007	001	001	—	019	064	—	20
21	007	—	—	—	003	071	002	013	—	016	021	—	21
22	—	002	—	001	—	001	007	001	—	012	—	—	22
23	—	041	009	—	070	047	—	026	—	018	—	—	23
24	—	008	—	005	073	007	—	068	—	—	—	024	24
25	069	032	—	029	016	001	—	004	—	—	003	037	25
26	002	003	—	010	023	012	060	—	—	059	003	005	26
27	—	028	—	—	039	036	013	—	—	056	—	160*	27
28	008	006	—	023	031	—	021	—	—	030	002	047*	28
29	009	—	—	004	005	—	—	—	—	036	064	010	29
30	003	—	—	009	—	—	029	—	004	081	—	031	30
31	—	—	—	—	008	—	003			0	—	020	31
Totals	659	377	283	104	379	165	204	907	116	857	426	531	
Total from Jan. 1	652	1029	1312	1416	1795	1960	2164	3071	3187	4044	4470	49·98	

49·98

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

FORM A.
BRITISH RAINFALL.

1906

58' N Long. 4° 58 W

5 JAN 1907

Kept at Lawton

Nearest Railway Station

in the County of Pembrokeshire

by J. C. Yorke.

RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 320 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	020	016	—	002	—	007	258	—	055	033	023	1
2	019	005	020	—	004	003	—	239	001	062	010	011	2
3	044	007	001	—	030	—	—	003	—	006	029	005	3
4	008	011	0—	—	012	—	—	—	—	158	—	007	4
5	021	0—	002	—	003	—	005	—	—	004	006	006	5
6	118	—	012	003	093	—	001	—	001	020	006	001	6
7	007	013	—	—	012	—	009	—	—	037	013	004	7
8	037	—	041	—	004	—	—	—	—	047	012	018	8
9	020	002	005	—	015	—	002	017	—	005	—	004	9
10	—	032	007	—	—	—	—	00	—	004	—	016	10
11	—	020	071	—	1	—	—	005	007	006	—	044	11
12	060	003	023	—	012	—	014	219	003	003	—	025	12
13	037	015	006	—	—	—	006	010	030	007	—	005	13
14	005	006	027	006	—	—	004	013	056	003	037	—	14
15	007	024	011	—	—	—	—	003	013	008	035	027	15
16	055	026	019	—	001	008	001	002	—	032	033	—	16
17	013	047	001	007	011	042	—	019	—	061	052	—	17
18	088	002	007	002	023	—	019	—	001	003	053	—	18
19	022	018	005	001	004	—	—	004	—	—	—	001	19
20	—	006	—	004	—	007	001	001	—	019	064	—	20
21	007	—	—	—	003	011	002	013	—	016	021	—	21
22	—	002	—	001	—	001	007	001	—	012	—	—	22
23	—	041	009	—	010	047	—	026	—	018	—	—	23
24	—	008	—	005	013	007	—	068	—	—	—	024	24
25	069	032	—	029	016	001	—	004	—	—	003	037	25
26	002	003	—	010	023	012	060	—	—	059	003	005	26
27	—	028	—	—	039	036	013	—	—	056	—	160*	27
28	008	006	—	023	036	—	021	—	—	030	002	047*	28
29	009	—	—	004	005	—	—	—	—	036	064	010	29
30	003	—	—	009	—	—	029	—	004	081	—	031	30
31	—	—	—	—	008	—	003			0—	—	020	31
Totals	659	377	283	104	379	165	204	907	116	847	426	531	
Total from Jan. 1	652	1029	1312	1416	1795	1960	2164	3071	3187	4044	4470	49·98	

49·98

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

REGISTER OF RAINFALL IN 1907

FORM A. BRITISH RAINFALL.

Kept at Langlon Dwrbach S.O.

in the County of Pembroke

by J. C. Yorke Esq.

Lat. 57°58'N Long. 4°58'W

Nearest Railway Station Letterston GWR

Time of Observation 9. a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 320 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	049	000	005	000	045	001	000	000	046	048	006	005	1
2	029	000	000	073	000	000	023	092	002	026	010	060	2
3	000	000	000	014	014	003	053	015	012	029	005	021	3
4	003	004	001	001	000	078	015	000	026	008	003	040	4
5	014	000	006	025	020	005	000	000	001	008	002	002	5
6	004	000	014	024	029	000	000	002	026	024	000	019	6
7	001	013	010	041	008	039	006	035	000	001	001	036	7
8	011	059	003	023	028	025	003	017	000	017	017	012	8
9	007	004	026	047	010	027	012	023	000	008	001	058	9
10	012	026	010	006	066	017	000	001	000	043	003	051	10
11	002	040	001	027	014	026	000	050	000	020	007	004	11
12	002	000	018	035	000	052	000	001	000	040	006	014	12
13	(002)	015	002	000	000	008	042	009	000	017	003	055	13
14	000	010	007	000	000	022	000	084	000	074	029	000	14
15	011	002	019	000	000	000	000	000	001	019	000	005 (.05)	15
16	000	000	039	000	000	000	000	031	000	059	029	010	16
17	001	003	018	000	000	003	000	052	000	028	018	019	17
18	000	018	000	000	000	010	000	000	000	068	000	010	18
19	000	039	005	000	000	005	000	000	000	002	021	033	19
20	007	001	000	077	000	031	000	000	002	025	005	045	20
21	033	002	000	012	006	008	000	000	000	022	001	015	21
22	000	000	000	000	002	002	000	012	000	032	081	001	22
23	000	060	000	000	010	020	000	000	000	010	000	000	23
24	000	000	000	000	003	015	049	000	000	010	050	003	24
25	000	000	000	002	002	012	003	005	000	055	033	000	25
26	028	000	000	042	000	002	018	001	000	003	039	000	26
27	000	000	000	002	000	005	035	000	000	006	021	000	27
28	004	000	000	029	003	000	011	000	000	001	022	000	28
29	000	—	000	006	001	000	018	007	000	015	000	000	29
30	002	—	000	004	084	000	000	000	001	088	001	001	30
31	000	—	000	—	008	—	001	000	—	002	—	000	31
Total	2·28	2·16	1·84	4·90	3·65	3·96	2·89	4·17	1·01	8·13	3·29	4·99	TOTAL for year 43·25
No. of Rain Days	18	14	16	19	18	23	14	17	9	31	25	23	227

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London
6,000, XI '07.
Price 2d.

3·96

43·25

S.C.O.

rec'd by num. stats - 6.V.09

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1908

Kept at Langton

in the County of Pembroke

by J. C. Yorke.

Lat. 57° 58' Long. 4° 58' W

Nearest Railway Station Letterston G.W.R.

Time of Observation 9. a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 320 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	000	004	002	002	000	072	000	000	005	001	000	000	1
2	000	006	049	004	038	006	000	000	014	000	000	001	2
3	000	003	002	000	000	000	000	000	000	000	000	005	3
4	000	000	000	000	029	000	000	000	004	000	000	000	4
5	028	003	096	000	069	003	000	004	008	000	000	043	5
6	046	001	004	000	000	000	000	000	003	000	000	013	6
7	073	002	010	000	046	003	059	001	040	002	000	009	7
8	043	006	015	000	012	000	009	000	000	018	000	058	8
9	000	003	000	002	006	000	096	001	029	017	000	057	9
10	000	002	000	036	021	000	018	006	006	001	012	018	10
11	000	003	000	000	001	042	046	000	021	000	018	000	11
12	000	000	000	000	002	000	016	000	001	000	030	021	12
13	002	008	026	000	006	007	001	046	001	000	038	030	13
14	008	026	002	001	045	000	014	009	034	002	001	040	14
15	082	018	010	000	001	017	009	000	002	041	000	163	15
16	030	071	003	000	001	000	081	000	065	018	012	020	16
17	027	002	004	000	002	000	011	000	001	064	000	010	17
18	001	005	000	000	001	000	000	000	003	012	039	008	18
19	008	001	000	001	000	000	004	000	045	001	002	007	19
20	001	002	000	000	000	000	000	036	001	055	008	017	20
21	000	004	026	000	012	000	000	004	006	001	025	007	21
22	000	004	015	016	000	003	000	046	000	000	001	039	22
23	000	011	011	009	000	001	000	120	003	000	025	002	23
24	000	000	115	041	001	000	091	006	000	000	001	000	24
25	000	003	001	000	011	000	003	014	037	000	003	000	25
26	006	028	000	004	000	000	000	136	002	000	000	029	26
27	000	014	062	067	000	000	007	032	008	000	085	007	27
28	009	008	003	016	000	000	000	002	007	030	000	018	28
29	004	018	026	069	000	000	000	000	001	003	000	014	29
30	019	...	031	001	000	000	000	002	000	005	000	057	30
31	000	...	001	...	004	...	000	128	...	001	...	006	31
Total	3·47	2·56	5·15	2·69	3·08	1·54	4·65	5·47	3·47	2·62	3·01	6·81	TOTAL for year 44·52
No. of Rain Days	16	26	22	14	19	10	15	17	15	17	15	26	222

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Cond by Ours. 2tats 23.III.10

REGISTER OF RAINFALL IN 1909

FORM A2. BRITISH RAINFALL.

3 JAN 1910

Kept at Langton

in the County of Pembroke

by J. C. Yorke Esq.

RAIN GAUGE — Pattern ____ Diameter of top 5 in. Height of top above Ground ____ ft. ____ in. " " " Sea Level 320 ft.

Time of Observation 9 a.m.

Nearest Railway Station — Name Letterston — Distance 3½ m. Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	0.04	0.09	0.00	0.01	0.00	0.00	0.07	0.05	0.00	0.01	0.06	1
2	0.00	0.00	0.20	0.04	0.00	0.00	0.10	0.00	0.00	0.43	0.10	0.39	2
3	0.00	0.00	0.05	0.60	0.00	0.02	0.17	0.00	0.06	0.08	0.01	0.66	3
4	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.12	0.34	0.12	0.10	4
5	0.05	0.00	0.84	0.00	0.00	0.00	0.14	0.00	0.21	0.04	0.37	0.30	5
6	0.08	0.00	0.05	0.00	0.00	0.30	0.15	0.00	0.02	0.06	0.10	0.44	6
7	0.16	0.00	5 snow. 0.35	0.00	0.00	0.00	0.00	0.00	0.05	0.38	0.06	0.02	7
8	0.01	0.28	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8
9	0.18	0.14	0.00	0.00	0.00	0.00	0.82	0.00	0.02	0.34	0.06	0.59	9
10	0.43	0.09	0.00	0.00	0.00	0.00	0.03	0.00	0.05	0.64	0.00	1.19	10
11	0.61	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.25	0.03	0.06	11
12	0.04	0.00	0.03	0.24	0.00	0.00	0.00	0.00	0.02	1.21	0.02	0.00	12
13	0.13	0.00	0.11	0.69	0.00	0.00	0.13	0.00	0.00	0.05	0.05	0.00	13
14	0.42	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.02	0.00	14
15	0.14	0.00	0.05	0.18	0.00	0.00	0.03	0.00	0.00	0.50	0.00	0.00	15
16	0.03	0.01	0.12	0.04	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.22	16
17	0.05	0.03	0.25	0.68	0.02	0.00	0.00	0.88	0.00	0.40	0.00	0.21	17
18	0.25	0.00	0.08	0.01	0.00	0.10	0.00	0.02	0.00	0.01	0.00	0.35	18
19	0.00	0.00	0.15	0.25	0.00	0.13	0.00	0.05	0.01	0.91	0.00	0.06	19
20	0.00	0.00	0.05	0.00	0.08	0.33	0.21	0.10	0.00	0.06	0.01	0.00	20
21	0.00	0.00	0.08	0.05	0.00	0.46	0.01	0.08	0.00	0.08	0.08	0.47	21
22	0.00	0.00	0.01	0.34	0.03	0.29	0.05	0.22	0.00	0.48	0.00	0.38	22
23	0.00	0.00	0.26	0.56	0.03	0.31	0.00	0.01	0.15	0.54	0.01	0.16	23
24	0.00	0.00	0.42	0.09	0.47	0.00	0.48	0.05	0.05	0.03	0.00	0.13	24
25	0.00	0.00	0.07	0.12	0.24	0.00	0.08	0.00	0.00	0.10	0.08	0.38	25
26	0.00	0.03	0.01	0.16	0.35	0.00	0.25	0.03	0.00	0.25	0.42	0.10	26
27	0.06	0.06	0.53	0.05	0.03	0.00	0.63	0.41	0.45	0.00	0.21	0.50	27
28	0.11	0.11	1.14	0.16	0.26	0.00	0.05	0.08	1.32	0.00	0.23	0.01	28
29	0.00		0.35	0.54	0.00	0.00	0.02	0.05	0.00	0.12	0.05	0.06	29
30	0.01		0.02	0.02	0.10	0.00	0.01	0.00	0.11	0.00	0.35	0.35	30
31	0.00		0.04		0.06		0.06	0.02		0.00		0.01	31
Total	3.14	0.85	6.01	4.98	1.59	1.94	3.42	2.07	2.72	7.77	2.39	7.20	
No. of Rain Days	17	9	28	20	9	8	19	14	15	25	21	25	210

7,000. X. '09.

Sa

REGISTER OF RAINFALL IN 1910

SY 485

FORM A.2. BRITISH RAINFALL.

-5 JAN 1911

Kept at Langton, Overbach

in the County of Pembroke 4

by J. C. Yorke

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground — ft. 12 in. " " " Sea Level 320 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Letterston S.M.R. Distance 3½ miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	007	056	042	000	000	034	004	051	000	005	000	046	1
2	006	002	001	005	000	001	018	024	001	059	011	001	2
3	001	000	000	011	019	005	002	005	000	000	036	000	3
4	001	009	000	000	026	006	003	006	000	000	021	021	4
5	000	083	001	022	011	023	014	000	000	000	031	088	5
6	000	033	026	013	001	000	000	007	000	000	015	040	6
7	000	006	016	000	006	034	000	000	000	000	006	012	7
8	017	011	037	000	023	009	000	003	000	000	005	092	8
9	022	004	030	000	003	004	000	000	000	000	006	030	9
10	013	019	001	000	000	062	000	000	003	019	061	046	10
11	025	011	001	005	000	000	000	047	000	027	001	022	11
12	003	002	000	041	013	000	000	025	000	041	047	043	12
13	023	028	000	076	006	000	000	004	000	000	044	014	13
14	001	043	006	003	006	000	000	088	010	000	021	056	14
15	059	000	001	053	000	000	000	005	000	003	003	055	15
16	029	030	002	004	014	000	031	044	000	010	000	046	16
17	006	021	012	027	016	000	000	000	000	001	000	000	17
18	000	021	001	006	000	000	000	072	000	038	008	003	18
19	000	011	004	019	033	000	004	044	000	022	038	004	19
20	005	072	000	001	014	006	048	016	000	068	000	040	20
21	045	008	002	022	000	038	006	000	004	001	003	001	21
22	020	009	000	000	000	009	005	015	000	000	020	000	22
23	039	027	000	004	000	030	027	170	000	000	018	009	23
24	004	031	000	000	000	033	019	001	000	001	002	010	24
25	014	016	000	011	000	006	000	030	000	001	019	000	25
26	000	016	000	023	000	000	005	000	006	003	008	009	26
27	053	032	007	000	000	016	028	114	000	074	070	005	27
28	015	013	000	000	007	000	078	003	002	017	002	010	28
29	006		000	000	000	008	063	000	002	000	000	000	29
30	001		000	000	036	001	000	010	000	000	010	000	30
31	046		000		006		004	000		033		016	31
Total	462	558	189	346	240	325	339	784	028	423	506	719	TOTAL for year
No. of Rain Days	25	26	17	18	17	18	17	22	7	18	25	25	4919

9,000, IX. '10.

235

4120. HAVERFORD WEST

PICTON CASTLE GDNS

1901 – 04.

1905 – 1924

RE

Kept at Picton

in the County of Pe

by Sir Charles

Lon. 4·53·W.

Observation 9 a.m.

6 Inch

Top above Ground 12 Inches

„ Sea Level 15 S.T.

NOTE.—Full instructions respe… *of the Rainfall,*" which is sent post…

e Systematic Observation and Record Camden Square, London, N.W.

Date.	Jan.	Feb.	Mar…							Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	3	41	43				10		13	11			1
2		48	43			5	3			26			2
3			37	49		15	21		3			2	3
4		4	14	46		11				65			4
5		34	15			9		3				10	5
6			27	56	12	20		47	3			26	6
7			2	33	5				56	6		9	7
8			12	26	15				19	46		87	8
9				24					10	22		7	9
10	12			9					7			20	10
11	8			42	9			15		6		7	11
12	2	6		14		2		25		20	86	25 hrs	12
13	21			39		7		6		5	13	1.00 last	13
14		3		14		11		1.64	30		3	9	14
15				14			18	16		10			15
16	13			3					3	7	3	47	16
17	24	17		4				36	1.41	23		12	17
18	1							14	18	76		17	18
19	1.20					5			21	16		27	19
20	25		20			55			39	8	28	7	20
21	47		2			89			8	6			21
22	5								6	76	34		22
23	3					82		9	1.35	10	14		23
24	8						9	35	14	36		49	24
25	12	3	6			35				5		12	25
26	6	32				24		34	34	14		7	26
27	27	57	8		3			2	14				27
28	7	5	19					76	10	3		46	28
29	20		4							14		22	29
30			65		24	88	19	3				19	30
31	25		29		43		3	13				2	31
Totals	3.88	2.30	3.48			4.58	83	4.98	5.80				
	3.88	2.16	3.16	3.71	1.13	3.92	1.61	4.64	5.74	5.87	1.81	6.09	
Total from Jan. 1	3.88	6.04	9.20	12.91	14.04	17.96	19.57	24.21	29.95	35.82	37.63	43.72	

K/1,000/7/01. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3d.

43.66

Kept at Picton Castle Gardens

in the County of Pembrokeshire

by Sir Charles E. G. Philipps Bart (Head Gardener)

RAIN GAUGE.

Lat. 51.46 Lon. 4.53. W.

Time of Observation 9 a.m.

Diameter 6 Inch

Height of top above Ground 12 Inches

" " Sea Level 155 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	3	41	43				10		13	11			1
2		48	43			5	3			26			2
3			7	49		15	21		3			2	3
4		4	14	46		11				65			4
5		34	15			9		3				10	5
6			27	56	12	20		47	3			24	6
7			2	33	5				16	6		9	7
8			12	24	15				19	46		87	8
9				24					10	22		7	9
10	12			9					7			20	10
11	8			42	9			15		6		7	11
12	2	6		14		2		25		20	86	25 hail	12
13	21			39		7		6		5	13	1.00 hail	13
14		3		14		11		1.64	30		3	9	14
15				14			18	16		10			15
16	13			3					3	7	3	47	16
17	24	17		4				36	1.41	23		12	17
18	1							14	18	76		17	18
19	1.20					5			21	16		27	19
20	28		20			55			19	8	28	7	20
21	47		2			89			8	6			21
22	5								6	76	34		22
23	3					82		9	1.30	10	14		23
24	8						9	35	14	36		49	24
25	12	3	6			36				5		12	25
26	6	32				24		34	36	14		7	26
27	27	37	8		3			2	14				27
28	7	5	19					76	16	3		46	28
29	20		4							14		22	29
30			65		24	88	19	3				19	30
31	21		29		43		3	13				2	31
Totals	3.88	2.30	3.48	1.13		4.58	83	4.98	5.80	6.07	1.81	6.09	
Total from Jan. 1	3.88	6.18	9.66	10.79		15.37	16.20	21.18	26.98	33.05	34.86	40.95	

K/1,009/7/01. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

43 66

REGISTER OF RAINFALL IN 1902

Kept at Pictou Castle Gardens Hobs[illegible]

in the County of Pembrokeshire

by Sir Charles C. G. Philipps Bt. Gatekeeper Head Gardener

RAIN GAUGE

Lat. 51.46 Lon. 4.57 W

Time of Observation 9 AM

Diameter 6 Inch

Height of top above Ground 1 Ft

" " Sea Level 138 ft

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			9	"	2	40	"	35	"	"	"	85	1
2	3	"	"	"	35	"	"	"	74	"	"	2	2
3	16	"	"	7	7	1	2	1	7	"	"	"	3
4	19	"	"	31	"	1	2	"	15	"	"	"	4
5	"	"	"	"	2	18	"	75	3	6	19	"	5
6	"	"	"	"	7	12	"	15	5	"	20	"	6
7	"	24	"	"	11	10	"	8	"	"	32	"	7
8	6	1	2	"	"	1	"	"	"	1	18	"	8
9	7	38	"	"	7	1	13	"	4	72	26	"	9
10	7	"	"	"	9	10	4	"	24	9	24	"	10
11	"	"	35	"	2	"	"	25	34	"	81	3	11
12	2	"	"	"	"	92	"	1	8	82	1	10	12
13	"	"	30	"	2	12	"	"	1	94	45	11	13
14	"	"	48	"	13	10	"	"	2	20	"	85	14
15	"	"	"	"	2	9	"	"	5	3	"	63	15
16	"	"	4	4	23	"	"	"	4	7	"	26	16
17	"	"	"		13	"	"	25	"	28	"	41	17
18	"	"	7	27	9	3	"	3	"	"	"	2	18
19	"	"	12	12	2	38	81	2	"	1	"	9	19
20	4	2	13	4	"	"	35	"	6	23	"	"	20
21	"	14	21	105	2	3	"	"	4	10	21	"	21
22	35	48	8	6	27	38	"	65	81	"	64	"	22
23	33	65	3	2	"	"	3	"	109	"	27	"	23
24	15	3	40	"	"	"	3	"	"	"	42	"	24
25	8	7	"	"	"	"	112	"	"	26	6	"	25
26	34	47	87	"	"	"	26	"	"	"	67	"	26
27	20	8	1	"	13	"	"	"	"	16	94	21	27
28	19	"	25	"	2	"	"	"	"	15	37	28	28
29	2	"	31	9	"	"	"	"	"	9	6	10	29
30	"	"	7	7	"	4	"	13	"	"	11	1	30
31	"	"	"		42	"	"	4	"	1	"	"	31
Totals	193	222	357	214	202	303	251	242	388	423	641	397	
Total from Jan. 1	193	415	772	986	1188	1491	1742	1984	2372	2795	3436	3833	

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

Dup JAN 16 1903

REGISTER OF RAINFALL IN 1903

FORM A. BRITISH RAINFALL

Kept at Picton Castle Gardens, Haverfordwest

Lat. 51-46 Long. 6-33 W

Nearest Railway Station Haverfordwest

in the County of Pembrokeshire

by Sir Charles C. G. Philipps Bt - George Lewis Gardener

RAIN GAUGE. Time of Observation 9 am

Diameter 5-Inch.

Height of top above Ground ..... ft. 10 in.

" " Sea Level 138 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	35	9	47	5	24	"	"	"	69	17	83	"	1
2	18	1	11	3	58	"	5	40	36	15	28	1	2
3	30	6	2	3	"	"	"	6	"	46	"	39	3
4	119	5	39	1	20	"	2	"	14	47	1	11	4
5	21	"	8	4	31	"	22	"	3	41	"	9	5
6	39	6	32	"	3	"	"	"	"	28	"	62	6
7	14	21	"	"	2	"	"	"	8	61	"	14	7
8	20	3	9	"	99	"	"	"	85	"	9	45	8
9	60	2	48	"	3	25	"	27	1	6	"	84	9
10	7	1	6	"	4	22	"	1	65	55	1	50	10
11	1	1	"	"	"	"	5	"	6	41	3	12	11
12	"	"	15	1	"	"	"	"	67	16	13	61	12
13	"	"	63	"	"	17	"	73	"	36	21	20	13
14	"	"	16	23	"	60	17	58	"	99	12	47	14
15	"	"	24	1	18	3	37	"	"	4	3	37	15
16	11	"	24	"	67	10	29	40	"	9	12	3	16
17	2	"	17	"	8	"	10	66	"	"	3	"	17
18	"	"	10	"	"	"	"	8	"	26	"	23	18
19	"	"	"	"	3	"	"	19	"	71	"	4	19
20	1	5	"	"	"	"	"	39	6	18	2	"	20
21	2	12	"	"	"	"	77	"	26	40	"	17	21
22	58	33	"	"	"	"	13	"	"	15	3	19	22
23	13	8	3	"	"	1	1	56	4	3	17	2	23
24	29	16	19	"	"	4	2	55	17	45	"	9	24
25	9	27	44	101	"	66	94	"	"	68	"	"	25
26	30	41	12	61	"	3	18	12	46	19	31	"	26
27	9	1	16	1	"	7	9	44	2	66	49	2	27
28	1	22	16	21	"	"	12	20	27	57	19	"	28
29	2	"	"	9	16	"	1	13	9	56	"	"	29
30	9	"	"	38	"	"	"	24	8	5	48	"	30
31	21	"	13		"		8	2		28		"	31
Totals	563	260	536	272	356	218	362	607	449	1038	358	541	
Total from Jan. 1	563	823	1359	1631	1987	2205	2567	3174	3623	4661	5019	5560	

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

25 17 23 14 14 11 18 19 19 29 19 22 232

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1904

26 JAN 1905

Kept at Picton Castle Gardens

in the County of Pembrokeshire

by Sir Charles Philipps Bt

Lat. 51-46 Long. 4-53 W

Nearest Railway Station Haverfordwest

RAIN GAUGE.

Time of Observation 9 am

Diameter 5 in.

Height of top above Ground ft. 10 in.

" " Sea Level 138 ft.

NOTE.—Full instructions respecting the measurement of rain and the returns as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		26			43	15	1	1		1		78	1
2	35	24		24	3		11		55			8	2
3	30	4	1	1								24	3
4 .26	24	27	11	10	2		5	10	2			71	4
5	1	24	34	14	12			13	68	45	11	35	5
6	74	8			44				1	2	64	14	6
7	59	53	42	9	5				85	6	39	11	7
8	12	39	2	4	24			3	7	1	13	75	8
9	31	52		2	8	7		1		9	11	81	9
10	4	34			2			4		5	72	7	10
11	13	2			5		4		40	9	2	55	11
12	74	60		7		74	6		28	4		12	12
13	23	13		35	2	38		65	64			35	13
14	15	13	4	18		47	18	3	2		1	2	14
15	2	4				18	4		11	9	6	13	15
16	"	38				1		72	9	93		7	16
17	6	13	3	8	1	15		14		3		24	17
18	2		4		1					1	10		18
19	1	33	12				5			2		1	19
20	4	3	20							4			20
21		4		8	3		18	52		18	18		21
22			1	4			12				22		22
23					77		10	2		15	2		23
24	1				13	20	2			3	1	6	24
25	7	81			13	1	49	23	11		46	1	25
26	56	14			22		6		6				26
27	25		20						2		6	21	27
28	3		26	18			32				5	2	28
29	37		6	26			2		1			7	29
30	24		4			20	17	20	33		1		30
31	+01		22		16		10						31
Totals	5-70	5-85	2-33	1-88	2-96	2-56	2-12	2-85	4-29	2-32	3-32	5-32	
Total from Jan. 1	5-70	11-55	13-88	15-76	18-72	21-28	23-40	26-25	30-54	32-86	36-18	41-50	

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

(215)

Haverfordwest
S.m.a.
PEMBROKE

HAVERFORDWEST
PORTFIELD
PEMBROKESHIRE

1902-05, 08-1910

DATE	Janry	Febry	March	A					Sept	Octbr	Novbr	Decbr	DATE
1	·366	—	·152						—	—	—	·867	1
2	·026	—	—	—	·010	·030	—	·033	·961	—	—	·040	2
3	·183	—	—	·077	·015	—	·038	·025	·310	—	—	—	3
4	·189	—	—	·320	—	—	·015	—	·090	·050	—	—	4
5	—	—	—	—	—	·158	—	·831	·038	·004	·153	—	5
6	—	—	—	—	·021	·112	—	·447	—	—	·208	—	6
7	·012	·263	—	—	·018	·088	—	·145	—	—	·602	—	7
8	·073	·100	·028	—	—	·014	—	—	—	—	·257	—	8
9	·080	·200	—	—	—	—	·165	—	·140	·725	·193	—	9
10	·002	—	—	—	—	·115	—	·010	·038	·063	·253	·029	10
11	·070	—	·040	—	·071	·119	—	·118	·290	·006	1·240	·004	11
12	—	—	—	—	·003	·750	—	·010	·013	·852	·002	·130	12
13	—	—	·250	—	·003	·126	—	·030	·072	·960	·490	·098	13
14	—	—	·585	—	·130	·105	—	—	·010	·157	·048	·772	14
15	—	—	·018	—	·010	·110	—	—	—	·001	—	·735	15
16	—	—	·002	·080	·246	—	—	—	·009	·078	—	·216	16
17	·004	—	—	—	·117	—	—	·605	—	·249	—	·426	17
18	—	—	·085	·241	·130	·040	—	·020	—	—	—	·003	18
19	—	—	·100	·210	·036	·370	1·056	·014	—	·240	—	·132	19
20	·077	·018	·280	·038	·003	·020	·004	—	·087	—	—	·002	20
21	·045	·240	·156	1·410	·005	—	·010	—	·062	·089	·275	—	1
22	·011	·601	·180	·049	·239	·218	—	·521	·719	·005	·730	—	2
23	·343	·708	·050	·004	—	—	·006	—	1·206	—	·335	—	3
24	·046	·016	·366	—	—	—	—	—	·005	—	·506	—	4
25	·063	·093	—	—	—	—	1·235	—	—	·253	·199	—	5
26	·364	·433	·859	—	—	—	·505	—	—	—	·400	—	6
27	·274	·060	—	—	·190	—	—	—	—	·153	1·100	·160	7
28	·300	·010	·310	—	—	—	—	—	—	·120	·521	·071	8
29	·001		·329	·018	·012	·005	—	—	—	·170	·080	·152	9
30	—		·885	·076	·075	—	—	·110	—	—	·172	·035	30
31	—		·002		·329		—	·045		·013		—	1
TOTAL	2·529	2·742	3·792	2·523	1·671	2·788	3·024	2·964	4·085	4·190	7·770	3·872	TOTAL

41·050

Haverfordwest
S.m.a. PEMBROKE

Rainfall for 1902

DATE	Janry	Febry	March	April	May	June	July	August	Septemr	Octbr	Novbr	Decbr	DATE
1	.366	—	.152	—	.008	.408	—	—	—	—	—	.867	1
2	.026	—	—	—	.010	.030	—	.033	.961	—	—	.040	2
3	.183	—	—	.077	.015	—	.038	.025	.310	—	—	—	3
4	.189	—	—	.320	—	—	.013	—	.090	.050	—	—	4
5	—	—	—	—	—	.158	—	.831	.038	.004	.153	—	5
6	—	—	—	—	.021	.112	—	.447	—	—	.208	—	6
7	.012	.263	—	—	.018	.088	—	.145	—	—	.602	—	7
8	.073	.100	.023	—	—	.014	—	—	—	—	.257	—	8
9	.080	.200	—	—	—	—	.165	—	.140	.725	.195	—	9
10	.002	—	—	—	—	.115	—	.010	.038	.063	.255	.029	10
11	.070	—	.040	—	.071	.119	—	.118	.290	.006	1.240	.004	11
12	—	—	—	—	.003	.750	—	.010	.013	.852	.002	.130	12
13	—	—	.250	—	.003	.126	—	.030	.072	.960	.490	.098	13
14	—	—	.585	—	.130	.105	—	—	.010	.157	.048	.772	14
15	—	—	.018	—	.010	.110	—	—	—	.001	—	.735	15
16	—	—	.002	.080	.246	—	—	—	.009	.078	—	.216	16
17	.004	—	—	—	.117	—	—	.605	—	.249	—	.426	17
18	—	—	.085	.241	.130	.040	—	.020	—	—	—	.003	18
19	—	—	.100	.210	.036	.370	1.056	.014	—	.240	—	.132	19
20	.077	.018	.280	.038	.003	.020	.004	—	.087	—	—	.002	20
21	.045	.240	.156	1.410	.005	—	.010	—	.062	.089	.275	—	1
22	.011	.601	.180	.049	.239	.218	—	.521	.719	.005	.730	—	2
23	.343	.708	.050	.004	—	—	.006	—	1.206	—	.335	—	3
24	.046	.016	.366	—	—	—	—	—	.005	—	.506	—	4
25	.063	.093	—	—	—	—	1.235	—	—	.253	.199	—	5
26	.364	.433	.859	—	—	—	.505	—	—	—	.400	—	6
27	.274	.060	—	—	.190	—	—	—	—	.155	1.100	.160	7
28	.300	.010	.310	—	—	—	—	—	—	.120	.521	.071	8
29	.001		.329	.018	.012	.005	—	—	—	.170	.080	.152	9
30	—		.885	.076	.075	—	—	.110	—	—	.172	.035	30
31	—		.002		.329		—	.045		.013		—	1
TOTAL	2.529	2.742	3.792	2.523	1.671	2.788	3.024	2.964	4.085	4.190	7.770	3.872	TOTAL
												41.950	

REGISTER OF RAINFALL IN 1903

FORM A. BRITISH RAINFALL.

Kept at Haverfordwest (Portfield High level Reservoir)

in the County of the same Town.

by J. W. Phillips.

Lat. 51° 48' N. Long. 4° 58' W.

Nearest Railway Station Haverfordwest

RAIN GAUGE. Time of Observation 9 A.M.

Diameter 5 in.

Height of top above Ground 1 ft. — in.

" " Sea Level 220 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·310	·034	·466	·050	·260	—	—	·001	—	·072	1·233	—	1
2	·200	·003	·050	·039	·611	—	·125	·441	·778	·161	·261	·042	2
3	·181	·055	·023	·035	·001	—	—	—	·227	·322	·005	·631	3
4	1·222	·100	·412	·015	·357	—	·125	·079	·092	·355	·005	·102	4
5	·407	—	·050	·055	·050	—	·230	—	·150	·523	·010	·127	5
6	·313	·050	·312	·004	—	—	—	—	—	·294	—	·602	6
7	·069	·213	—	—	030	—	—	—	·100	·612	—	·064	7
8	·278	·050	·118	—	1·330	—	—	·093	·413	—	·108	·451	8
9	·518	·033	·560	—	·006	·263	—	·054	·020	·100	—	·491	9
10	·160	·015	·056	·030	·036	·232	—	—	·758	·515	—	·434	10
11	·007	·020	—	·010	—	—	—	—	·100	·450	·039	·109	11
12	—	·010	·230	—	—	—	—	·023	·396	·149	·145	·512	12
13	—	—	·332	—	—	·262	·033	·621	·023	·245	·320	·066	13
14	—	—	·160	·247	—	·422	·150	·501	—	1·154	·081	·515	14
15	—	—	·170	·015	·190	·016	·364	—	—	·050	·046	·282	15
16	·110	—	·333	·025	·416	·100	·253	421	—	·048	·048	·035	16
17	·020	—	·650	—	·052	—	·100	·560	—	—	·026	·002	17
18	·003	—	·070	—	—	—	—	·055	—	·308	—	·173	18
19	—	·004	—	—	·042	—	—	·356	—	·579	·010	·116	19
20	·031	·140	—	—	—	—	—	·376	·179	·195	·035	·009	20
21	·100	·160	·002	—	—	—	1·015	·002	269	·249	·041	·231	21
22	·603	·314	·012	—	·005	—	·050	·018	—	·110	—	·060	22
23	·100	·090	—	—	—	·015	—	·642	·020	·072	·186	—	23
24	·331	·602	·152	—	—	·032	·042	·500	·170	·763	—	·142	24
25	·130	·275	·550	1·170	—	·802	·852	—	—	·636	—	·022	25
26	·439	·541	·050	·472	—	·010	·180	·275	·658	·100	·343	—	26
27	·065	·020	·179	·035	—	·096	·052	·320	·015	·575	·450	—	27
28	~~·058~~ ·005	·369	·090	·221	·238	—	·112	·239	·289	·643	·113	—	28
29	·058		·119	·132	·120	—	·013	·222	·190	·700	·025	—	29
30	~~·301~~ ·050		·007	·551	—	—	—	·168	·110	·044	·040	—	30
31	·301		·173		—		·151	·027		·263		—	31
Totals	6·011	3·098	5·327	3·106	3·738	2·240	3·849	5·994	4·959	10·287	3·570	5·278	
Total from Jan. 1	6·011	9·109	14·431	17·537	21·295	23·535	27·384	33·378	38·337	48·624	52·194	57·391	

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL

Kept at Haverfordwest
Portfield High Level Reservoir
in the County of Haverfordwest
by C. Picton Phillips Esq.

Lat. 51°48 N Long. 4°58 W
Nearest Railway Station GW Haverfordwest
RAIN GAUGE.
Time of Observation 9 AM
Diameter 5 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 220 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·020	·239	—	—	·473	·118	—	—	—	·001	—	·155	1
2	·330	·339	—	·300	·021	—	·118	·162	·748	—	—	·039	2
3	·272	·052	—	·050	—	—	—	—	—	—	—	·305	3
4	·310	·323	·077	·100	·030	—	·070	·178	·046	—	—	·682	4
5	·941	·373	·260	·145	·172	—	—	·186	·587	·507	1·181	·277	5
6	·778	·096	·004	—	·471	—	—	—	—	·027	·672	·152	6
7	·125	·571	·578	·078	·070	—	—	—	·975	·062	·352	·088	7
8	·327	·460	·030	·053	·135	—	—	—	·053	·014	·086	·735	8
9	·067	·488	—	·051	·062	·060	—	—	—	·176	·058	·524	9
10	·140	·400	—	—	·080	—	—	·073	—	·064	·764	·078	10
11	·753	363	·015	—	·077	—	—	—	·342	·084	·028	·623	11
12	·322	·600	—	·089	—	1·400	·001	—	·226	·014	·010	·089	12
13	·090	·102	·017	·461	·053	·425	·100	·822	·565	—	·010	·301	13
14	—	·077	·050	·093	—	·547	—	—	—	—	·006	·016	14
15	·001	·037	—	—	—	·241	·010	·034	·237	·092	·072	·113	15
16	·118	·345	—	·006	—	—	—	·452	·106	·988	—	·131	16
17	·018	·100	·046	·139	·027	·331	—	·010	—	·037	—	·268	17
18	·020	—	·050	—	—	—	—	—	—	·026	·141	·005	18
19	·032	·310	·141	—	—	—	·037	—	—	·017	·010	·015	19
20	—	·030	·257	—	·044	—	—	—	—	·066	·013	—	20
21	—	·069	—	·115	·060	—	·120	—	—	·182	·286	—	21
22	—	—	·010	—	·010	—	·095	·665	—	—	·279	·003	22
23	—	—	—	—	·814	—	·212	—	—	·097	·043	—	23
24	·080	—	—	—	·130	·300	·129	—	—	·010	·017	·025	24
25	·546	1·030	—	—	—	—	·214	—	·280	—	·517	·001	25
26	·413	·230	—	—	·342	—	·047	·348	·432	—	—	—	26
27	·020	—	·245	—	·001	—	—		·015	·005	·037	·251	27
28	·383	·020	·226	·232	—	—	·307		—	—	·055	·037	28
29	·262	—	·039	·445	—	—	·085	·010	·025	—	·002	·061	29
30	·012	—	·086	—	·012	·250	·455		·889	—	·015	—	30
31			·190		·169		·040			—	— ·001	—	31
Totals	6·380	6·654	2·321	2·357	3·253	3·672	2·040	2·940	5·526	2·469	3·653	4·974	
Total from Jan. 1	6·380	13·034	15·355	17·712	20·965	24·637	26·677	29·617	35·143	37·612	41·265	46·239	

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1905

23 JAN 1906

Kept at Haverfordwest Portfield

in the County of the same Town

by R. Picton Phillips

Lat. 51° 48' N Long. 4° 58' W.

Nearest Railway Station Haverfordwest

RAIN GAUGE.

Time of Observation 9 A.M.

Diameter 5 in.

Height of top above Ground 1 ft. in.

" " Sea Level 220 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·009	·061	·229	—	·441	·180	·900	·122	·129	·003	·450	·024	1
2	·036	·055	—	·001	·051	·086	·026	·635	·001	·110	·132	·075	2
3	—	·037	·045	·061	—	·019	—	·171	·002	·157	·322	·005	3
4	·271	·034	·553	·020	—	—	—	·456	·067	·042	·430	·016	4
5	·468	·029	·002	—	—	—	·168	·010	·107	·013	·044	·397	5
6	·001	·201	·056	·058	—	—	—	·525	·144	·083	·118	·311	6
7	—	·010	·061	·072	—	·017	—	·027	·113	·116	·002	·293	7
8	·500	·013	·541	·227	—	—	—	·103	·734	·001	·001	·128	8
9	·007	·013	·078	·116	—	—	·002	·161	·922	—	·263	—	9
10	·098	·025	·985	·126	·394	—	·112	—	—	—	1.531	·006	10
11	·138	·021	·304	—	·093	—	·267	—	—	—	·225	—	11
12	—	·015	·134	·341	—	·047	·088	—	·045	—	·398	—	12
13	—	·013	·567	·231	—	—	·003	—	·089	·015	·275	—	13
14	—	·026	·411	—	·004	—	·054	—	—	·042	·016	—	14
15	·328	·036	·150	·247	—	·112	—	·034	·015	·036	·037	—	15
16	·502	·088	·141	·234	—	·085	—	—	—	—		—	16
17	·086	·019	·536	—	—	—	·027	·025	—	—	—	—	17
18	·014	·023	—	—	—	·032	—	·321	—	—	·015	·119	18
19	—	·031	—	—	—	·706	—	—	·025	—	—	·022	19
20	—	·120	—	—	—	·197	—	·119	—	—	·016	·034	20
21	—	—	—	—	—	·032	·005	·119	—	—	—	·035	21
22	—	—	—	—	—	·001	·220	·740	—	—	1·083	·004	22
23	·024	—	·416	—	—	—	·002	·022	—	·036	·037	—	23
24	·192	·148	—	·652	—	—	·025	·037	—	·031	—	—	24
25	—	·586	·268	·062	—	—	·045	·406	—	—	·461	—	25
26	—	·168	·405	·134	—	—	·081	·056	—	·159	·221	—	26
27	—	·067	·205	·156	·143	—	—	·827	—	·001	·547	·332	27
28	—	·072	·394	·316	·132	·032	·038	·156	—	·320	·046	·004	28
29	·012		·057	·259	·006	·336	·190	·115	—	·427	·330	—	29
30	·016		—	·882	·007	·492	—	·021	—	·108	·018	·025	30
31	·045		·038		·192		·080		—	·077		—	31
Totals	2.747	1.911	6.576	4.795 4.195	1.463	2.384 2.374	2.333	5.208	2.393	1.777	7.018 7.018	1.830	
Total from Jan. 1	2.747	4.658	11.234	15.439	16.902	19.286	21.619	26.827	29.220	30.997	38.178	39.825	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Used in 1909

REGIS

FORM A.
BRITISH RAINFALL.

17 APR 1909

4121

HAVERFORD WEST.
PORTFIELD RES
1908 – 30

Kept at Haverfordwest

in the County of the Same

by J. W. Phillips

5° 38' W.

Haverfordwest, S.W.

.....M.

.....d ..... ft. ..... in.

.....vel ..... 220 ..... ft.

NOTE.—Full instructions respecting th... rganization are given in
"*Rules for Rainfall Observer*..., London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.				NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.03	.07	.01	—	.46	—	—	.05	.02	—	—	1
2	—	.04	.19	.02	.24	.02	—	—	.35	.01	—	.04	2
3	—	.01	.08	.01	Jr	Jr	—	.01	.34	.03	—	.11	3
4	—	Jr	—	—	.36	—	—	—	—	.02	—	.01	4
5	.21	Jr	.80	.02	.38	.01	—	Jr	—	—	—	.40	5
6	.36	.01	.08	—	.01	—	—	—	.03	—	—	.08	6
7	.51	—	.05	—	.24	.05	.59	—	.02	.03	—	.04	7
8	.04	—	.05	—	.09	Jr	.11	—	.37	.05	—	.53	8
9	—	.01	.05	.01	.07	Jr	1.35	.09	.21	.08	—	.39	9
10	—	.02	—	.17	Jr	.02	.15	.04	.05	—	.10	.07	10
11	—	.05	—	Jr	.03	.38	.37	—	.02	—	.16	Jr	11
12	—	—	—	—	.07	—	.04	—	—	—	.25	.33	12
13	.02	.14	.39	.02	.39	.03	.04	.05	.01	Jr	.27	.09	13
14	.05	.18	.01	—	.47	—	.05	.01	.12	.02	—	.21	14
15	.37	.12	.05	—	.01	.15	.14	.09	Jr	.56	—	1.98	15
16	.34	.77	.03	—	.03	—	.80	—	.49	.16	.05	.21	16
17	.03	.03	—	—	.03	—	.03	—	.01	.95	—	.15	17
18	.01	.02	—	—	.01	—	.01	—	.02	.08	.23	.10	18
19	.06	—	—	.03	.01	.02	—	—	.73	.01	.07	.03	19
20	.02	.01	—	—	—	—	—	.60	Jr	.37	.07	.10	20
21	—	.04	.61	.04	.15	—	—	.09	.16	—	.41	.06	21
22	Jr	Jr	.08	.09	—	.05	.01	.38	.06	—	—	.33	22
23	—	Jr	.19	.10	—	—	—	.79	.09	—	.03	.02	23
24	.01	.02	.86	.13	.11	—	.77	.20	—	—	.09	—	24
25	—	.03	—	.01	—	—	.01	.07	.49	—	.06	—	25
26	.08	.27	—	.03	—	—	—	1.00	.02	—	—	.36	26
27	—	.08	.43	1.06	—	—	.10	.25	.10	—	—	.06	27
28	.07	.02	Jr	.10	—	—	—	.01	.01	.41	.62	.23	28
29	.01	.27	.14	.84	—	—	—	—	Jr	Jr	—	.17	29
30	.18	X	.35	.01	—	.02	.01	.07	.01	.05	—	.41	30
31	—	X	—	X	—	X	—	1.01	X	.01	X	.03	
Totals	2.40	2.16	4.53	2.73	2.70	1.22	4.57	4.73	3.69	3.04	2.40	6.80	
Total from Jan. 1													

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

42.97

Price, on e...

Sa. Used in Haverfordwest

REGISTER OF RAIN

FORM A. BRITISH RAINFALL.

17 APR 1903

Kept at Haverfordwest (Portfield Reservoir)

Lat. 51° 48′ N Long. 4° 58′ W

in the County of the same Town

Nearest Railway Station Haverfordwest G.W.R.

by J. W. Phillips

RAIN GAUGE.

Time of Observation 9 A.M.

Diameter 5 in.

Height of top above Ground ft. in.

" " Sea Level 220 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.03	.07	.01	—	.46	—	—	.05	.02	—	—	1
2	—	.04	.19	.02	.24	.02	—	—	.35	.01	—	.04	2
3	—	.01	.08	.01	Tr	Tr	—	.01	.34	.03	—	.11	3
4	—	Tr	—	—	.36	—	—	—	—	.02	—	.01	4
5	.21	Tr	.80	.02	.38	.01	—	Tr	—	—	—	.40	5
6	.36	.01	.08	—	.01	—	—	—	.03	—	—	.08	6
7	.51	—	.05	—	.24	.05	.59	—	.02	.03	—	.04	7
8	.04	—	.05	—	.09	Tr	.11	—	.37	.05	—	.53	8
9	—	.01	.05	.01	.07	Tr	1.35	.09	.21	.08	—	.39	9
10	—	.02	—	.17	Tr	.02	.15	.04	.05	—	.10	.07	10
11	—	.05	—	Tr	.03	.38	.37	—	.02	—	.16	Tr	11
12	—	—	—	—	.07	—	.04	—	—	—	.25	.53	12
13	.02	.14	.39	.02	.39	.03	.04	.05	.01	Tr	.27	.09	13
14	.05	.18	.01	—	.47	—	.05	.01	.12	.02	—	.21	14
15	.37	.12	.05	—	.01	.15	.14	.09	Tr	.56	—	1.98	15
16	.34	.77	.03	—	.03	—	.80	—	.49	.16	.05	.21	16
17	.03	.03	—	—	.03	—	.03	—	.01	.95	—	.15	17
18	.01	.02	—	—	.01	—	.01	—	.02	.08	.23	.10	18
19	.06	—	—	.03	.01	.02	—	—	.73	.01	.07	.03	19
20	.02	.01	—	—	—	—	—	.60	Tr	.57	.07	.10	20
21	—	.04	.61	.04	.15	—	—	.09	.16	—	.41	.06	21
22	Tr	Tr	.08	.09	—	.05	.01	.38	.06	—	—	.35	22
23	—	Tr	.19	.10	—	—	—	.79	.09	—	.03	.02	23
24	.01	.02	.86	.13	.11	—	.77	.20	—	—	.09	—	24
25	—	.03	—	.01	—	—	.01	.07	.49	—	.06	—	25
26	.08	.27	—	.03	—	—	—	1.00	.02	—	—	.36	26
27	—	.08	.43	1.06	—	—	.10	.25	.10	—	—	.06	27
28	.07	.02	Tr	.10	—	—	—	.01	.01	.41	.62	.23	28
29	.01	.27	.14	.84	—	—	—	—	Tr	Tr	—	.17	29
30	.18	X	.35	.01	—	.02	.01	.07	.01	.05	—	.41	30
31	—	X	—	X	—	X	—	1.01	X	.01	X	.03	
Totals	2.40	2.16	4.53	2.73	2.70	1.22	4.57	4.73	3.69	3.04	2.40	6.80	
Total from Jan. 1	17	20	19	18	17	11	19	17	22	17	12		

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. 42.97 Price, on e

S.E.D.

Corr. for auth 3.VIII.10.

REGISTER OF RAINFALL IN 1909

FORM A 2. BRITISH RAINFALL.

2 AUG 1910

Kept at Haverfordwest (Portfield)

in the County of the same Town

by J. G. Rees

RAIN GAUGE — Pattern Snowdon; Diameter of top 5 in.; Height of top above Ground 1 ft. in.; " " " Sea Level 220 ft.

Time of Observation 9 A.M.

Nearest Railway Station — Name Haverfordwest; Distance 1¾ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.01	.02	—	—	—	—	.07	.03	.03	.01	.09	1
2	.02	"	.37	.06	—	—	.06		.02	.44		.25	2
3	—	"	.08	.49	—	.04	.07	—		.16	.01	.34	3
4	—	.04	.09	—	—	—	—	.02	.08	.50	.08	.12	4
5	.18	—	1.15	—	—	—	.10		.14	.02	.12	.21	5
6	.11	—	.02	—	—	.38	.20	—	—	.02	.06	.33	6
7	.11	—	.37	—	—	—	—	—	.10	.23	.02		7
8	.03	.22	.29	—	—	—	—	—	.00	—	.02	—	8
9	.09	.09		—	—	—	.66	—	.02	.30	—	.42	9
10	.39	.07	—	—	—	—	.01	—	—	.50	—	.11	10
11	.01	"	—	.10	—	—	—	—	—	.35	.01	.11	11
12	.08	—		.25	—	—	—	—	.01	.95	.02		12
13	.09	—	.08	.11	—	—	.21	—	—	.05	.30	—	13
14	.34	—	.51	.01	.03	—	.02	—	—	.14	.01	—	14
15	.24	—	.12	.18	—	—	—	—	—	.39	—	—	15
16	.03	.01	.35	.04	—	—	—	—	—	.27	—	.26	16
17	.17	.01	.17	.31	.01	—	.02	.54	—	.12	—	.15	17
18	.24	—	.08		—	.13	.01	.01	—	.01	—	.22	18
19	—	—	.06	.20	—	.06	—	.18	.03	.59	—	.08	19
20	—	—	.07	—	—	.21	.12	—	—	.02	—	—	20
21	—	—	.11	.02	—	.45		.12	.01	.03		.16	21
22	—	—	.11	.33	.12	.45	.01	.21	—	.29	—	.29	22
23	—	—	.11	.34	—	.25	.03	.01	.13	.57	—	.09	23
24	—	—	.52	.10	.30	—	.89	.06	.02	.14	.01	.05	24
25	—	—	.04	.04	.20	—	.05	—		.21	—	.23	25
26	—	.07	—	.13	.29	—	.31	—	—	.20	.34	.01	26
27	—	.04	.72	—		—	.94	—	.35	—	.34	.24	27
28	.02	.09	1.82	.08	.15	—	.05	—	1.43	—	.21		28
29	.04	X	.12	.38	—	—	.03	.31	—	.03	.07	.01	29
30	—	X	.02	.02	.04	—		—	.17	.01	.36	.23	30
31	—	X	.08	X	.03	X	.30	—	X	—	X		31
Total	2.22	0.66	6.48	3.21	1.31	1.96	4.14	1.56	2.57	6.60	2.01	6.12	38.90
No. of Rain Days	17	10	26	19	9	8	20	10	15	24	15	22	199

7,000. X. '09.

38.90
199

S 1a

REGISTER OF RAINFALL IN 1910

FORM A 2. BRITISH RAINFALL. 12 JAN 1911

High level reservoir

Kept at Haverfordwest (Portfield) ½ ^ 4

in the County of the same Town

by J. W. Phillips Esq

RAIN GAUGE — Pattern Snowdon; Diameter of top 5" in.; Height of top above Ground 1 ft. in.; „ „ „ Sea Level 220 ft.

Time of Observation 9 A.M.

Nearest Railway Station — Name Haverfordwest; Distance 2 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. rain entered to previous day

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·32	·24	—	—	·32	·01	·80	·02	·05	·01	·16	1
2	·04	·04	—	·04	—	·01	·37	·33	—	·42	·11	—	2
3	·01	·09	—	·03	·17	·02	·03	·09	—	—	·64	—	3
4	·01	·12	—	—	·22	—	·03	·11	·01	—	·13	·30	4
5	·01	·35	·03	·16	·09	·32	·05	—	·01	·01	·39	·85	5
6	—	·14	·28	·18	·05	·05	—	·84	·01	·01	·08	·21	6
7	—	·05	·08	—	·04	·25	—	—	—	—	·15	·20	7
8	·09	·04	·35	—	·17	·12	—	·26	—	—	·03	1·11	8
9	·06	·01	·36	—	·11	·05	—	—	—	—	—	·31	9
10	·18	·10	—	—	—	·62	—	—	·09	·06	·22	·37	10
11	·39	·06	·01	·06	—	—	—	·39	—	·26	·01	·03	11
12	·02	·03	—	·24	·08	·02	—	·17	—	·39	·38	·36	12
13	·10	·17	—	·40	·04	—	—	·01	—	—	·35	·14	13
14	·01	·44	·02	·04	·09	—	—	·35	·16	—	·19	·65	14
15	·26	·08	—	·17	·03	—	—	·01	—	·09	·09	·608	15
16	·20	·16	·03	·01	·01	—	·17	·33	—	·28	—	·30	16
17	·15	·05	·10	—	·32	—	·01	·01	—	·01	—	—	17
18	·05	·32	·02	—	—	—	—	·50	—	·53	·06	·03	18
19	·04	·09	·01	·10	·30	—	·16	·30	—	·26	·10	·03	19
20	·05	·35	—	—	·04	·30	·65	·12	—	·49	—	·28	20
21	·18	·03	—	·18	·01	·01	·11	·01	—	—	·01	·01	21
22	·19	·18	—	—	—	·08	—	·15	—	—	·49	—	22
23	·39	·28	—	·10	—	·31	·43	1·16	—	—	·54	·03	23
24	·04	·28	—	·06	—	·54	·22	·02	·02	·01	·05	·06	24
25	·10	·04	—	—	—	·01	·01	·29	—	—	·15	—	25
26	—	·13	—	—	—	—	·19	—	·02	·07	·15	·03	26
27	·49	·25	·07	—	—	·09	·50	·98	—	·55	·67	·08	27
28	·16	·08	—	·15	·13	·03	·49	·12	·01	·21	—	·06	28
29	—	×	—	—	—	·04	—	·09	·02	—	—	—	29
30	—	×	—	—	·36	·03	—	·01	—	—	·02	—	30
31	·21	×	—	×	·15	×	—	·06	×	·40	×	·13	31
Total	3·52	4·30	1·60	1·92	2·31	3·24	3·43	6·72	·037	4·10	5·04	6·34	for year 42·89
No. of Rain Days	25	25	12	15	19	21	16	20	9	15	24	23	236

9,000, IX. '10.

Copy sent

REGI

3/449. FORM A. BRITISH RAINFALL.

08

19 FEB 1909

HENRY'S MOAT
PEMBROKESHIRE
1908 – 1910

Kept at Priesley H

in the County of Pem

by H.T. Dale

in.

bove Ground ft. in.

Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the [illegible] of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.60	.05	—	—	—	—	.24	—		—	1
2	—	.08	.19	.05	.25	.75	—	—	.31	—		—	2
3	—	.24	—	—	.26	—	—	—	—	—		.02	3
4	—	—	.15	.21	.08	—	—	—	—	—		.10	4
5	—	.01	—	.10	1.12	—	—	—	—	—		.03	5
6	—	—	.85	—	.05	—	—	—	.02	—		.49	6
7	(1.00) —	.01	.01	—	—	.03	—	—	.61	.02		.21	7
8	.60	.04	.26	—	.10	—	.40	—	.71	.10		.04	8
9	.12	—	.11	—	.30	—	1.06	—	.58	—		.73	9
10	—	.03	.04	—	.55	.04	.10	.27	.40	—		.70	10
11	—	.09	—	.51	—	—	.05	—	.20	—	.20	.34	11
12	—	—	—	—	—	.50	—	—	—	—	.55	.28	12
13	—	.01	.25	—	.10	—	.17	.03	—	—	.42	.20	13
14	—	.12	.24	—	.50	.04	—	—	.09	—	.34	.15	14
15	.24	.50	—	.13	.25	.05	.42	—	.90	1.00	—	.18	15
16	1.01	.05	.25	—	—	—	.60	—	—	.26	—	1.50	16
17	.73	1.09	.03	—	—	—	.20	—	—	—	—	.60	17
18	.08	.06	—	—	.11	—	.05	—	.10	1.65	.05	.38	18
19	.03	.05	—	.01	—	.22	—	—	1.05	—	.25	—	19
20	.01	—	—	—	—	.11	.05	.45	—	1.09	.05	1.00	20
21	—	.09	—	—	.12	—	—	.12	—	—	.65	.12	21
22	—	.15	.72	—	.22	—	—	.50	.20	—	1.11	.13	22
23	—	.03	—	.15	—	—	—	1.13	.55	—	—	.15	23
24	—	.05	.57	.10	—	—	—	.64	.05	—	.53	—	24
25	—	—	1.35	.35	.17	—	1.03	.45	—	—	—	—	25
26	.18	.45	—	.05	—	—	.05	.30	.10	—	—	—	26
27	.16	.13	—	.18	—	—	—	1.45	.29	—	—	.65	27
28	.15	.10	.68	1.00	—	—	—	.37	—	—	.72	.05	28
29	.07	.75	.01	1.10	—	—	—	.35	—	.60	—	.3~	29
30	.24	.60	.47	.50	—	—	.18	—	—	.10	—	.75	30
31	.005		.18 .05	—	—	—	—	1.05	—	.12	—	.35	31
Total	4.125	4.13	6.90	4.49	4.18	1.74	4.26	7.11	6.40	4.83	4.87	9.55	TOTAL for year
No. of Rain Days	16	22	19	15	15	8	13	13	18	9	11	25	
	(4.63) 16	4.73 23	6.35 19	4.44 14	4.18 15	1.74 8	4.26 13	7.11 14	6.40 17	4.83 9	4.87 11	9.55 25	63.55 174

6,000, XI. '07. EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London
Price 2d.

Copy also

REGISTER OF RAINFALL IN 1908

3/449. FORM A. BRITISH RAINFALL.

19 FEB 1909

Kept at Bercley Henry's Moat

in the County of Pembroke

by H. T. Dale

Lat. ..... Long. .....

Nearest Railway Station .....

Time of Observation .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " Sea Level ..... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.60	.05	—	—	—	—	.24	—		—	1
2	—	.08	.13	.05	.25	.75	—	—	.31	—		—	2
3	—	.24	—	—	.26	—	—	—	—	—		.02	3
4	—	—	.15	.21	.08	—	—	—	—	—		.10	4
5	—	.01	—	.10	1.12	—	—	—	—	—		.03	5
6	—	—	.85	—	.05	—	—	—	.02	—		.49	6
7	(1.00) —	.01	.01	—	—	.03	—	—	.61	.02		.21	7
8	.60	.04	.26	—	.10	—	.40	—	.71	.10		.04	8
9	.12	—	.11	—	.30	—	1.06	—	.58	—		.73	9
10	—	.03	.04	—	.55	.04	.10	.27	.40	—		.70	10
11	—	.09	—	.51	—	—	.05	—	.20	—	.20	.34	11
12	—	—	—	—	—	.50	—	—	—	—	.55	.28	12
13	—	.01	.25	—	.10	—	.17	.03	—	—	.42	.20	13
14	—	.12	.24	—	.50	.04	—	—	.09	—	.94	.15	14
15	.24	.50	—	.13	.25	.05	.42	—	.90	1.00	—	.18	15
16	1.01	.05	.25	—	—	—	.80	—	—	.25	—	1.50	16
17	.73	1.09	.03	—	—	—	.20	—	—	—	—	.60	17
18	.08	.06	—	—	.11	—	.05	—	.10	1.65	.05	.38	18
19	.03	.05	—	.01	—	.22	—	—	1.05	—	.25	—	19
20	.01	—	—	—	—	.11	.05	.45	—	1.09	.05	1.00	20
21	—	.09	—	—	.12	—	—	.12	—	—	.65	.12	21
22	—	.15	.72	—	.22	—	—	.50	.20	—	1.11	.13	22
23	—	.03	—	.15	—	—	—	1.13	.55	—	—	.15	23
24	—	.05	.57	.10	—	—	—	.64	.05	—	.53	—	24
25	—	—	1.35	.35	.17	—	1.03	.45	—	—	—	—	25
26	.18	.45	—	.05	—	—	.05	.30	.10	—	—	—	26
27	.16	.13	—	.18	—	—	—	1.45	.29	—	—	.65	27
28	.15	.10	.68	1.00	—	—	—	.37	—	—	.72	.05	28
29	.07	.75 .60	.09	1.10	—	—	—	.35	—	.60	—	.32	29
30	.24		.47	.50	—	—	.18	—	—	.10	—	.75	30
31	.005		.18 .05	—	—	—	—	1.05 .64	—	.12	—	.35	31
Total	4.126	4.13	6.90	4.49	4.18	1.74	4.26	7.11	6.40	4.83	4.87	9.53	TOTAL for year
No. of Rain Days	16	22	19	15	15	8	13	14	18	9	11	25	

(4.63) 4.73 6.35 4.44 4.18 1.74 4.26 7.15 6.40 4.83 4.87 9.53 63.70

16 23 19 14 15 8 13 14 17 9 11 25 174

6,000, XI '07. EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C. Waterlow and Sons Limited, Printers, London Wall, London Price 2d.

Ex 9 01

421

FORM A.
BRITISH RAINFALL.
5 FEB 1910

REGISTER OF RAINFALL IN 1909

Kept at Precelley (part of) & Henrys Moat (main) many.

in the County of Pembroke

by ~~J. Phillips Esq~~ H. T. Dale

Lat. ..... Long. .....

Nearest Railway Station .....

Time of Observation .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " Sea Level ..... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.07											1
2			.21	.05									2
3	.10		.12	.02									3
4		.10	.05	1.10									4
5													5
6			.10										6
7	.15		.30										7
8			1.15										8
9	.20		.24										9
10	.25	.05											10
11	.50	.14											11
12	.05		.21	.05									12
13			.12	.15									13
14	.20		.30										14
15	.76		.23	.10									15
16	.40		.13	.05									16
17	.05		.01	.30									17
18			.21	1.45									18
19	1.10		.39	.05									19
20	.05												20
21													21
22			.13										22
23			.10	.06	.06								23
24				.40	.05								24
25			1.16		.10								25
26				.10	.05								26
27			.02	.05	.13								27
28		.01	.51	.15	.30								28
29			1.10	.75	.05								29
30			.10		.05								30
31			.23		.21								31
Total	3.88 .07	.30	7.12	4.83	1.00								TOTAL for year
No. of Rain Days	13	4	23	16	9								

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
6,000, XI '07. Waterlow and Sons Limited, Printers, London Wall, London Price 2d.

Sma

REGISTER OF RAINFALL IN 1910

Ex. Mrs

FORM A.2. BRITISH RAINFALL. 31 JAN 1911

Kept at Preceley

in the County of Pembrokeshire

by H. F. Dale Esq

RAIN GAUGE { Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. „ „ „ Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station { Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2						·13							2
3													3
4						·15							4
5						·05							5
6						·25							6
7						·13							7
8						·25							8
9						1·23							9
10						·15							10
11						1·27							11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21						·16							21
22						·17							22
23						·03							23
24						·40							24
25						·47							25
26													26
27													27
28						·20							28
29													29
30						·09							30
31													31
Total						5·13							TOTAL for year
No. of Rain Days						16							

7,000. X. '09.

NEWPORT

LLWN-GWAIR

PEMBROKESHIRE

1904 - 1909

FORM A.
BRITISH RAINFALL.

REG 07

Kept at Llwyngwair,

in the County of Pemb

by G. B. Rowe

g. 5c

n Cwmnyeh Arms 3.0 Square distance
A.M. & Fishguard 3.0 8 9 miles.

e Eight in.

above Ground 1 ft. 1 in.

Sea Level Forty ft.

NOTE.—Rain should be measure[illegible] Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.54	.	.	.	.35	.	.	.	.30	.49	.07	.08	1
2	.34	.	.	.75	.	.	.24	.54	.03	.40	.06	.53	2
3	.	.	.	.05	.11	.05	.11	.14	.12	.21	.03	.23	3
4	.	.03	.	.	.	.87	.13	.	.16	.	.04	.28	4
5	.09	.	.05	.35	.15	.08	.04	.	.	.	.	.	5
6	.	.	.07	[illegible]	.33	.04	.01	.	.10	.20	.	.18	6
7	.	.11	.11	[illegible]	.06	.32	.05	.28	.	.	.12	.25	7
8	.03	.20	.05	[illegible]	.34	.12	.03	.11	.	.41	.	.19	8
9	.	.	.09	.10	.18	.31	.10	.33	.	.01	.	.53	9
10	.13	.30	.03	.	.56	.	.	.	.	.35	.	.27	10
11	.	.47	.04	.23	.10	.141	.	.58	.	.11	.05	.02	11
12	.04	.08	.11	.71	.	.41	.	.	.	.38	.	.19	12
13	.03	.	.	.	.	.03	.11	.12	.	.	.	.46	13
14	.	.	.06	.	.	.14	.	.81	.	.49	.20	.	14
15	.03	.	.10	.	.	.02	.	.	.	.	.	.03	15
16	.	.	.52	.	.	.	.	.11	.	.01	.05	.18	16
17	.	.03	.10	.	.	.09	.	.32	.	1.37	.08	.	17
18	.	.18	.	.	.	.03	.	.01	.	.53	.	.05	18
19	.	.25	.	.	.	.13	.	.	.	.40	.17	.34	19
20	.05	.08	.	.43	.	.16	.	.	.	.07	.05	.29	20
21	.63	.	.	.04	.05	.07	.	.	.	.35	.04	.12	21
22	.	.06	.	.	.	.06	.	.11	.	.58	.77	.03	22
23	.	.	.	.	.17	.14	.	.	.	.34	.	.02	23
24	.	.	.	.	.	.17	.46	.	.	.02	.46	.01	24
25	.	.	.	.	.	.10	.11	.08	.	.05	.31	.	25
26	.15	.	.	.56	.	.02	.03	.	.	.47	.43	.	26
27	.	.	.	.	.	.05	.35	.	.	.04	.33	.	27
28	.02	.	.	.26	.	.	.13	.	.	.03	.21	.	28
29	.	.	.	.	.11	.	.	.10	.	.77	.	.	29
30	.14	.	.	.03	.34	.	.06	.	.	1.28	.	.	30
31	.	.	.	.	.05	.	.	.	.	.	.	.	31
Total	2.22	1.79	1.33	4.11	2.90	3.82	1.96	3.64	.71	9.36	3.47	4.28	TOTAL for year
No. of Rain Days	Total from Jan. 1st	4.01	5.34	9.45	12.35	16.17	18.13	21.77	22.48	31.84	35.31	39.59	

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

REGISTER OF RAINFALL IN 1907

FORM A. BRITISH RAINFALL.

Kept at Llwyngwair, Newport

in the County of Pembrokeshire

by G. B. Bowen

Lat. 52 Long. 5

Nearest Railway Station Cymmych arrive 9 & Fishguard 9.08 distant 9 miles

Time of Observation 10 A.m.

Diameter of Rain Gauge Eight in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " Sea Level Forty ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.54	.	.	.	.35	.	.	.	.30	.49	.07	.08	1
2	.34	.	.	.75	.	.	.24	.54	.03	.40	.06	.53	2
3	.	.	.	.05	.11	.05	.11	.14	.12	.21	.03	.23	3
4	.	.03	.	.	.	.87	.13	.	.16	.	.04	.28	4
5	.09	.	.05	.35	.15	.08	.04	.	.	.	.	.	5
6	.	.	.07	[illegible]	.33	.04	.01	.	.10	.20	.	.18	6
7	.	.11	.11	12 days .60	.06	.32	.05	.28	.	.	.12	.25	7
8	.03	.20	.05		.34	.12	.03	.11	.	.41	.	.19	8
9	.	.	.09	.10	.18	.31	.10	.33	.	.01	.	.53	9
10	.13	.30	.03	.	.56	.	.	.	.	.35	.	.27	10
11	.	.47	.04	.23	.10	.141	.	.58	.	.11	.05	.02	11
12	.04	.08	.11	.71	.	.41	.	.	.	.38	.	.19	12
13	.03	.	.	.	.	.33	.11	.12	.	.	.	.46	13
14	.	.	.06	.	.	.14	.	.81	.	.49	.20	.	14
15	.03	.	.10	.	.	.02	.	.	.	.	.	.03	15
16	.	.	.52	.	.	.	.	.11	.	.01	.05	.18	16
17	.	.03	.10	.	.	.09	.	.32	.	1.37	.08	.	17
18	.	.18	.	.	.	.03	.	.01	.	.53	.	.05	18
19	.	.25	.	.	.	.13	.	.	.	.40	.17	.34	19
20	.05	.08	.	.43	.	.16	.	.	.	.07	.05	.29	20
21	.63	.	.	.04	.05	.07	.	.	.	.35	.04	.12	21
22	.	.06	.	.	.	.06	.	.11	.	.58	.77	.03	22
23	.	.	.	.	.17	.14	.	.	.	.34	.	.02	23
24	.	.	.	.	.	.17	.46	.	.	.02	.46	.01	24
25	.	.	.	.	.	.10	.11	.08	.	.05	.31	.	25
26	.15	.	.	.56	.	.02	.03	.	.	.47	.43	.	26
27	.	.	.	.	.	.05	.35	.	.	.04	.33	.	27
28	.02	.	.	.26	.	.	.13	.	.	.03	.21	.	28
29	.	.	.	.	.11	.	.	.10	.	.77	.	.	29
30	.14	.	.	.03	.34	.	.06	.	.	1.28	.	.	30
31	.	.	.	.	.05	.	.	.	.	.	.	.	31
Total	2.22	1.79	1.33	4.11	2.90	3.82	1.96	3.64	.71	9.36	3.47	4.28	TOTAL for year
No. of Rain Days	Total from Jan. 1st	4.01	5.34	9.45	12.35	16.17	18.13	21.77	22.48	31.84	35.31	39.59	

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London
6,000, XI '07. Price 2d.

REGISTER OF RAINFALL IN 1908

FORM A. BRITISH RAINFALL.

Kept at Llwyngwair, Newport

in the County of Pembroke

by G. B. Bowen

Lat. 52 Long. 5

Nearest Railway Station Cymmyeh Arms

Time of Observation 10 A.M.

Diameter of Rain Gauge eight in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " Sea Level 40 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·05	·04		–	·66	–	–	·17	–			1
2	–	·09	·56	–	·45	·03	–	–	·21	–			2
3	–	·05	–	–	–	–	–	–	–	–		·64	3
4	–	·05	–	·04	·32	–	–	–	–	–			4
5	·09	–	1.28	–	·53	–	–	·08	–	–		·32	5
6	·31	·13	·05	–	–	–	–	–	–	–		·13	6
7	·51	–	·01	–	·27	·04	·47	–	–	–			7
8	–	–	·12	–	·12	–	·19	–	·52	·15		·67	8
9	–	·06	·07	–	·04	–	·71	–	·49	·19		·49	9
10	–	–	–	·32	–	–	·20	·14	·18	–	·17	·18	10
11	–	–	–	–	–	·35	·58	–	·34	–	·27		11
12	–	–	–	–	·05	–	·23	–	–	–	·46	·15	12
13	–	·14	·32	–	·10	·05	–	–	·21	–	·45	·31	13
14	·12	·21	·05	–	·49	–	–	·13	–	–		·52	14
15	·68	·06	·10	–	–	·16	·11	–	–	·46		1.71	15
16	·06	·52	·06	–	–	–	·53	–	·37	–	·05	·16	16
17	·03	·02	–	–	–	·02	·07	–	–	·87		·09	17
18	–	·07	–	–	–	–	–	–	–	·14	·44	·07	18
19	·07	–	–	–	–	–	·07	–	·33	–		·02	19
20	–	–	–	–	–	–	–	·58	–	·82			20
21	–	·01	·93	–	·16	–	–	–	·04	–	·32	·03	21
22	–	·06	·09	·19	–	·05	–	·40	–	–			22
23	–	·02	·08	·12	–	–	–	·96	·02	–	·06		23
24	–	·03	1.26	·22	·09	–	·55	·10	–	–	·22		24
25	·03	–	–	–	–	–	–	–	–	–			25
26	·07	·27	–	·04	–	–	–	1.17	·54	–		·25	26
27		·14	·61	·72	–	–	–	·49	·05	–			27
28	·14	·12	–	–	–	–	–	–	–	·48	·80		28
29	·01	·84	·26	·42	–	–	–	–	–	–			29
30	·09	–	·30	–	–	–	–	–	–	·09		·49	30
31	–	–	–	–	·14	–	–	1.20	–	–		·03	31
Total	2.16	2.89	6.19	2.07	2.76	1.36	3.71	5.25	3.47	3.20	3.24	5.66	TOTAL for year 41.96
No. of Rain Days	13	19	18	8	12	8	11	10	13	8	10	18	147

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

cmd by sum. stats 23.III.10

REGISTER OF RAINFALL IN 1909

FORM A 2. BRITISH RAINFALL. 6 JAN 1910

Kept at Llwyngwair, Newport

in the County of Pembroke

by G. B. Bowen

RAIN GAUGE: Pattern Harbutt's, Bristol; Diameter of top 8 in.; Height of top above Ground 1 ft. 1 in.; " " " Sea Level 40 ft.

Time of Observation 10 A.M.

Nearest Railway Station: Name Crymych Arms; Distance 9 m. Direction E. equidistant to Fishguard.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.06	.20	-	.	.	.	.05	.13	.02	.02	.17	1
2	.	.	.13	.21	.	.	.02	-	-	.51	.09	.38	2
3	.	.	.09	1.17	.	.08	.15	.	.10	.04	.01	.68	3
4	.	.05	.11	.	.	.	.	.	.12	.44	.05	.61	4
5	.04	.	.76	.	.	.	.08	.	.12	.06	.32	.48	5
6	.01	.	.03	.	.	.	.16	.	.02	.04	.12	.49	6
7	.37	.	.13	.	.	.	.01	.	.10	.76	.02	.	7
8	.	.38	.03	.	.	.	.	.	.	.	.	.	8
9	.12	.02	.	.	.	.	.79	.	.	.37	.04	.20	9
10	.38	.08	.	.	.	.	.02	.	.	.47	.	.42	10
11	.	.	.02	.11	.			.	.	.52	.	.04	11
12	.02	.	.02	.24	.	.	.	.	.	1.40	.	.	12
13	.19	.	.04	.19	.	.	(.12)	.	.	.02	.25	.	13
14	.38	.	.23	.	.	.	.	.	.	.68	.	.	14
15	.41	.	.27	.14	.	.	.	.	.	.38	.	.	15
16	.03	.01	.11	.09	.07	.	.	.	.	.19	.	.41	16
17	.04	.	.36	.53	.	.	.	.74	.	.05	.	.33	17
18	.30	.	.54		.	.07	.		.	.	.	.25	18
19	.	.	.	.17	.	.05	.	.26	.	.82	.	.	19
20	.	.	.31		.	.28	.10	.03	.	.03	.	.	20
21	.	.	.	.08	.	.51	.	.	.	.04	.	1.25	21
22	.	.	.10	.57	.	.19	.	.14	.	.25	.	.23	22
23	.	.	.24	.49	.	.19	.	.	.	.68	.	.15	23
24	.	.	.32	.10	.29	.	.71	.02	.13			.12	24
25	.	.	.29	.16	.13	.04	.15	.		.13	.17	.32	25
26	.	.	.	.23	.39	.	.22	.	.09	.13	.47	.08	26
27	.	.05	.29		.	.	.62	.	.45	.	.24	.35	27
28	.	.02	1.05	.14	.13	.	.02	.	1.19	.	.16	.	28
29	.12	.	.28	.42	.	.	.03	.42	.	.16	.12	.03	29
30	.		.	.09	.04	.	.	.	.	.	.19	.26	30
31	.02		.	.	.04	.	.04	.		.			31
Total	2.57	.67	5.95	5.13	1.09	1.41	3.24	1.66	2.45	8.19	2.27	7.25	TOTAL for year 41.88
No. of Rain Days	15	8	24	18	7	8	16	7	10	24	15	22	174

7,000. X. '09.

Sca

REGISTER OF RAINFALL IN 1910

FORM A 2. BRITISH RAINFALL.

2 JAN 1911

Kept at Llwyngwair, Newport. 2

in the County of Pembroke

by G. B. Bowen

RAIN GAUGE: Pattern Hartnell, Bunstan
Diameter of top Eight in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 40 ft.

Time of Observation 10 A.M.

Nearest Railway Station: Name Cymmyd Arms
Distance 9m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.34	.61			.41			.02	.04		.66	1
2							.33	.65		.69	.29		2
3				.09	.16			.15			.14	.04	3
4		.08			.21	.06	.07	.18			.15	.33	4
5	.01	.49	.02	.25	.10	.69	.10				.41	.76	5
6		.21	.61	.11	.04	.03					.22	.66	6
7		.04	.15		.03						.16	.21	7
8	.18		.48		.18			.07			.05	1.09	8
9	.08	.12	.51		.03						.06	.49	9
10	.57	.09							.10	.18	.59	.35	10
11	.31	.05				.12		.34		.38		.12	11
12	.02			.29	.19	.86		.15		.33	.58	.64	12
13	.12	.25		.50							.38	.21	13
14	.08	.65	.11	.14	.07			.17	.14		.45	.49	14
15	.26			.73						.08	.06	.84	15
16	.25	.22	.01	.04	.39		.05	.38				.46	16
17	.05	.11	.16	.11	.25								17
18		.62		.06				.49		.40	.26		18
19	.09	.30	.08	.13	1.05			.31		.18	.32	.04	19
20		1.02				.01	.53	.21	.01	.14		.42	20
21	.15	.06		.28	.02	.20							21
22	.22	.14					.03	.08			.36	.03	22
23	.29	.34				.16		1.80			.09	.10	23
24	.09	.44		.13		.22	.20					.07	24
25	.25	.32		.09			.03	.26			.24		25
26		.25	.03						.18	.06	.15	.07	26
27	.62	.31		.20		.10	.16	1.39		.57	.68		27
28	.11	.12		.21	.05		.61	.11		.27		.14	28
29						.08		.08					29
30					.33	.07					.17		30
31	.36				.09					.59		.15	31
Total	4.11	6.53 6.57	2.77	3.46	3.19	3.01	2.13 2.13	6.82	.45	3.91	5.81	8.37	TOTAL for year 50.00
No. of Rain Days	20	23	11	17	16	13	10	17	5	13	21	23	189

9,000, IX. '10.

3.a.

FORM A.
BRITISH RAINFALL.

RE 4116.

PEMBROKE DOCK.
ADMIRALTY. RES
1903 — 30
1903, 07 – 1910
1904 -06

Kept at Pembr ng.

in the County of Pe n Pembroke Dock

by George H. W 9 a.m.

in.

round — ft. — in.

ea Level 85 ft.

NOTE.—Full instructions respecti fall Organization are given in
"*Rules for Rainfall Ob* quare, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·04	·50	·04	·28	—	—	·01	·62	·11	1·11	·01	1
2	·15	—	·09	·03	·59	—	·04	·58	·35	·22	·26	—	2
3	·20	·04	·03	·02	—	—	—	·10	—	·43	—	—	3
4	1·03	·07	·39	·02	·02	—	·03	—	·13	·50	—	·31	4
5	·15	—	·07	·03	·10	—	·19	—	·22	·31	—	·12	5
6	·37	·02	·31	·01	—	—	—	—	—	·31	—	·12	6
7	·04	·20	·01	—	·03	—	—	—	·03	·50	·08	·49	7
8	·20	·05	·08	—	·95	—	—	—	·27	—	·01	·15	8
9	·45	·05	·64	—	·01	·42	—	·08	·02	·03	·01	·45	9
10	·03	—	·05	·01	·02	·04	—	·03	·57	·47	—	·33	10
11	·01	·01	—	·01	—	·02	·04	·05	·01	·36	·02	·35	11
12	—	—	·12	—	—	—	—	·02	·13	·20	·12	·17	12
13	—	—	·58	—	·01	·13	·01	·70	—	·50	·19	·57	13
14	—	—	·15	·17	—	·54	·14	·52	—	·88	·10	—	14
15	—	—	·21	—	·09	·02	·54	—	—	·23	·02	·27	15
16	·25	—	·21	—	·50	·10	·42	·47	—	·04	·08	·34	16
17	·03	—	·54	·01	·05	—	·11	·71	—	—	—	·04	17
18	·02	—	·01	—	—	—	—	—	—	·17	·05	—	18
19	·01	—	—	—	·02	—	—	·43	—	·62	—	·23	19
20	·01	·08	—	—	—	—	·01	·55	·25	·18	·01	·06	20
21	·01	·07	·01	—	—	—	·68	—	·24	·36	—	—	21
22	·48	·22	—	—	—	—	·05	—	—	·21	·04	·12	22
23	·10	·07	·04	—	—	·02	—	·91	·04	·02	·18	·21	23
24	·30	·63	·09	—	—	·07	·04	·37	·35	·34	·01	·02	24
25	·13	·30	·48	·92	—	·56	·95	—	—	·79	—	·09	25
26	·39	·30	·11	·50	—	·03	·17	·11	·52	·31	·19	·01	26
27	·06	·60	·23	·02	—	·07	·07	·39	—	·60	·38	—	27
28	—	·17	·12	·33	·09	—	·10	·13	·25	·53	·19	—	28
29	·02		·08	·18	·15	—	·04	·19	·05	·47	·01	—	29
30	·02		—	·63	—	—	—	·28	—	·02	—	—	30
31	·20		·20		—		·37	·01		·36		—	31
Totals	5·08	2·92	5·25	2·93	2·91	2·02	4·00	6·64	4·05	10·07	3·06	4·46	
Total from Jan. 1	5·08	8·00	13·25	16·18	19·09	21·11	25·11	31·75	35·80	45·87	48·93	53·39	

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

239

3.a.

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Pembroke Dock.

in the County of Pembrokeshire

by George H. West B.Sc.

Lat. ..... Long. .....

Nearest Railway Station Pembroke Dock

RAIN GAUGE.

Time of Observation 9 a.m.

Diameter 5 in.

Height of top above Ground — ft. — in.

" " Sea Level 85 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.42	.04	.50	.04	.28	—	—	.01	.62	.11	1.11	.01	1
2	.15	—	.09	.03	.59	—	.04	.58	.35	.22	.26	—	2
3	.20	.04	.03	.02	—	—	—	.10	—	.43	—	—	3
4	1.03	.07	.39	.02	.02	—	.03	—	.13	.50	—	.31	4
5	.15	—	.07	.03	.10	—	.19	—	.22	.31	—	.12	5
6	.37	.02	.31	.01	—	—	—	—	—	.31	—	.12	6
7	.04	.20	.01	—	.03	—	—	—	.03	.50	.08	.49	7
8	.20	.05	.08	—	.95	—	—	—	.27	—	.01	.15	8
9	.45	.05	.64	—	.01	.42	—	.08	.02	.03	.01	.45	9
10	.03	—	.05	.01	.02	.04	—	.03	.57	.47	—	.33	10
11	.01	.01	—	.01	—	.02	.04	.05	.01	.36	.02	.35	11
12	—	—	.12	—	—	—	—	.02	.13	.20	.12	.17	12
13	—	—	.58	—	.01	.13	.01	.70	—	.50	.19	.57	13
14	—	—	.15	.17	—	.54	.14	.52	—	.88	.10	—	14
15	—	—	.21	—	.09	.02	.54	—	—	.23	.02	.27	15
16	.25	—	.21	—	.50	.10	.42	.47	—	.04	.08	.34	16
17	.03	—	.54	.01	.05	—	.11	.71	—	—	—	.04	17
18	.02	—	.01	—	—	—	—	—	—	.17	.05	—	18
19	.01	—	—	—	.02	—	—	.43	—	.62	—	.23	19
20	.01	.08	—	—	—	—	.01	.55	.25	.18	.01	.06	20
21	.01	.07	.01	—	—	—	.68	—	.24	.36	—	—	21
22	.48	.22	—	—	—	—	.05	—	—	.21	.04	.12	22
23	.10	.07	.04	—	—	.02	—	.91	.04	.02	.18	.21	23
24	.30	.63	.09	—	—	.07	.04	.37	.35	.34	.01	.02	24
25	.13	.30	.48	.92	—	.56	.95	—	—	.79	—	.09	25
26	.39	.30	.11	.50	—	.03	.17	.11	.52	.31	.19	.01	26
27	.06	.60	.23	.02	—	.07	.07	.39	—	.60	.38	—	27
28	—	.17	.12	.33	.09	—	.10	.13	.25	.53	.19	—	28
29	.02		.08	.18	.15	—	.04	.19	.05	.47	.01	—	29
30	.02		—	.63	—	—	—	.28	—	.02	—	—	30
31	.20		.20		—		.37	.01		.36		—	31
Totals	5.08	2.92	5.25	2.93	2.91	2.02	4.00	6.64	4.05	10.07	3.06	4.46	
Total from Jan. 1	5.08	8.00	13.25	16.18	19.09	21.11	25.11	31.75	35.80	45.87	48.93	53.39	

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

239

REGISTER OF RAINFALL IN 1907

FORM A. BRITISH RAINFALL.

Kept at Pembroke Dock

in the County of Pembrokeshire

by Civil Engineer, H.M. Dockyd.

Lat. ..... Long. .....

Nearest Railway Station Pembroke Dock

Time of Observation 9·0 a.m. daily

Diameter of Rain Gauge 8 inches.

Height of top of Gauge above Ground one ft. —— in.

" " " Sea Level 101·42 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·00	0·17	0·00	0·00	0·00	0·24	0·42	0·12	0·08	1
2				0·66	0·00	0·00	0·41	0·83	0·02	0·28	0·30	0·31	2
3				0·13	0·17	0·02	0·17	0·12	0·53	0·47	0·14	0·23	3
4				0·13	0·00	0·79	0·16	0·00	0·45	0·02	0·05	0·29	4
5				0·08	0·33	0·03	0·00	0·05	0·00	0·05	0·00	0·04	5
6				0·05	0·34	0·00	0·00	0·05	0·12	0·25	0·00	0·15	6
7				0·20	0·06	0·33	0·13	0·15	0·00	0·12	0·04	0·59	7
8				0·19	0·17	0·06	0·03	0·12	0·00	0·33	0·10	0·14	8
9				0·00	0·02	0·19	0·02	0·03	0·00	0·14	0·03	0·32	9
10				0·16	0·35	0·06	0·00	0·02	0·00	0·60	0·00	0·21	10
11	New rain gauge			0·30	0·14	0·40	0·00	0·45	0·00	0·21	0·13	0·02	11
12	fixed →		0·11	0·46	0·02	0·23	0·00	0·00	0·00	0·24	0·00	0·03	12
13	as former		0·00	0·02	0·00	0·22	0·25	0·16	0·00	0·19	0·01	0·25	13
14	one was		0·06	0·00	0·00	0·18	0·00	0·70	0·00	0·21	0·16	0·00	14
15	found to		0·15	0·00	0·00	0·06	0·00	0·03	0·00	0·06	0·00	0·11	15
16	be defective		0·23	0·00	0·00	0·00	0·00	0·20	0·00	0·36	0·12	0·10	16
17			0·09	0·00	0·00	0·04	0·00	0·59	0·00	0·36	0·05	0·14	17
18	S.D. Kellow.		0·02	0·00	0·00	0·05	0·00	0·00	0·00	0·20	0·00	0·08	18
19	1/08.		0·00	0·00	0·00	0·00	0·00	0·07	0·00	0·00	0·13	0·11	19
20			0·00	0·50	0·00	0·22	0·00	0·00	0·00	0·19	0·01	0·21	20
21			0·00	0·16	0·00	0·03	0·00	0·00	0·00	1·35	0·00	0·09	21
22			0·00	0·00	0·00	0·05	0·00	0·04	0·00	0·53	0·58	0·10	22
23			0·00	0·01	0·00	0·13	0·00	0·00	0·00	0·00	0·02	0·00	23
24			0·00	0·00	0·00	0·12	0·20	0·00	0·00	0·23	0·31	0·03	24
25			0·00	0·03	0·11	0·13	0·07	0·06	0·00	0·27	0·55	0·04	25
26			0·00	0·20	0·00	0·02	0·17	0·02	0·00	0·00	0·23	0·00	26
27			0·00	0·00	0·00	0·07	0·25	0·00	0·00	0·24	0·11	0·00	27
28			0·00	0·19	0·00	0·00	0·01	0·00	0·00	0·09	0·10	0·00	28
29			0·00	0·04	0·18	0·00	0·04	0·00	0·00	0·21	0·00	0·00	29
30			0·00	0·06	0·70	0·00	0·00	0·00	0·00	0·53	0·00	0·00	30
31			0·00	——	0·17	——	0·00	0·00	——	0·00	——	0·00	31
Total			✓	3·57	2·93	3·43	1·91	3·69	1·36	8·15	3·29	3·67	TOTAL for year
No. of Rain Days				19	14	22	13	18	5	27	21	23	

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

REGISTER OF RAINFALL IN 1908

FORM A. BRITISH RAINFALL.

Kept at Pembroke Dock.

in the County of Pembrokeshire

by Civil Engineer, Officer in charge of Works, H.M. Dockyard

Lat. ..... Long. .....

Nearest Railway Station Pembroke Dock

Time of Observation 9.0 a.m. Daily.

Diameter of Rain Gauge eight ins.

Height of top of Gauge above Ground one ft. — in.

" " " Sea Level 101.42 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.03	0.05	0.03	0.00	0.32	0.00	0.00	0.07	0.00	0.00	0.00	1
2	0.00	0.02	0.19	0.02	0.23	0.04	0.00	0.00	0.07	0.00	0.00	0.05	2
3	0.00	0.01	0.05	0.00	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.16	3
4	0.00	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.00	0.02	0.00	0.02	4
5	0.14	0.00	0.74	0.02	0.30	0.00	0.00	0.00	0.00	0.00	0.00	0.33	5
6	0.19	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.02	0.03	0.00	0.18	6
7	0.42	0.00	0.04	0.00	0.17	0.00	0.45	0.00	0.00	0.00	0.00	0.02	7
8	0.03	0.00	0.03	0.00	0.10	0.00	0.14	0.00	0.34	0.19	0.00	0.46	8
9	0.00	0.02	0.05	0.00	0.02	0.00	1.09	0.00	0.23	0.09	0.00	0.29	9
10	0.00	0.02	0.00	0.15	0.00	0.02	0.20	0.00	0.01	0.00	0.06	0.12	10
11	0.00	0.02	0.00	0.02	0.03	0.29	0.32	0.00	0.02	0.00	0.16	0.00	11
12	0.00	0.00	0.00	0.00	0.09	0.02	0.02	0.00	0.00	0.00	0.38	0.29	12
13	0.01	0.10	0.34	0.00	0.21	0.06	0.02	0.03	0.00	0.00	0.19	0.11	13
14	0.01	0.10	0.00	0.00	0.37	0.01	0.00	0.00	0.04	0.00	0.00	0.20	14
15	0.22	0.09	0.07	0.00	0.00	0.07	0.06	0.00	0.00	0.55	0.00	1905 Rainfall entered	15
16	0.22	0.63	0.02	0.00	0.03	0.00	0.78	0.00	0.53	0.19	0.05	0.19	16
17	0.02	0.03	0.00	0.00	0.04	0.00	0.03	0.00	0.00	1.17	0.00	0.12	17
18	0.02	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.02	0.09	0.26	0.14	18
19	0.00	0.00	0.00	0.04	0.00	0.00	0.02	0.00	0.35	0.00	0.05	0.03	19
20	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.53	0.02	1.45	0.04	0.07	20
21	0.00	0.00	0.42	0.00	0.09	0.00	0.00	0.24	0.12	0.00	0.34	0.04	21
22	0.00	0.00	0.15	0.07	0.00	0.04	0.00	0.59	0.05	0.00	0.00	0.26	22
23	0.00	0.04	0.23	0.04	0.00	0.00	0.00	0.57	0.01	0.00	0.04	0.04	23
24	0.00	0.00	0.70	0.01	0.09	0.00	0.55	0.80	0.00	0.00	0.04	0.00	24
25	0.00	0.03	0.00	0.04	0.00	0.00	0.06	0.10	0.41	0.00	0.00	0.00	25
26	0.06	0.23	0.00	0.03	0.00	0.00	0.00	0.75	0.00	0.00	0.06	0.27	26
27	0.03	0.11	0.34	1.09	0.00	0.00	0.02	0.40	0.19	0.02	0.00	0.28	27
28	0.07	0.05	0.00	0.09	0.00	0.00	0.00	0.04	0.02	0.38	0.42	0.65	28
29	0.00	0.10	0.12	1.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.07	29
30	0.12	—	0.12	0.00	0.00	0.00	0.00	0.15	0.00	0.05	0.00	0.40	30
31	0.00	—	0.03	—	0.00	—	0.00	0.97	—	0.00	—	0.03	31
Total	1.61	1.64	3.72	2.63	2.05	0.87	3.76	5.17	3.51	4.23	2.11	6.52 Incomplete	TOTAL for year 37.82
No. of Rain Days	15	18	19	13	16	9	14	12	19	12	13	27	187

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London
6,000, XI '07.
Price 2d.

S.W.

REGISTER OF RAINFALL IN 1909.

FORM A. BRITISH RAINFALL.

28 JUN 1910

Kept at Pembroke Dock.

in the County of Pembrokeshire

by Officer in charge of Works H.M. Dockyard D. J. Major Esq.

Lat. ..... Long. .....

Nearest Railway Station Pembroke Dock

Time of Observation 9.0 a.m.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground one ft. — in.

" " " Sea Level 101·42 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·25	0·00	0·03	0·00	0·12	1
2	0·04	0·00	0·00	0·04	0·00	0·00	0·04	0·00	0·00	0·38	0·00	0·20	2
3	0·00	0·00	0·00	0·58	0·00	0·03	0·12	0·00	0·00	0·13	0·00	0·40	3
4	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·14	0·38	0·09	0·13	4
5	0·24	0·00	1·20	0·00	0·00	0·00	0·02	0·00	0·11	0·00	0·08	0·25	5
6	0·12	0·00	0·00	0·00	0·00	0·00	0·19	0·00	0·05	0·00	0·05	0·23	6
7	0·10	0·00	0·22	0·00	0·00	0·00	0·00	0·00	0·03	0·26	0·00	0·00	7
8	0·00	0·18	0·69	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·02	8
9	0·11	0·14	0·00	0·00	0·00	0·00	0·54	0·00	0·00	0·32	0·00	0·29	9
10	0·36	0·04	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·89	0·00	0·86	10
11	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·26	0·02	0·17	11
12	0·13	0·00	0·02	0·30	0·00	0·00	0·00	0·00	0·00	1·05	0·00	0·00	12
13	0·09	0·00	0·05	0·10	0·00	0·00	0·00	0·00	0·00	0·04	0·43	0·01	13
14	0·13	0·00	0·07	0·00	0·03	0·00	0·00	0·00	0·00	0·17	0·00	0·00	14
15	0·21	0·00	0·04	0·13	0·00	0·00	0·00	0·03	0·00	0·20	0·00	0·00	15
16	0·03	0·00	0·25	0·03	0·00	0·00	0·00	0·00	0·00	0·39	0·00	0·30	16
17	0·05	0·00	0·14	0·24	0·00	0·00	0·00	0·70	0·00	0·06	0·00	0·12	17
18	0·18	0·00	0·07	0·00	0·00	0·07	0·00	0·03	0·00	0·00	0·00	0·17	18
19	0·00	0·00	0·04	0·20	0·00	0·10	0·00	0·03	0·00	0·30	0·00	0·02	19
20	0·00	0·00	0·03	0·00	0·02	0·42	0·10	0·27	0·00	0·05	0·00	0·00	20
21	0·00	0·00	0·11	0·02	0·00	0·69	0·00	0·09	0·00	0·05	0·01	0·97	21
22	0·00	0·00	0·13	0·35	0·07	0·44	0·02	0·23	0·00	0·16	0·00	0·14	22
23	0·00	0·00	0·07	0·29	0·00	0·27	0·00	0·03	0·13	0·46	0·00	0·10	23
24	0·00	0·00	0·44	0·03	0·47	0·00	0·26	0·13	0·08	0·09	0·00	0·15	24
25	0·00	0·00	0·02	0·05	0·16	0·00	0·03	0·00	0·00	0·31	0·00	0·12	25
26	0·00	0·02	0·00	0·15	0·30	0·00	0·29	0·00	0·00	0·16	0·42	0·07	26
27	0·00	0·01	0·52	0·01	0·00	0·00	1·09	0·00	0·31	0·00	0·08	0·16	27
28	0·11	0·00	0·71	0·02	0·13	0·00	0·04	0·00	1·90	0·00	0·18	0·00	28
29	0·00	—	0·15	0·39	0·00	0·00	0·02	0·27	0·00	0·00	0·08	0·00	29
30	0·00	—	0·03	0·00	0·05	0·00	0·00	0·00	0·16	0·06	0·20	0·08	30
31	0·00	—	0·05	—	0·01	—	0·24	0·00	—	0·00	—	0·00	31
Total	1·90	0·39	5·12	2·93	1·24	2·02	3·02	2·06	2·91	6·20	1·64	5·08	TOTAL for year 34·51
No. of Rain Days	14	5	22	17	9	7	15	11	9	23	11	23	166

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

6,000, XI. '08. Waterlow and Sons Limited, Printers, London Wall, London. Price 2d.

REGISTER OF RAINFALL IN 1910

FORM A 2.
BRITISH RAINFALL.
9 JAN 1911

Kept at Pembroke Dock

in the County of Pembs 4

by D. J. Morgan

RAIN GAUGE: Pattern ____ Diameter of top 8 in. Height of top above Ground 1 ft. ____ in. ,, ,, ,, Sea Level 101 ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	0.28	0.20	0.00	0.00	0.40	0.00	0.64	0.00	0.04	0.09	0.16	1
2	0.02	0.05	0.00	0.00	0.00	0.02	0.20	0.21	0.00	0.33	0.20	0.00	2
3	0.02	0.08	0.08	0.03	0.16	0.02	0.02	0.56	0.00	0.00	0.32	0.00	3
4	0.01	0.02	0.07	0.00	0.19	0.02	0.03	0.34	0.00	0.00	0.23	0.28	4
5	0.01	0.40	0.04	0.06	0.11	0.24	0.05	0.00	0.00	0.00	0.30	0.77	5
6	0.00	0.19	0.25	0.20	0.01	0.03	0.00	0.07	0.00	0.00	0.13	0.20	6
7	0.00	0.10	0.04	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.34	0.15	7
8	0.10	0.01	0.36	0.00	0.04	0.08	0.00	0.48	0.00	0.00	0.07	0.95	8
9	0.07	0.00	0.49	0.00	0.11	0.06	0.00	0.00	0.00	0.00	0.03	0.42	9
10	0.26	0.07	0.00	0.00	0.00	0.36	0.00	0.00	0.00	0.00	0.27	0.73	10
11	0.44	0.07	0.00	0.05	0.00	0.00	0.00	0.46	0.00	0.36	0.00	0.08	11
12	0.03	0.02	0.00	0.26	0.06	0.00	0.00	0.14	0.00	0.14	0.19	0.34	12
13	0.06	0.19	0.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.21	13
14	0.00	0.39	0.02	0.05	0.00	0.00	0.00	0.48	0.16	0.00	0.12	0.75	14
15	0.12	0.00	0.00	0.09	0.06	0.00	0.00	0.01	0.00	0.15	0.03	0.55	15
16	0.27	0.06	0.02	0.00	0.00	0.00	0.16	0.22	0.00	0.47	0.00	0.24	16
17	0.09	0.03	0.02	0.21	0.25	0.00	0.03	0.00	0.00	0.04	0.00	0.00	17
18	0.04	0.27	0.00	0.03	0.00	0.00	0.00	0.49	0.00	0.32	0.04	0.03	18
19	0.03	0.08	0.00	0.09	0.22	0.00	0.06	0.17	0.00	0.15	0.10	0.02	19
20	0.07	0.31	0.00	0.00	0.06	0.00	0.42	0.12	0.00	0.27	0.00	0.15	20
21	0.07	0.04	0.00	0.31	0.00	0.18	0.03	0.00	0.00	0.00	0.00	0.00	21
22	0.12	0.18	0.00	0.00	0.00	0.05	0.02	0.07	0.00	0.00	0.47	0.00	22
23	0.60	0.24	0.00	0.05	0.00	0.40	0.33	0.60	0.00	0.00	0.70	0.04	23
24	0.04	0.28	0.00	0.03	0.00	0.32	0.28	0.00	0.00	0.00	0.12	0.00	24
25	0.03	0.07	0.00	0.07	0.00	0.06	0.00	0.27	0.00	0.00	0.23	0.00	25
26	0.00	0.11	0.00	0.02	0.00	0.00	0.05	0.00	0.00	0.14	0.18	0.00	26
27	0.40	0.20	0.03	0.03	0.00	0.10	0.18	1.35	0.00	0.54	0.71	0.03	27
28	0.09	0.08	0.00	0.24	0.03	0.16	0.55	1.40	0.00	0.17	0.00	0.04	28
29	0.00	—	0.00	0.00	0.00	0.04	0.03	0.19	0.00	0.00	0.00	0.00	29
30	0.03	—	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.05	0.00	30
31	0.27	—	0.00	—	0.12	—	0.00	0.07	—	0.45	—	0.13	31
Total	3.24	3.82	1.62	2.10	1.62	2.56	2.44	8.34	0.16	3.57	5.24	5.77	TOTAL for year 40.48
No. of Rain Days	26	26	12	18	14	18	16	21	1	14	23	21	210

7,000. X. '09.

S.o

4115.

PEMBROKE DOCK
COUNTY SCHOOL
1901, -04 ~~-10~~ 1910
1902-03 HB

Kept at Pem
in the County of
by George

...901
...51 Lon. 4
...e of Observation 9 A.M.
...meter 5 in.
...ight of top above Ground —
" " Sea Level 85 feet

NOTE.—Full instructions ...
of the Rainfall," which is sent po... ...ecting the Systematic Observation and Record ..., at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·66	·79	—	—	·05	·40	—	—	·24	—	—	1
2	·05	—	·38	·75	—	·02	·30	—	—	—	—	·02	2
3	—	·01	·12	·66	—	·01	—	·08	—	·70	·01	·01	3
4	—	·95	·24	—	·07	·02	—	·03	—	—	—	·12	4
5	—	—	·35	·83	·08	·21	—	1·06	·06	·02	·03	·26	5
6	—	—	·01	·18	·07	—	—	—	·04	—	—	·09	6
7	—	—	·10	·77	·08	—	—	—	·38	·68	—	·76	7
8	—	—	—	·33	—	—	—	—	·15	·30	—	·04	8
9	·23	·01	—	·13	—	—	—	—	·02	—	—	·08	9
10	·05	—	·01	·49	·08	—	—	·10	·07	·07	—	·08	10
11	·01	·01	—	·26	—	tr.	—	·44	—	·12	·94	·90	11
12	·25	—	—	·62	—	·02	—	·05	—	·02	·18	·52	12
13	·01	·08	—	·31	—	·14	—	2·40	·38	—	—	·05	13
14	—	—	—	·11	—	—	·04	·10	·01	·19	—	—	14
15	·02	·01	—	·12	—	—	—	—	·02	·50	·10	1·03	15
16	·47	·01	—	·03	—	—	—	·55	2·07	·32	·01	1·06	16
17	·01	—	—	—	—	—	—	·03	·20	·75	—	·32	17
18	1·52	—	—	—	—	·06	—	—	·13	·05	·09	·11	18
19	·43	—	·40	—	—	·38	—	—	·30	·05	—	·05	19
20	·54	—	·07	—	—	·80	—	—	·13	·08	·20	—	20
21	·10	—	—	—	—	—	—	—	·15	·80	·52	·04	21
22	·04	—	·02	—	—	·50	—	—	2·85	·26	·05	—	22
23	·13	—	—	—	—	—	·04	—	·50	·54	·02	·68	23
24	·07	—	·08	·01	—	—	·97	—	—	·13	—	·05	24
25	·13	·50	·04	—	—	—	·15	·26	·43	·21	—	·06	25
26	·26	·51	—	—	—	—	—	—	·10	·01	—	—	26
27	·07	·23	·23	—	—	—	—	·32	·07	—	·02	·56	27
28	·06	·55	—	·15	—	—	—	—	—	·07	—	·30	28
29	—		·72	—	·31	tr.	·22	·02	—	·07	—	1·00	29
30	·67		·40	—	·45	—	·13	·20	—	—	—	·01	30
31	·53		—		—		—	·06		—		·89	31
Totals	5·65	3·53	3·96	5·75	1·14	2·90	2·25	5·70	8·06	6·18	2·20	9·09	
Total from Jan. 1	5·65	9·18	13·14	18·89	20·03	22·93	25·18	30·88	38·94	45·12	47·32	56·41	

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

S.o

REGISTER OF RAINFALL IN 1901

Kept at Pembroke Dock. County School.

in the County of Pembroke.

by George H. West B.Sc.

RAIN GAUGE.

Lat. 51 Lon. 4

Time of Observation 9 A.M.

Diameter 5 in.

Height of top above Ground —

" " Sea Level 85 feet

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·66	·79	—	—	·05	·40	—	—	·24	—	—	1
2	·05	—	·38	·75	—	·02	·30	—	—	—	—	·02	2
3	—	·01	·12	·66	—	·01	—	·08	—	·70	·01	·01	3
4	—	·95	·24	—	·07	·02	—	·03	—	—	—	·12	4
5	—	—	·35	·83	·08	·21	—	1·06	·06	·02	·03	·26	5
6	—	—	·01	·18	·07	—	—	—	·04	—	—	·09	6
7	—	—	·10	·77	·08	—	—	—	·38	·68	—	·76	7
8	—	—	—	·33	—	—	—	—	·15	·30	—	·04	8
9	·23	·01	—	·13	—	—	—	—	·02	—	—	·08	9
10	·05	—	·01	·49	·08	—	—	·10	·07	·07	—	·08	10
11	·01	·01	—	·26	—	·02	—	·44	—	·12	·97	·90	11
12	·25	—	—	·62	—	·02	—	·05	—	·02	·18	·52	12
13	·01	·08	—	·31	—	·14	—	2·40	·38	—	—	·05	13
14	—	—	—	·11	—	—	·04	·10	·01	·19	—	—	14
15	·02	·01	—	·12	—	—	—	—	·02	·50	·10	1·03	15
16	·47	·01	—	·03	—	—	—	·55	2·07	·32	·01	1·06	16
17	·01	—	—	—	—	—	—	·03	·20	·75	—	·32	17
18	1·52	—	—	—	—	·06	—	—	·13	·05	·09	·11	18
19	·43	—	·40	—	—	·38	—	—	·30	·05	—	·05	19
20	·54	—	·07	—	—	·80	—	—	·13	·08	·20	—	20
21	·10	—	—	—	—	—	—	—	·15	·80	·52	·04	21
22	·04	—	·02	—	—	·50	—	—	2·85	·26	·05	—	22
23	·13	—	—	—	—	—	·04	—	·50	·54	·02	·68	23
24	·07	—	·08	·01	—	—	·97	—	—	·13	—	·05	24
25	·13	·50	·04	—	—	—	·15	·26	·43	·21	—	·06	25
26	·26	·51	—	—	—	—	—	—	·10	·01	—	—	26
27	·07	·23	·23	—	—	—	—	·32	·07	—	·02	·56	27
28	·06	·55	—	·15	—	—	—	—	—	·07	—	·30	28
29	—		·72	—	·31	·67	·22	·02	—	·07	—	1·00	29
30	·67		·40	—	·45	—	·13	·20	—	—	—	·01	30
31	·53		—		—		—	·06		—		·89	31
Totals	5·65	3·53	3·96	5·75	1·14	2·90	2·25	5·70	8·06	6·18	2·20	9·09	
Total from Jan. 1	5·65	9·18	13·14	18·89	20·03	22·93	25·18	30·88	38·94	45·12	47·32	56·41	

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

REGISTER OF RAINFALL IN 1904

FORM A. BRITISH RAINFALL.

28 APR 1905

Kept at County School, Pembroke Dock

in the County of Pembroke

by G. H. West B. Sc.

Lat. ..... Long. .....

Nearest Railway Station Pembroke Dock

RAIN GAUGE.

Time of Observation 9 A.M.

Diameter 5 in.

Height of top above Ground 85 ft. ... in.

" " Sea Level 85 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.32	—	—	.54	.10	—	—	—	.04	—	.15	1
2	.18	.34	—	.17	.04	—	.15	—	.42	—	—	.08	2
3	.10	.06	—	—	—	—	—	.01	—	—	—	.24	3
4	.22	.25	.06	.04	.02	—	.03	.28	—	—	—	.73	4
5	—	.29	.23	.09	.08	—	—	—	.52	.39	.09	.48	5
6	.48	.06	—	—	.52	—	—	—	.03	.01	.52	.13	6
7	.42	.52	.57	.08	—	—	—	—	.78	.02	.38	.02	7
8	.06	.37	.02	.02	.13	—	—	—	.04	—	.10	.39	8
9	.32	.39	—	—	.03	—	—	—	—	.07	.05	.39	9
10	.02	.39	—	—	—	—	.02	.06	—	.09	.65	.08	10
11	.14	—	—	—	.07	—	—	.05	.30	.03	.01	.63	11
12	.58	.38	—	.03	—	.70	.05	—	.21	.07	—	.09	12
13	.18	.10	—	.31	.01	.32	—	—	.50	—	—	.25	13
14	.11	.09	.02	.14	—	.37	.10	.63	.06	—	—	—	14
15	.03	.03	—	—	—	.12	.01	.01	.17	.42	.06	.10	15
16	—	.31	—	—	—	—	—	—	.20	.78	—	.07	16
17	.07	.09	.01	.06	—	.05	—	.48	—	.04	—	.22	17
18	.02	—	.04	—	—	—	—	.05	—	.03	.08	.01	18
19	—	.24	.10	—	—	—	.06	—	—	.01	.04	.01	19
20	.06	.01	.13	—	.03	—	—	.01	—	.02	.04	—	20
21	—	.02	—	.09	.02	—	—	.45	—	.18	.16	—	21
22	—	.06	—	.02	—	—	—	.01	—	—	.18	—	22
23	—	—	—	—	.60	—	.06	.04	—	.26	.01	—	23
24	—	—	—	—	.07	.03	.03	—	—	.10	—	.06	24
25	.06	.55	—	—	.11	—	.11	.26	.18	—	.45	.01	25
26	.47	.20	—	—	.20	—	.14	—	.01	—	—	—	26
27	.27	—	.23	—	—	—	.02	—	.02	—	.01	.07	27
28	.01	—	.18	.14	—	—	.28	—	—	—	.04	.05	28
29	.23	—	.19	.25	—	—	.02	.05	—	—	—	.03	29
30	.25		.03	—	.02	.22	—	.19	.85	—	—	—	30
31	.34		.16		.08		.09	—		—		—	31
Totals	4.65	5.07	1.97	1.44	2.57	1.91	1.17	2.58	4.29	2.56	2.87	4.29	
Total from Jan. 1	4.65	9.72	11.69	13.13	15.70	17.61	18.78	21.36	25.65	28.21	31.08	35.37	35.37

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

200

S.a.

REGISTER OF RAINFALL IN 1905.

FORM A.
BRITISH RAINFALL
18 APR 1906

Kept at Pembroke Dock, County School

in the County of Pembroke,

by G. H. West.

Lat. ..... Long. .....

Nearest Railway Station Pembroke Dock

RAIN GAUGE.

Time of Observation 9 a.m.

Diameter 5 in.

Height of top above Ground — ft. — in.

" " Sea Level 85 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	.18	—	.27	.12	1.03	.08	.16	.03	.54	—	1
2	—	.01	—	.15	.04	.09	.02	.44	—0—	.11	.16	.10	2
3	—	.02	—	.04	—	.02	—	.10	—	.11	.27	—	3
4	.25	.06	.35	.01	—	—	—	.16	.03	.07	.46	—	4
5	.37	.03	.03	—	—	—	.11	.01	.14	.06	.02	.31	5
6	—	.12	.05	.03	—	—	—	.54	.24	.01	.23	.28	6
7	—	.01	.02	.07	—	.05	—	.02	.17	.08	.01	.35	7
8	.39	.01	.38	.11	—	—	—	.04	.27	—	—	.16	8
9	—	—	.03	.16	—	—	.02	.16	.63	—	.23	.02	9
10	.03	.05	.90	.18	.22	—	.03	—	.01	—	1.04	—	10
11	.10	.01	.39	—	.09	—	.10	—	—	—	.22	—	11
12	—	—	.08	.28	—	.11	.04	—	.10	—	.41	—	12
13	—	—	.41	.24	—	—	.01	—	.08	.02	.17	—	13
14	—	.04	.26	—	—	—	.02	—	.01	—	—	—	14
15	.30	.02	.04	.27	—	.09	—	.08	.01	.02	—	—	15
16	.42	.08	.09	.30	—	.12	—	—	—	—	.02	—	16
17	.02	—	.27	.01	—	—	.01	.16	—	—	—	—	17
18	—	.02	—	—	—	.05	—	.05	—	—	.02	.13	18
19	—	.04	—	—	—	.50	—	.18	.03	—	—	.01	19
20	.01	.09	.03	—	—	.03	—	—	—	—	—	.01	20
21	—	—	—	—	—	.02	—	.23	—	—	—	.04	21
22	—	—	—	—	—	—	.21	1.08	—	—	.76	—	22
23	.03	—	.39	.04	—	—	.01	.01	—	.02	.08	—	23
24	.05	.10	—	.37	—	—	.01	.10	—	.02	.01	—	24
25	—	.46	.23	.06	—	—	.04	.46	—	—	.38	—	25
26	—	.20	.46	.08	—	—	.05	.17	—	.09	.40	—	26
27	—	.02	.02	.09	.08	—	—	.51	—	—	.60	.39	27
28	—	.08	.23	.20	.06	.03	.02	—	—	.23	.10	.02	28
29	—		.08	.23	—	.24	.26	.16	—	.64	.28	.02	29
30	.02		—	.55	—	.51	—	—	—	.28	.23	—	30
31	.02		.01		.17		—	—		.16		—	31
Totals	2.02	1.55	4.93	3.47	0.93	1.98	1.99	4.74	1.88	1.95	6.64	1.84	
Total from Jan. 1	2.02	3.57	8.50	11.97	12.90	14.88	16.87	21.61	23.49	25.44	32.08	33.92	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

203

Sa

REGISTER OF RAINFALL IN 1906.

cor by Haverfordwest

FORM A.
BRITISH RAINFALL.

FEB 2 JAN 1907

Kept at The County School, Pembroke Dock.

in the County of Pembroke

by George H. West.

Lat. 51° 40′ N. Long. 5° W.

Nearest Railway Station Pembroke Dock G.W.R.

Time of Observation 9 a.m.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground — ft. in.

" " " Sea Level 85 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·32	0·02	0·25	—	0·12	0·02	0·06	0·48	—	0·78	0·05	0·13	1
2	1·00	0·10	—	—	0·36	—	—	1·65	—	1·40	0·01	0·23	2
3	0·11	0·06	—	—	0·10	—	—	0·02	—	0·07	0·36	—	3
4	0·25	0·04	0·01	—	0·02	—	—	—	—	1·44	—	0·06	4
5	1·03	—	0·06	0·04	1·15	—	0·06	0·02	—	0·01	—	0·11	5
6	1·02	0·04	—	—	0·10	—	—	0·02	—	0·15	0·03	—	6
7	0·53	—	0·22	—	0·03	—	0·03	—	—	0·05	0·16	0·01	7
8	0·19	0·02	0·10	—	0·09	—	—	—	—	0·33	0·27	0·15	8
9	0·03	0·23	0·01	—	—	—	0·01	0·16	—	0·02	—	0·01	9
10	—	0·23	0·78	—	—	—	—	—	—	0·03	—	0·11	10
11	0·49	0·02	0·18	—	0·38	—	—	0·05	0·10	—	—	0·34	11
12	0·45	0·10	0·07	—	—	—	0·09	1·15	0·08	0·24	—	0·25	12
13	0·09	0·05	0·36	—	—	—	0·05	0·59	0·57	0·06	—	0·04	13
14	0·06	0·19	0·10	—	—	—	0·02	0·31	0·78	0·03	0·11	0·01	14
15	0·54	0·22	0·22	—	—	0·10	—	0·02	0·08	0·02	0·30	0·27	15
16	0·09	0·44	0·01	0·03	0·04	0·01	0·01	—	[illegible]	0·31	0·35	—	16
17	0·72	—	0·11	—	0·15	0·13	0·01	0·02	—	1·37	0·39	—	17
18	0·16	0·13	0·05	—	—	0·01	0·18	—	—	—	0·35	—	18
19	—	0·03	—	0·03	—	—	—	—	—	—	—	0·01	19
20	0·07	—	—	—	0·04	0·04	0·01	0·01	—	0·30	1·22	—	20
21	0·02	—	—	0·03	—	0·05	0·03	—	—	0·17	0·11	—	21
22	—	0·87	0·07	0·03	0·15	—	0·03	—	—	0·11	—	—	22
23	—	0·12	—	0·04	0·27	0·85	—	0·26 0·02	—	0·38	—	—	23
24	0·59	0·35	0·02	0·20	0·07	0·01	—	0·63	—	—	0·01	0·21	24
25	0·03	0·06	—	0·14	0·27	—	—	0·03	—	—	0·02	0·41	25
26	0·01	0·21	—	—	0·26	0·19	0·15	—	—	0·35	0·01	0·14	26
27	0·04	0·07	—	0·20	0·34	0·66	0·08	—	—	0·24	0·01	0·53	27
28	0·09	0·20	—	0·05	0·06	0·03	0·06	—	—	0·30	0·01	0·35	28
29	0·07		—	0·09	—	—	—	—	—	0·32	0·09	0·61	29
30	—		—	0·06	0·23	0·01	0·24	—	0·01	0·32	0·07	0·47	30
31	0·11		—		0·04		0·33	—		0·05		0·14	31
Total	7·11	3·75	2·62	0·94	4·27	2·11	1·45	5·42	1·62	8·85	3·93	4·59	TOTAL for year 46·66
No. of Rain Days	26	23	17	12	21	13	18	16	6	26	20	22	220

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1907

FORM A. BRITISH RAINFALL.

Kept at Pembroke Dock, County School

in the County of Pembroke.

by G. H. West, B.Sc.

Lat. ..... Long. .....

Nearest Railway Station Pembroke Dock.

RAIN GAUGE.

Time of Observation 9 a.m.

Diameter 5" in.

Height of top above Ground 1 ft. — in.

" " Sea Level 85 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	—	—	—	·26	—	—	—	·30	·45	·13	·08	1
2	·26	—	—	·61	—	—	·41	·96	·01	·27	·30	·34	2
3	·01	—	—	·11	·15	·02	·22	·13	·51	·64	·15	·22	3
4	·03	·01	—	·15	—	·84	·16	—	·46	·02	·03	·44	4
5	·11	—	·02	·15	·32	·03	—	·05	—	·06	—	·03	5
6	—	—	·16	·18	·33	—	—	·05	·12	·26	—	·14	6
7	·01	·08	·08	·06	·06	·34	·16	·22	—	·15	·02	·70	7
8	·06	·26	·02	·12	·15	·05	·06	·15	—	·27	·12	·20	8
9	·08	·02	·02	—	·02	·15	—	·02	—	·12	—	·36	9
10	·08	·31	·05	·17	·28	·05	—	·02	—	·64	—	·22	10
11	—	·66	—	·31	·13	·38	—	·53	—	·21	·14	·02	11
12	·03	·09	·17	·60	—	·18	—	—	—	·30	—	·02	12
13	·06	—	·01	—	—	·24	·26	·15	—	·16	—	·35	13
14	—	·16	·07	·01	—	·29	—	·76	—	·26	·21	·02	14
15	·08	·02	·22	—	—	·09	—	·02	—	·04	—	·11	15
16	·01	—	·32	—	—	—	—	·23	—	·70	·29	·12	16
17	—	·03	·15	—	—	·03	—	·54	—	·36	·10	·13	17
18	—	·15	·02	—	—	·05	—	—	—	·19	—	·08	18
19	—	·29	·01	—	—	—	—	·06	—	·02	·15	·19	19
20	·10	·03	—	·72	—	·25	—	—	—	·19	—	·26	20
21	·41	—	—	·08	—	·03	—	—	—	1·36	—	·18	21
22	—	·01	—	—	—	·04	—	·04	—	·58	·71	·06	22
23	—	—	—	—	—	·17	—	—	—	—	·01	—	23
24	—	—	—	—	·02	·12	·21	—	—	·21	·33	·02	24
25	·04	—	—	·03	·08	·13	·06	·05	·01	·33	·60	·04	25
26	·14	—	—	·24	—	·01	·18	·01	—	·01	·30	—	26
27	—	—	—	·01	—	·06	·20	—	—	·31	·13	—	27
28	·05	—	—	·73	—	—	·01	—	—	·10	·11	—	28
29	·10		—	·03	·11	—	·07	—	—	·24	—	—	29
30	·08		—	·08	·73	—	·01	—	—	·77	—	·01	30
31	—		—		·13		·01	—		—		·01	31
Totals	2·28	2·12	1·32	3·79	2·77	3·55	2·02	3·99	1·41	9·22	3·83	4·35	
Total from Jan. 1	2·28	4·40	5·72	9·51	12·28	15·83	17·85	21·84	23·25	32·47	36·30	40·65	

K/1000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

26 14 14 19 14 22 14 18 6 29 18 26 21 4

S.a.

8 x 4 n 8

REGISTER OF RAINFALL IN 1908

FORM A. BRITISH RAINFALL.

8 JAN 1909

Kept at The County School, Pembroke Dock.

in the County of Pembroke.

by George H. West. B.Sc.

Lat. ..... Long. .....

Nearest Railway Station Pembroke Dock G.W.R.

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 85 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	—	·03	—	·35	—	—	·08	—	—	—	1
2	—	·02	—	·02	·27	—	—	—	·13	—	—	·03	2
3	—	·02	·08	·02	·01	—	—	—	·34	—	—	·17	3
4	—	—	—	·01	·23	—	—	—	—	·01	—	·01	4
5	·16	—	·85	—	·34	—	—	—	—	—	—	·35	5
6	·35	—	·06	—	·01	—	—	—	·02	·03	—	·19	6
7	·58	—	·05	—	·21	—	·48	—	—	·01	—	·02	7
8	·04	·01	·05	—	·08	—	·15	—	·37	·21	—	·52	8
9	—	·01	·05	—	—	—	1·31	·19	·24	·08	—	·34	9
10	—	·02	·01	·14	—	—	·22	—	—	—	·06	·13	10
11	—	·03	—	—	—	·36	·32	—	·03	—	·22	—	11
12	—	—	—	—	·09	—	—	—	—	—	·43	·32	12
13	·01	·14	·34	·01	·20	·08	—	·05	—	—	·19	·09	13
14	—	·10	—	—	·42	—	—	—	·04	—	—	·27	14
15	·43	·15	·08	—	—	·09	·10	—	—	·53	—	1·97	15
16	·40	·69	·03	—	·01	—	·88	—	·61	·14	·09	·20	16
17	·02	·03	—	—	·04	—	·03	—	—	1·10	—	·10	17
18	·01	·01	—	—	·01	—	—	—	·02	·14	·26	·13	18
19	·04	—	—	·05	—	—	—	·03	·92	—	·04	·03	19
20	—	·01	—	—	—	—	—	·52	—	1·11	·07	·06	20
21	—	·02	·40	—	·09	—	—	·20	·10	—	·40	·04	21
22	—	—	·13	·08	—	·04	·03	·78	·03	—	·01	·26	22
23	—	—	·21	·08	·06	—	—	·47	·01	—	·04	·03	23
24	—	·02	·83	·15	—	—	·57	·84	—	—	·07	—	24
25	—	·24	—	·04	—	—	·04	·13	·48	—	·01	—	25
26	·10	·13	—	·06	—	—	—	1·00	·01	—	·04	·39	26
27	·04	—	·40	1·09	—	—	—	·52	·16	—	—	·14	27
28	·09	·24	—	·10	—	—	—	·04	·01	·40	·58	·57	28
29	—	—	·15	·97	·03	—	·02	—	—	—	—	·15	29
30	·15		·24	—	—	·03	—	·18	—	·07	—	·35	30
31	—		·03		—		—	1·13		—		·03	31
Total	2·42	1·91	3·99	2·85	2·10	0·95	4·15	6·08	3·60	3·83	2·51	6·89	TOTAL for year 41·28
No. of Rain Days	14	19	18	15	16	6	12	14	18	12	15	27	186

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S.a.

REGISTER OF RAINFALL IN 1909

FORM A2. BRITISH RAINFALL.

8 JUL 1910

Kept at County School, Pembroke Dock

in the County of Pembroke

by G. H. Lucas

RAIN GAUGE — Pattern Snowdon Gauge

Diameter of top 5 in.

Height of top above Ground 1 ft. — in.

" " " Sea Level 85 ft.

Time of Observation 9 am.

Nearest Railway Station — Name Pembroke Dock

Distance 200 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—		·02					·26		·01		·15	1
2	—		·28	·03			·06			·38		·28	2
3	—		·07	·59		·03	·12			·15		·42	3
4	—	·05	·05					·01	·13	·47	·10	·10	4
5	·30		1·29				·02		·17	·01	·13	·26	5
6	·11					·01	·18		·06	·01	·05	·27	6
7	·13		·23						·02	·33			7
8	·01	·19	·71							·01		·01	8
9	·11	·16	·01				·58		·01	·45	·01	·40	9
10	·39	·01					·01			·95		1·15	10
11	—	—		·09						·29		·18	11
12	·12		·03	·24			·01		·01	1·09			12
13	·14		·06	·07			·01			·06	·38		13
14	·16		·22		·03					·25			14
15	·22		·02	·12				·01		·28			15
16	·02		·26	·02						·48		·31	16
17	·07		·13	·27	·02			·79		·04		·14	17
18	·14		·08			·09		·03				·17	18
19			·05	·22		·11		·16		·48		·04	19
20			·02			·34	·10	·18		·05			20
21			·10	·01	·01	·67		·05		·06		1·17	21
22			·12	·40	·06	·41	·01	·27		·21		·21	22
23			·07	·29		·24	·01	·02	·12	·64		·13	23
24			·54	·04	·39	·01	·23	·13	·06	·07	·01	·11	24
25			·03	·06	·18		·03	·01		·33		·23	25
26		·03		·33	·25		·53			·19	·45	·05	26
27		·02	·66				·93		·29	·01	·08	·22	27
28	·09	·01	·69	·03	·14		·04		1·99		·25	·01	28
29			·16	·39			·01	·28			·07	·01	29
30			·02	·01	·04				·16	·14	·21	·13	30
31			·08		·01		·21						31
Total	2·01	0·47	6·00	3·21	1·13	1·91	3·09	2·20	3·02	7·44	1·74	6·15	TOTAL for year 38·37
No. of Rain Days	14	7	27	18	10	9	18	13	11	27	11	24	189

7,000. X. '09.

Sal

EXMC

REGISTER OF RAINFALL IN 1910

FORM A 2.
BRITISH RAINFALL.
9 JAN 1911

Kept at County School, Pembroke Dock

in the County of Pembroke 4

by George H. West B.Sc.

RAIN GAUGE — Pattern Canal; Diameter of top 5 in.; Height of top above Ground 1 ft. — in.; " " " Sea Level 85 ft.

Time of Observation 9 am

Nearest Railway Station — Name Pembroke Dock; Distance 2 miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·32	·25	—	—	·48	—	·67	—	·03	·10	·22	1
2	·01	·05	·01	—	—	—	·15	·14	—	·38	·22	—	2
3	·02	·09	—	·01	·16	·02	·03	·48	—	—	·30	—	3
4	—	·03	—	—	·25	·02	·04	·34	—	—	·22	·30	4
5	—	·43	·03	·08	·12	·26	·03	·01	—	—	·33	·82	5
6	—	·22	·29	·19	·02	·02	—	·07	—	—	·17	·23	6
7	—	·12	·05	·01	·01	·02	—	—	—	—	·36	·18	7
8	·11	·02	·36	—	·09	·07	—	·72	—	—	·05	1·05	8
9	·11	—	·54	—	·12	·07	—	·01	—	—	·02	·49	9
10	·31	·12	—	—	·01	·47	—	—	·08	—	·36	·23	10
11	·45	·09	—	·05	—	—	—	·51	—	·46	·01	·07	11
12	·02	·02	—	·30	·15	·01	—	·15	—	·18	·29	·39	12
13	·11	·20	—	·31	·01	—	—	·01	—	·01	·38	·25	13
14	·01	·55	·01	·05	·01	—	—	·41	·17	—	·14	·80	14
15	·20	·02	—	·12	·02	—	—	·02	—	·15	·06	·58	15
16	·28	·11	·02	·01	·01	—	·17	·23	—	·46	—	·25	16
17	·13	·07	·03	·21	·26	—	·05	·01	—	·04	—	·01	17
18	·03	·29	·03	·02	—	—	—	·57	—	·38	·08	·03	18
19	·02	·10	·01	·10	·23	—	·06	·24	—	·24	·09	·02	19
20	·04	·43	—	—	·03	·07	·55	·12	—	·28	—	·23	20
21	·12	·08	—	·29	·02	·17	·02	·01	—	·01	·01	—	21
22	·15	·14	—	·01	—	·10	·02	·06	—	—	·52	·05	22
23	·53	·29	—	·03	—	·39	·40	·62	—	—	·76	—	23
24	·09	·28	—	·02	—	·32	·34	·03	—	·02	·13	·06	24
25	·06	·07	—	·13	—	·09	·01	·31	—	·01	·21	—	25
26	·01	·16	—	·04	·01	·01	·02	—	·01	·13	·17	·03	26
27	·43	·28	·03	·03	—	·12	·16	1·41	—	·58	1·09	·03	27
28	·17	·08	—	·28	·02	·19	·48	1·24	·01	·16	·02	·04	28
29	—		—	—	—	·03	·05	·13	—	—	—	—	29
30	·03		—	·01	·25	—	·01	·03	—	—	·05	—	30
31	·30		—		·10		·05	·04		·60		·14	31
Total	3·81	4·66	1·66	2·30	1·90	2·93	2·64	8·59	0·27	4·12	6·14	6·50	TOTAL for year 46·52 ✓
No. of Rain Days	26	27	13	22	21	20	19	28	4	18	26	24	248 ✓

9,000, IX. '10.

S.a

ST. DAVID'S
PEMBROKESHIRE
1901 - 1910

RE[illegible] 901

Kept at Saint D[illegible]

in the County of Pem[illegible]

by W. Peregrine Prop[illegible]

t. 51° 53′ N Lon. 5° 16′ W.

ne of Observation Gaisland time

ameter 5 in

ight of top above Ground 1 ft

„ „ Sea Level 216 ft

NOTE.—Full instructions respect[illegible] ecting the Systematic Observation and Record of the Rainfall," which is sent post-f[illegible] on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·004	0·555	0·322	0·001	—	0·004	0·035	—	0·001	0·052	—	—	1
2	0·060	0·034	0·220	0·260	—	0·050	0·038	—	0·002	0·010	—	0·035	2
3	0·005	0·115	0·162	0·390	—	—	0·002	0·025	—	0·452	—	0·242	3
4	—	0·260	0·068	0·002	—	0·094	0·004	—	—	0·004	—	0·090	4
5	—	0·020	0·200	0·532	0·115	0·152	—	0·470	0·195	0·004	—	1·252	5
6	—	0·002	0·015	0·030	0·020	—	—	—	0·060	—	—	0·004	6
7	—	0·010	0·010	0·152	0·085	—	—	—	0·228	0·405	—	0·500	7
8	—	0·030	—	0·320	0·002	—	—	0·020	0·002	0·070	—	0·014	8
9	0·088	0·008	—	0·040	—	—	—	0·001	0·004	0·001	—	0·130	9
10	0·004	0·004	—	0·170	0·150	—	—	0·100	0·002	0·020	—	0·042	10
11	0·218	—	0·004	0·212	—	0·030	—	0·286	0·004	0·015	0·735	0·412	11
12	0·132	—	—	0·352	—	0·008	—	0·090	0·002	0·190	0·082	1·000	12
13	—	0·030	—	0·092	—	0·102	—	1·160	0·010	0·010	0·042	0·052	13
14	—	0·004	—	0·090	—	0·004	0·030	0·040	—	0·732	0·162	0·015	14
15	0·050	—	—	0·080	—	—	—	0·002	0·038	0·135	0·050	0·552	15
16	0·058	0·010	—	0·020	—	—	0·030	0·500	1·000	0·170	—	0·050	16
17	0·050	—	—	0·002	—	—	0·014	0·008	0·048	0·260	—	0·100	17
18	0·595	—	—	—	—	0·095	0·001	—	0·195	0·162	0·075	0·006	18
19	0·235	—	0·392	—	—	0·285	—	—	0·318	0·025	0·002	0·022	19
20	0·142	—	0·004	—	—	0·652	—	—	0·030	0·045	0·162	0·015	20
21	0·068	—	—	—	—	0·008	—	—	0·410	0·400	0·160	0·012	21
22	0·072	—	—	—	—	0·662	—	—	1·132	0·070	0·022	0·014	22
23	0·070	—	—	—	—	0·010	0·146	—	0·055	0·335	—	0·398	23
24	0·038	—	0·040	—	—	—	0·460	—	0·004	0·020	—	0·040	24
25	0·110	0·230	0·032	—	—	—	0·372	0·162	0·278	0·156	—	0·018	25
26	0·030	0·170	0·120	—	—	—	0·010	0·010	0·030	0·010	—	0·001	26
27	0·100	0·020	0·010	0·115	—	—	—	0·492	0·030	0·012	0·050	0·252	27
28	0·024	0·204	0·022	—	—	—	—	0·004	0·004	0·155	—	0·192	28
29	0·002	[illegible]	0·345	0·100	0·135	—	0·394	0·012	—	0·130	—	0·295	29
30	0·568	—	0·492	—	0·200	0·490	—	0·252	0·002	0·005	—	0·008	30
31	0·460	—	0·002	—	0·004	0·038	—	0·055	—	—	—	0·498	31
Totals	3·183	1·706	2·460	2·960	0·711	2·684	1·536	3·689	4·084	4·055	1·542	5·261	
Total from Jan. 1	3·183	4·889	7·349	10·309	11·020	13·704	15·240	18·929	23·013	27·068	28·610	33·871	

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

10

REGISTER OF RAINFALL IN 1901

Kept at Saint David's R.S.O

in the County of Pembroke

by W. Peregrine Propert L.D., F.R. Met. Soc.

RAIN GAUGE.

Lat. 51° 53′ N Lon. 5° 16′ W.

Time of Observation Ga. (local time)

Diameter 5 in.

Height of top above Ground 1 ft

" " Sea Level 216 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·004	0·555	0·322	0·001	—	0·004	0·035	—	0·001	0·052	—	—	1
2	0·060	0·034	0·220	0·260	—	0·050	0·038	—	0·002	0·010	—	0·635	2
3	0·005	0·115	0·162	0·390	—	—	0·002	0·025	—	0·452	—	0·242	3
4	—	0·260	0·068	0·002	—	0·094	0·004	—	—	0·004	—	0·090	4
5	—	0·020	0·200	0·532	0·115	0·152	—	0·470	0·195	0·004	—	1·252	5
6	—	0·002	0·015	0·030	0·020	—	—	—	0·060	—	—	0·004	6
7	—	0·010	0·010	0·152	0·085	—	—	—	0·228	0·405	—	0·500	7
8	—	0·030	—	0·320	0·002	—	—	0·020	0·002	0·070	—	0·014	8
9	0·088	0·008	—	0·040	—	—	—	0·001	0·004	0·001	—	0·130	9
10	0·004	0·004	—	0·170	0·150	—	—	0·100	0·002	0·020	—	0·042	10
11	0·218	—	0·004	0·212	—	0·030	—	0·286	0·004	0·015	0·735	0·412	11
12	0·132	—	—	0·352	—	0·008	—	0·090	0·002	0·190	0·082	1·000	12
13	—	0·030	—	0·092	—	0·102	—	1·160	0·010	0·010	0·042	0·052	13
14	—	0·004	—	0·090	—	0·004	0·030	0·040	—	0·732	0·162	0·015	14
15	0·050	—	—	0·080	—	—	—	0·002	0·038	0·135	0·050	0·532	15
16	0·058	0·010	—	0·020	—	—	0·030	0·500	1·000	0·170	—	0·050	16
17	0·050	—	—	0·002	—	—	0·014	0·008	0·048	0·260	—	0·100	17
18	0·595	—	—	—	—	0·095	0·001	—	0·195	0·162	0·075	0·006	18
19	0·235	—	0·392	—	—	0·285	—	—	0·318	0·025	0·002	0·022	19
20	0·142	—	0·004	—	—	0·652	—	—	0·030	0·045	0·162	0·015	20
21	0·068	—	—	—	—	0·008	—	—	0·410	0·400	0·160	0·012	21
22	0·072	—	—	—	—	0·662	—	—	1·132	0·070	0·022	0·014	22
23	0·070	—	—	—	—	0·010	0·146	—	0·055	0·335	—	0·398	23
24	0·038	—	0·040	—	—	—	0·460	—	0·004	0·020	—	0·040	24
25	0·110	0·230	0·032	—	—	—	0·372	0·162	0·278	0·156	—	0·018	25
26	0·030	0·170	0·120	—	—	—	0·010	0·010	0·030	0·010	—	0·001	26
27	0·100	0·020	0·010	0·115	—	—	—	0·492	0·030	0·012	0·050	0·252	27
28	0·024	0·204	0·022	—	—	—	—	0·004	0·004	0·155	—	0·192	28
29	0·002		0·345	0·100	0·135	—	0·394	0·012	—	0·130	—	0·295	29
30	0·568	—	0·492	—	0·200	0·490	—	0·252	0·002	0·005	—	0·008	30
31	0·460	—	0·002	—	0·004	0·038	—	0·055			—	0·498	31
Totals	3·183	1·706	2·460	2·960	0·711	2·684	1·536	3·689	4·084	4·055	1·542	5·261	
Total from Jan. 1	3·183	4·889	7·349	10·309	11·020	13·704	15·240	18·929	23·013	27·068	28·610	33·871	

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

5.00

E.C.S.

REGISTER OF RAINFALL IN 1902

Kept at Saint Davids

in the County of Pembroke

by W Lerepine Proprietor L.D., F.R.Met Soc.

RAIN GAUGE.

Lat. 51°53' 0" N Long. 5°16' 0" W

Time of Observation 9 a.m. (local time)

Diameter 5 in.

Height of top above Ground 1 ft

" " Sea Level 216 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*The British Rainfall Organization—Rules for Rainfall Observers*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·170		0·410	0·004	0·035	0·535	0·005	0·004	0·001	0·002		0·525	1
2	0·018		0·005		0·004	0·004			0·790			0·020	2
3	0·185			0·045	0·070	0·012	0·070	0·082	0·284				3
4	0·110			0·242	0·032		0·060	0·002	0·002	0·055			4
5	0·005	0·015		0·004	0·004	0·162	0·010	0·062	0·010	0·018	0·060		5
6					0·035	0·032		0·084	0·015	0·002	0·130		6
7	0·010	0·224	0·001		0·022	0·012		0·180			0·725		7
8	0·040	0·020	0·030		0·003	0·025	0·015			0·004	0·150		8
9	0·060	0·050	0·004		0·010	0·005	0·140		0·100	0·965	0·120	0·022	9
10	0·010		0·060				0·012		0·008	0·078	0·170	0·010	10
11			0·072		0·072	0·112		0·100	0·108	0·010	0·675	0·072	11
12	0·082	0·010	0·020			0·805		0·032	0·004	0·475	0·050	0·050	12
13	0·014	0·010	0·115		0·004	0·124		0·060	0·001	0·630	0·190	0·725	13
14			0·460		0·160	0·182				0·130	0·042	0·400	14
15			0·030		0·010	0·194			0·004	0·012		0·082	15
16			0·012	0·115	0·122					0·006		0·465	16
17			0·001	0·004	0·070	0·002		0·070		0·168		0·010	17
18			0·050	0·255	0·062	0·324		0·030		0·004		0·042	18
19			0·075	0·112	0·010	0·282	0·702	0·004		0·070			19
20	0·032	0·032	0·010	0·022		0·070	0·010		0·015	0·003		0·012	20
21	0·035	0·205	0·170	0·824	0·010	0·012			0·035	0·098			21
22	0·005	0·350	0·050	0·040	0·282	0·274		0·300	0·625	0·002	0·462		22
23	0·252	0·300	0·020	0·022				0·004	0·462	0·001	0·122		23
24	0·050	0·020	0·172	0·002					0·004		0·264		24
25	0·044	0·040	0·004				0·805			0·152	0·130		25
26	0·390	0·250	0·630				0·300			0·004	0·080		26
27	0·185	0·020	0·004		0·105		0·005			0·072	0·322	0·100	27
28	0·100	0·002	0·260		0·001					0·108	0·212	0·035	28
29			0·298	0·022	0·010	0·100				0·064	0·044	0·122	29
30			0·020	0·018	0·115			0·068	0·052	0·001	0·252	0·005	30
31			0·004		0·390			0·016					31
Totals	1·797	1·548	2·987	1·781	1·638	3·268	2·134	1·098	2·520	3·134	4·200	2·697	
Total from Jan. 1	1·797	3·345	6·332	8·113	9·751	13·019	15·153	16·251	18·771	21·905	26·105	28·802	

K/4,000/11/02

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

REGISTER OF RAINFALL IN 1903

FORM A. BRITISH RAINFALL.

Kept at St David's R.S.O

in the County of Pembroke

by W. Peregrine Propert M.D. F.R.Met.Soc

Lat. 51° 53' 0" N Long. 5° 16' 0" W

Nearest Railway Station Haverfordwest

RAIN GAUGE.

Time of Observation 9 a Local Time

Diameter 5 in.

Height of top above Ground 1 ft. — in.

" " Sea Level 216 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	In.	in.	in.	in.	
1	0·238	0·004	0·258	0·032	0·518	—	—	—	0·612	0·055	0·886	—	1
2	0·204	—	0·070	0·035	0·462	—	0·124	0·286	0·334	0·082	0·182	0·072	2
3	0·138	0·024	0·010	0·040	0·185	—	—	0·060	—	0·060	—	0·394	3
4	0·952	0·020	0·318	0·035	0·048	—	0·072	—	0·090	0·325	—	—	4
5	0·128	—	0·030	0·010	—	—	0·130	—	—	0·420	—	0·092	5
6	0·062	0·032	0·264	—	—	—	—	—	—	0·450	—	0·225	6
7	0·052	0·115	0·003	0·010	0·042	—	—	—	0·112	0·415	—	0·080	7
8	0·302	0·022	0·005	—	0·364	—	—	0·022	0·264	—	0·042	0·382	8
9	0·315	0·014	0·500	—	—	0·343	—	0·318	—	0·085	—	0·604	9
10	0·185	0·002	0·015	—	—	0·080	—	0·014	0·713	0·382	—	0·143	10
11	0·004	0·004	0·002	0·004	—	—	0·092	—	0·120	0·280	0·032	0·085	11
12	—	0·014	0·318	—	—	—	—	0·010	0·320	0·080	0·182	0·494	12
13	—	—	0·605	—	—	0·062	—	0·362	—	0·284	0·152	0·062	13
14	—	—	0·150	0·174	0·022	0·380	0·256	0·370	—	0·065	0·050	0·302	14
15	—	—	0·128	0·025	—	0·085	0·286	0·005	—	0·962	—	0·450	15
16	0·100	—	0·190	—	0·015	0·124	0·372	0·200	—	0·020	—	0·035	16
17	0·010	—	0·528	—	0·064	—	0·112	0·684	—	—	0·020	0·005	17
18	0·002	—	0·015	—	0·018	—	—	0·010	—	0·285	—	0·010	18
19	0·010	—	0·004	—	0·032	—	—	0·010	—	0·274	—	0·082	19
20	—	0·045	0·010	—	—	—	—	0·284	0·051	0·130	0·010	—	20
21	0·098	0·112	0·005	—	—	—	0·832	—	0·223	0·207	0·015	0·134	21
22	0·345	0·242	0·028	—	—	—	0·071	0·010	—	0·165	0·025	0·100	22
23	0·095	0·040	0·004	—	—	0·050	0·020	0·582	0·030	—	0·112	0·015	23
24	0·164	0·404	0·212	—	—	—	—	0·524	0·185	0·300	—	—	24
25	0·124	0·435	0·318	0·725	—	0·462	0·572	—	0·010	0·984	—	0·040	25
26	0·318	0·224	0·028	0·388	—	0·032	0·135	—	0·342	0·190	0·174	—	26
27	0·010	0·004	0·150	0·008	—	0·050	0·092	0·232	—	0·197	0·374	—	27
28	0·022	0·270	0·048	0·424	0·030	0·145	0·174	0·284	0·205	0·492	0·160	—	28
29	0·020	—	0·090	0·022	0·132	—	0·080	0·162	0·142	0·545	0·870	—	29
30	0·018	—	0·004	0·742	0·005	—	—	0·260	0·010	—	0·132	—	30
31	0·202	—	0·095	—	—	—	0·095	0·010	—	0·374	—	—	31
Totals	4·118	2·027	4·405	2·674	1·937	1·813	3·495	4·699	3·763	8·108	3·418	3·806	
Total from Jan. 1	4·118	6·145	10·550	13·224	15·161	16·974	20·469	25·168	28·931	37·039	40·457	44·263	

K/1000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

24 15 25 14 14 11 17 21 17 27 17 21 22·3

Sa

Eng RR

REGISTER OF RAINFALL IN 1904

13 FEB 1905

FORM A. BRITISH RAINFALL.

Kept at St. David's R.S.O.

in the County of Pembroke

by David Propert-Williams

Lat. 51° 53' Long. 5° 16' W

Nearest Railway Station Haverfordwest

RAIN GAUGE. Time of Observation 9 20 am daily

Diameter 5 in.

Height of top above Ground 1 ft. — in.

" " Sea Level ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.110	—	—	0.420	—	0.035	0.070	—	—	—	0.100	1
2	0.300	0.920	—	0.190	—	—	0.025	—	0.840	—	—	0.075	2
3	0.295	0.060	—	0.050	—	—	—	—	0.010	—	—	—	3
4	0.265	0.400	—	0.055	0.025	—	0.075	0.195	0.035	—	0.010	0.560	4
5	—	0.350	0.275	0.080	0.080	—	0.020	0.250	0.630	0.280	0.050	0.500	5
6	0.290	0.035	—	—	0.355	—	—	—	—	0.070	0.630	0.180	6
7	0.650	0.415	0.475	0.060	0.020	—	—	—	0.780	—	0.140	0.080	7
8	0.060	0.430	0.060	0.015	0.125	—	—	—	0.010	—	0.060	0.360	8
9	0.280	0.475	—	—	0.050	0.080	—	—	—	0.280	—	0.750	9
10	0.060	0.500	—	—	0.010	—	—	0.025	—	0.020	0.850	0.060	10
11	0.090	0.030	—	—	0.090	—	—	—	0.130	0.110	0.010	0.945	11
12	0.430	0.580	—	0.070	0.030	0.700	0.050	—	0.230	—	—	0.040	12
13	0.370	0.110	0.020	0.260	—	0.240	—	0.540	0.250	—	—	0.280	13
14	0.010	0.080	0.090	0.025	—	0.430	0.240	0.300	0.020	—	—	0.060	14
15	—	0.030	—	—	—	0.135	0.030	—	0.080	0.075	—	0.080	15
16	—	0.240	—	—	—	—	—	0.350	—	0.700	0.060	0.030	16
17	0.175	0.035	0.040	0.205	0.040	—	—	—	—	0.010	—	0.265	17
18	0.010	—	0.040	—	—	—	—	—	—	0.025	0.030	—	18
19	0.035	0.220	0.080	—	—	—	0.090	—	—	0.020	—	0.020	19
20	0.040	0.010	0.300	—	0.010	—	—	—	—	0.070	—	—	20
21	0.040	0.035	—	0.040	0.010	—	0.070	0.720	—	0.090	0.185	—	21
22	—	—	—	—	—	—	0.200	0.010	—	—	0.390	—	22
23	—	—	0.015	—	0.530	0.250	0.200	—	—	0.055	0.580	0.010	23
24	0.055	—	—	—	—	0.020	—	—	—	0.010	0.060	0.010	24
25	0.120	0.670	—	—	0.110	—	0.080	0.230	0.050	—	0.415	—	25
26	0.340	0.350	—	—	0.730	—	0.055	—	—	—	—	—	26
27	0.460	—	0.170	—	—	—	—	0.010	—	—	0.175	0.160	27
28	0.035	—	0.395	0.140	—	—	0.140	—	—	—	0.090	0.030	28
29	0.370	—	0.065	0.220	—	—	0.030	0.035	0.100	—	—	0.025	29
30	0.185		—	—	—	0.215	—	0.565	0.600	—	0.015	—	30
31	0.010		0.160		—		0.020	—		—		—	31
Totals	4.975	6.085	2.185	1.410	2.635	2.070	1.360	3.300	3.765	1.815	3.750	4.620	1904
Total from Jan. 1	4.975	11.060	13.245	14.655	17.290	19.360	20.720	24.020	27.785	29.600	33.350	37.970	✓

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

S.a.

REGISTER OF RAINFALL IN 1905

FORM A.
BRITISH RAINFALL.

17 JAN 1906

Kept at St. David's R.S.O

in the County of Pembroke

by D. T. Williams

Lat. 51° 53' Long. 5° 16'

Nearest Railway Station Haverfordwest 7½ miles

RAIN GAUGE.

Time of Observation 9 a.m. local time

Diameter 5 in.

Height of top above Ground 1 ft. ~~in.~~

" " Sea Level 216 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·154	—	0·185	—	0·570	0·082	1·010	0·764	0·150	—	0·950	—	1
2	0·302	—	—	0·192	0·115	0·070	0·025	0·180	—	0·080	0·015	0·025	2
3	—	0·650	0·100	0·030	—	—	—	0·285	—	0·085	0·265	0·020	3
4	0·186	—	0·532	—	—	—	—	0·122	0·055	—	0·420	—	4
5	0·135	0·105	0·404	—	—	—	0·250	—	0·202	—	0·025	0·306	5
6	—	0·172	—	0·055	—	0·015	—	0·540	0·060	—	0·060	0·115	6
7	—	—	—	0·072	—	0·020	0·272	0·015	0·105	—	—	0·155	7
8	0·310	0·404	0·375	0·240	—	—	—	0·260	0·200	—	—	0·124	8
9	—	0·200	0·250	0·158	—	—	—	0·042	0·705	—	0·170	—	9
10	0·355	—	0·705	0·082	0·260	—	—	—	—	—	0·832	—	10
11	0·152	—	0·314	—	0·075	—	0·265	—	—	—	0·240	—	11
12	—	0·105	0·202	0·145	—	—	—	—	0·270	—	0·570	—	12
13	—	0·102	0·594	—	—	0·075	0·010	—	0·064	0·015	0·255	—	13
14	—	0·150	0·412	—	—	—	0·062	—	—	0·010	0·035	—	14
15	0·394	—	0·900	0·220	—	0·062	—	0·625	—	0·130	0·144	—	15
16	0·355	0·502	0·752	0·225	—	0·170	—	—	—	0·025	0·270	—	16
17	0·402	0·104	0·285	—	—	—	0·035	0·172	—	—	0·105	—	17
18	—	0·202	0·104	—	—	—	—	0·035	—	—	—	0·105	18
19	—	0·100	0·205	—	—	0·364	—	—	—	—	—	—	19
20	—	0·105	0·452	—	—	0·080	—	—	—	0·050	—	0·030	20
21	—	—	—	—	—	0·052	0·020	0·264	—	—	—	0·015	21
22	—	—	—	—	—	—	0·140	0·692	—	—	0·770	—	22
23	0·145	—	0·352	0·010	—	—	—	—	—	0·032	—	—	23
24	0·190	0·402	0·454	0·755	—	—	—	0·180	—	—	—	—	24
25	—	0·490	0·240	0·052	—	—	0·055	0·820	—	—	0·480	—	25
26	—	0·104	0·394	0·110	—	—	0·150	0·305	—	0·094	0·125	—	26
27	—	0·752	0·205	0·072	0·080	—	—	0·460	—	—	0·212	0·232	27
28	—	—	0·238	0·235	0·575	0·020	0·092	0·035	—	0·115	0·095	—	28
29	—	—	0·256	0·174	—	0·465	0·090	0·200	0·045	0·470	0·378	—	29
30	—	—	0·102	0·610	—	0·452	—	0·014	—	0·162	—	0·012	30
31	0·352	—	—	—	0·224	—	0·145	—	—	—	—	0·005	31
Totals	3·432	4·649	9·012	3·437	1·899	1·927	2·621	6·010	1·856	1·268	6·416	1·144	
Total from Jan. 1	3·432	8·081	17·093	20·530	22·429	24·356	26·977	32·987	34·843	36·111	42·527	43·671	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

FORM A.
BRITISH RAINFALL.
19 JAN 1907

REGISTER OF RAINFALL IN 1906

Kept at St. Davids So.

in the County of Pembroke

by D. P. Williams

Lat. 51° 53' 0" N. Long. 5° 16' 0" W

Nearest Railway Station Haverfordwest or Letterston

RAIN GAUGE.

Time of Observation 9 a.m. local time

Diameter 5 in.

Height of top above Ground 1 ft. ~~in.~~

" " Sea Level 216 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·320	0·010	0·125		0·110	0·050	0·065	2·040		0·835	0·065	0·120	1
2	0·650	0·040	—	—	0·130	—	—	1·670	—	1·265	0·330	0·080	2
3	0·145	0·015	—	—	0·085	—	—	0·040	—	—	0·185	—	3
4	0·190	—	0·010	—	0·070	—	—	—	—	1·645	0·045	0·040	4
5	1·140	—	0·055	—	0·750	—	0·230	0·020	—	—	0·010	0·070	5
6	—	0·080	~~0·270~~	—	0·075	—	—	0·010	—	0·190	0·075	—	6
7	0·365	—	0·270	—	0·175	—	0·025	—	—	0·025	0·250	0·055	7
8	0·155	0·010	0·035	—	0·135	—	—	—	—	0·090	0·095	0·085	8
9	0·040	0·150	—	—	—	—	0·020	0·185	—	0·020	—	0·025	9
10	—	0·715	0·750	—	0·030	—	—	0·045	—	0·065	—	0·155	10
11	0·435	—	0·160	—	0·335	—	—	1·890	0·140	0·015	—	0·290	11
12	0·365	0·150	0·020	—	—	—	0·135	0·190	0·210	0·290	—	0·190	12
13	0·025	—	0·395	0·055	—	—	0·030	0·190	0·310	0·030	—	0·020	13
14	0·100	0·110	0·055	—	—	—	0·010	0·060	0·355	0·010	0·195	0·070	14
15	0·380	0·105	0·135	—	—	0·110	—	—	0·045	0·020	0·165	0·180	15
16	0·155	0·370	—	0·040	0·190	—	—	—	—	0·190	0·165	0·010	16
17	0·710	—	0·090	0·070	0·180	0·575	0·010	0·025	—	0·630	0·285	—	17
18	0·180	0·180	—	—	0·105	—	0·125	—	—	0·010	—	—	18
19	—	0·010	—	0·010	—	—	—	0·010	—	—	0·315	0·015	19
20	0·030	—	—	—	—	0·100	0·015	—	—	0·285	0·860	—	20
21	—	—	—	0·015	—	0·095	0·010	0·050	—	0·050	0·010	—	21
22	—	0·590	0·105	0·010	0·125	—	0·055	—	—	0·065	—	—	22
23	—	0·105	0·010	—	0·090	0·500	—	0·330	—	0·175	—	0·220	23
24	0·440	0·265	0·025	0·290	0·100	0·020	—	0·575	—	—	—	0·100	24
25	—	—	0·010	0·140	0·225	—	—	0·030	—	—	0·010	0·260	25
26	—	0·300	—	—	0·320	0·070	0·140	0·010	—	0·375	0·010	0·140	26
27	0·030	0·090	—	0·190	0·300	0·300	0·075	—	—	0·350	—	0·785	27
28	0·060	0·285	—	0·100	0·035	—	0·075	—	—	0·115	—	0·510	28
29	—	—	—	0·055	—	—	0·500	—	0·145	—	0·065	0·520	29
30	—	—	—	0·010	0·055	0·020	0·280	—	—	2·110	—	0·370	30
31	0·050	—	—	—	—	—	—	—	—	—	—	0·125	31
Totals	5·965	2·980	2·250	0·985	3·620	1·840	1·800	7·370	1·205	8·850	3·135	4·435	204
Total from Jan. 1	5·965	8·945	11·195	12·180	15·800	17·640	19·440	26·810	28·015	36·870	40·005	44·440	

K 5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

S.A.

REGISTER OF RAINFALL IN 1907

FORM A. BRITISH RAINFALL. 18 JAN 1908

Kept at St Davids S.O.

in the County of Pembroke

by D. T. Williams

Lat. 51° 53' 0" Long. 5° 16' 0"

Nearest Railway Station Haverfordwest 9 Letters N.W.

Time of Observation 9 a.m. Local time.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 216 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.040	—	0.360	—	0.010	—	0.210	0.600	0.080	0.040	1
2	0.100	—	—	0.650	—	—	0.350	0.815	0.010	0.120	0.105	0.245	2
3	—	—	—	0.045	0.100	0.015	0.320	0.180	0.300	0.310	0.120	0.160	3
4	0.015	0.070	—	0.010	—	0.010	0.085	—	0.630	—	0.110	0.105	4
5	0.090	—	0.030	0.145	0.290	0.010	0.010	—	—	0.050	0.010	—	5
6	0.020	—	0.145	0.195	0.280	0.510	—	—	0.140	0.200	—	0.105	6
7	—	0.075	0.040	0.170	0.170	0.510	0.075	0.125	—	0.160	0.010	0.430	7
8	0.080	0.375	0.030	0.130	0.145	0.235	0.040	0.145	—	0.130	0.340	0.080	8
9	0.040	—	0.010	0.450	0.070	0.220	0.020	0.215	—	0.070	—	0.520	9
10	0.040	0.250	0.040	0.170	0.435	—	—	—	—	0.560	—	0.145	10
11	—	0.530	—	0.390	0.175	0.250	—	0.385	—	0.100	0.110	0.025	11
12	—	0.260	0.100	0.435	0.010	0.110	—	—	—	—	—	0.040	12
13	0.055	—	—	—	—	0.110	0.480	0.145	—	0.290	0.020	0.400	13
14	—	0.220	0.080	—	—	0.140	—	0.750	—	0.510	0.170	—	14
15	0.090	0.010	0.070	—	—	0.010	—	—	—	0.060	—	0.080	15
16	—	—	0.375	—	—	—	—	0.200	—	0.720	0.350	0.030	16
17	—	0.015	0.110	—	—	0.050	—	0.320	—	0.450	0.190	0.120	17
18	—	0.140	—	—	—	0.035	—	—	—	0.340	—	0.070	18
19	—	0.220	0.035	—	—	0.010	—	—	—	0.020	0.180	0.290	19
20	0.185	0.020	—	0.860	—	0.275	—	—	0.010	0.340	—	0.210	20
21	0.220	—	—	0.045	—	0.040	—	—	—	0.210	—	0.070	21
22	—	0.070	—	—	—	0.010	—	0.035	—	0.470	0.670	—	22
23	—	—	—	—	—	0.110	—	—	—	0.020	—	—	23
24	—	—	—	0.010	0.070	0.170	1.275	—	—	0.230	0.580	0.015	24
25	0.045	—	—	0.020	0.040	0.105	0.070	—	—	0.490	0.560	—	25
26	0.100	—	—	0.345	0.010	0.010	0.130	0.060	0.150	—	0.125	—	26
27	0.010	—	—	—	—	0.060	0.380	—	—	0.170	0.075	—	27
28	0.055	—	—	0.110	—	—	0.085	—	—	0.025	0.275	—	28
29	0.030	—	—	0.030	0.260	—	—	0.080	—	0.120	—	—	29
30	0.065	—	—	0.030	0.770	—	—	—	—	1.060	—	0.025	30
31	—	—	—	—	0.150	—	—	—	—	0.010	—	—	31
Total	1.240	2.255	1.105	4.240	3.335	3.005	3.330	3.455	1.450	7.835	4.080	3.205	TOTAL for year
No. of Rain Days	12	40	34	95	46	60	88	40	12	75	15	80	185	10	219	65	23	41	53	12	50	35	33	0	385	3	

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

203

Price 2d.

REGISTER OF RAINFALL IN 1908

FORM A. BRITISH RAINFALL

18 JAN 1909

Kept at St. David's So.

in the County of Pembroke

by D. T. Williams

Lat. 51° 53' 0" Long. 5° 16' 0"

Nearest Railway Station Haverfordwest 7½ Letterston

Time of Observation 9 a.m. Local time

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 216 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	DEW. in.	in.	
1	—	0·010	0·080	0·010	—	0·290	—	—	—	—	0·010	—	1
2	—	0·040	0·270	0·010	0·210	0·060	—	—	—	—	—	0·010	2
3	—	—	0·070	0·015	0·010	—	—	—	0·210	—	—	0·080	3
4	—	—	—	—	0·415	—	—	—	—	—	—	—	4
5	0·150	0·040	0·675	—	0·390	0·010	—	—	—	—	—	0·350	5
6	0·260	—	0·010	—	0·010	—	—	—	0·010	0·020	—	0·110	6
7	0·390	—	0·090	—	0·230	—	0·680	—	0·120	—	—	0·040	7
8	0·060	—	0·065	—	0·070	—	0·070	—	0·220	0·200	—	—	8
9	—	0·030	0·030	—	—	—	1·120	—	0·270	0·220	—	0·440	9
10	—	0·010	—	0·470	0·020	—	—	0·050	0·030	—	0·210	0·320	10
11	—	0·030	—	—	—	0·500	0·400	—	0·060	—	0·085	0·035	11
12	—	—	—	—	—	—	0·020	—	—	—	0·045	0·170	12
13	0·050	0·080	0·410	—	0·130	0·025	0·010	0·110	—	—	0·280	0·120	13
14	0·030	0·135	—	—	0·420	—	—	—	0·200	—	—	0·365	14
15	0·430	0·135	0·050	—	—	0·070	0·170	0·020	—	0·425	—	1·310	15
16	0·245	0·685	0·010	—	0·015	—	0·600	—	0·575	0·275	0·050	0·060	16
17	0·015	0·010	—	—	0·025	—	0·010	—	—	1·320	—	0·100	17
18	—	—	—	—	0·015	—	—	—	0·065	0·230	0·210	0·140	18
19	0·035	—	—	—	—	—	0·070	—	0·940	—	0·080	0·020	19
20	—	0·010	—	0·010	—	—	—	0·690	—	0·300	—	0·040	20
21	—	—	0·600	—	0·090	—	—	0·045	0·190	—	0·345	0·085	21
22	—	0·010	0·100	0·100	—	0·085	—	0·600	0·030	—	—	0·400	22
23	—	0·040	0·255	0·085	—	0·010	—	0·770	—	—	—	0·010	23
24	0·010	0·010	1·000	0·035	0·050	—	0·630	0·095	—	—	0·120	—	24
25	—	—	—	0·090	—	—	—	0·060	0·440	—	0·010	—	25
26	—	0·180	—	0·070	—	—	—	1·060	0·010	—	0·020	0·420	26
27	0·010	0·040	0·430	1·355	—	—	0·060	0·280	—	—	—	0·115	27
28	0·075	0·055	0·025	0·010	—	—	—	—	0·025	0·120	0·640	0·380	28
29	0·060	0·140	0·170	0·730	—	—	—	—	—	—	—	0·130	29
30	0·165	—	0·200	—	—	—	—	0·035	DEW. 0·010	0·020	—	0·240	30
31	0·010	—	—	—	0·070	—	—	0·760	—	—	—		31
Total	1·995	1·690	4·540	2·990	2·170	1·050	3·840	4·545	3·405	3·230	2·105	5·520	TOTAL for year
No. of Rain Days	16	19	19	13	18	9	12	17	10	13	25		

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d. 1-81

Sent 23.III.10

entered by obsr 25.III.10

REGISTER OF RAINFALL IN 1909

FORM A2. BRITISH RAINFALL.

18 JAN 1910

Kept at St David's So.

in the County of Pembroke

by D. R. Williams

RAIN GAUGE: Pattern Snowdon. Diameter of top 5 in. Height of top above Ground 1 ft. " " " Sea Level 216 ft.

Time of Observation 9 a.m. Local.

Nearest Railway Station: Name Haverfordwest Letterston. Distance 6½ Direction S.E. by E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·020		Snow 0·290					0·045				0·030	1
2			Snow 0·265	0·090			0·030			0·375	0·030	0·290	2
3			Snow 0·120	0·360			0·020		0·020	0·050	0·010	0·420	3
4		0·025	Snow 0·150						0·060	0·180	0·075	0·045	4
5	0·060		Snow 0·690						0·040	0·020	0·160		5
6	0·090		Snow 0·020			0·010	0·175		0·060	0·015	0·055	0·170	6
7	0·070		0·050				0·020		0·130	0·220			7
8	0·020	0·180	0·140										8
9	0·040						0·575		0·050	0·210	0·030	0·340	9
10	0·330	0·120					0·030	Fog 0·010		0·255		0·795	10
11				0·080						0·130		0·160	11
12	0·150		0·030	0·220						0·940	0·010		12
13	0·025		0·965	0·030			0·030			0·030	0·160		13
14	0·340		Snow 0·175	0·070				0·020		0·210	0·030		14
15	0·220		Snow 0·180	0·090			0·020			0·160		Snow	15
16	0·010		Hail 0·220	0·440						0·300		0·170	16
17	0·035		0·280		0·025			1·360		0·150		0·060	17
18	0·150		0·020			0·055	0·010	0·100				0·240	18
19			0·030	0·220		0·030		0·060		0·430		0·050	19
20						0·110	0·120	0·010		0·150			20
21			0·170	0·070		0·310				0·090	0·040	0·490	21
22			0·060	0·200	0·100	0·390	0·010	0·240		0·230		0·295	22
23			0·120	0·260		0·555			0·250	0·375		0·060	23
24			0·440	0·140	0·250		0·380	0·060		0·060	0·020	0·130	24
25			0·020	0·030	0·070		0·130			0·140	0·145	0·190	25
26		0·030		0·170	0·210		0·380	0·010		0·345	0·340	0·055	26
27	0·010	0·140	0·620	0·070	0·010		0·540		0·400		0·040	0·250	27
28	0·060		0·700	0·150	0·125		0·025	0·240	1·620			0·025	28
29	0·010		0·055	0·520						0·060	0·035	0·026	29
30			0·040	0·050	0·085				0·130	0·090	0·310	0·220	30
31			0·105		0·020		0·170						31
Total	1·640	0·495	5·055	3·270	0·895	1·460	2·665	2·155	2·760	5·215	1·490	4·510	TOTAL for year 31·610
No. of Rain Days	17	5	17	13	7	7	13	11	10	25	16	24	183
	1·640	2·130	7·085	10·355	11·250	12·710	15·375	17·530	20·290	25·505	26·995	31·505	

7,000. X. '09.

W. D.S. cwd for auth 27.IV.11

REGISTER OF RAINFALL IN 1910

FORM A 2.
BRITISH RAINFALL.
18 JAN 1911

Kept at St. David's

in the County of Pembroke 3

by D. Williams.

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. ____ in. " " " Sea Level 216 ft.

Time of Observation 9 a.m. Local.

Nearest Railway Station: Name Letterston Distance 12 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.020		0.280			0.130		0.610		0.055	0.010	0.350	1
2	0.010	0.390		0.030			0.230	0.150		0.560	0.260		2
3	0.020	0.045		0.055	0.160		0.030	0.130			0.550		3
4	0.010	0.090			0.150		0.075	0.050				0.260	4
5		0.230	0.015	0.220	0.070	0.340	0.020				0.230	0.700	5
6		0.050	0.160	0.200	0.080	0.030		0.010			0.070	0.090	6
7		0.055	0.190		0.030	0.050					0.135	0.050	7
8	0.090		0.265		0.110	0.020		0.130			0.030	1.000	8
9	0.065	0.065	0.260		0.010	0.020					0.010	0.280	9
10	0.220	0.070				0.470			0.040	0.130	0.160	0.300	10
11	0.240			0.040				0.320		0.385		0.080	11
12		0.035		0.810	0.090	0.015		0.140		0.100	0.150	0.410	12
13	0.080	0.120		0.720	0.070			0.015			0.480	0.050	13
14		0.340	0.110	0.010	0.060			0.670	0.090		0.130	0.340	14
15	0.270	0.025		0.470				0.080		0.140	0.075	0.280	15
16	0.120	0.100	0.020		0.035		0.100	0.250		0.255		0.340	16
17	0.020	0.090		0.210	0.170			0.010		0.010			17
18	0.040	0.485	0.030					0.590		0.300		0.010	18
19		0.215	0.010	0.050	0.150		0.070	0.520		0.375	0.165	0.020	19
20	0.060	0.580			0.030		0.600	0.090		0.610		0.200	20
21	Snow 0.230	0.060		0.190		0.550	0.060				0.010		21
22	0.190	0.050		0.015			0.050	0.155			0.465		22
23	0.280	0.220		0.040		0.370	0.270	1.740			0.500	0.010	23
24	0.105	0.230				0.330	0.100	0.030			0.100	0.030	24
25	0.130	0.160		0.020		0.030		0.200	0.020		0.240		25
26		0.050					0.025			0.120	0.130		26
27	0.450	0.170	0.120			0.080	0.060	0.750		0.770	0.600	0.090	27
28	0.140	0.055		0.220	0.040		0.320	0.020	0.010	0.260	0.010	0.060	28
29						0.040		0.070	0.020				29
30	0.010				0.240		0.020	0.100			0.060		30
31	0.280				0.025	0.010				0.230			31
Total	3.080	3.980	1.460	3.300	1.520	2.485	2.030	6.830	0.180	4.300	4.570	4.950	TOTAL for year. 38.685
No. of Rain Days	23	25	11	16	17	15	15	24	5	15	23	21	210

9,000, IX. '10.

5a

4118
SAUNDERSFOOT
HEARN CASTLE.
1906 – 10

FORM A.
BRITISH RAINFALL.

RE

Kept at Heancastle

in the County of Pem

by Herbert C. Le

ng. 4·40 W 1 1907

n Saundersfoot

9·30 am.

in.

round 2 ft. 5 in.

a Level 206 ft.

NOTE.—Full instructions respectin
"*Rules for Rainfall Obs*

all Organization are given in
quare, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	–	·2·4	–	·18	–	–	·48	–	·74	·03	·30	1
2	·59	·16	–	–	·36	–	–	·99	–	1·29	·14	–	2
3	·12	–	–	–	·18	–	·03	–	–	·24	·54	–	3
4	·32	–	–	–	·03	–	–	–	–	·88	–	·06	4
5	·88	–	·024	·11	45	–	·06	·03	–	·03	·03	·12	5
6	·26	·024	–	–	·51	–	·03	·01	–	·24	·10	–	6
7	·28	·05	·22	–	·03	–	–	–	–	–	·14	·02	7
8	·16	–	·05	–	·08	–	–	–	–	·09	·33	·16	8
9	·024	·21	·02	–	·03	–	–	–	–	·02	–	–	9
10	–	–	(pl. ·50 snow)	–	–	–	–	–	–	·024	–	·07	10
11	·45	·15(snow)	·50	–	·33	–	–	·62	·22	–	–	·30	11
12	·39	·40	·05	–	–	–	·08	·65	·13	·22	–	·30	12
13	·14	·05	·37	–	–	–	·10	·12	·48	·10	–	–	13
14	–	·23	·10	–	–	–	·01	·48	67	–	·11	·10	14
15	·44	·20	·21	–	·02	·07	–	·03	–	·05	·29	·20	15
16	·36	40	–	·01	·06	–	–	–	08	·28	·33	·13	16
17	·36	–	18	–	·28	·31	–	·12	·02	1·12	·30	—	17
18	·21	·12	–	–	–	–	·19	–	–	–	·37	–	18
19	–	·25	–	·03	–	–	–	·02	–	–	–	–	19
20	–	–	–	–	·07	·08	·03	–	–	·53	1·18	–	20
21	–	–	–	·024	–	·06	·06	–	–	–	·09	–	21
22	–	·50	·06	–	·18	–	·024	–	–	·13	–	–	22
23	–	·09	–	·35	18	88	–	·84	–	·21	–	–	23
24	·08	·25	–	·56	·02	–	–	–	–	–	–	·21	24
25	·01	·05	–	·18	·18	–	–	·01	–		·03	·43 (pl. snow)	25
26	–	–	–	–	·25	·13	·21	–	–	·33	–	·73 (Snow)	26
27	–	·23	–	·22	·27	·61	·08	–	–	·52	·06	·22 (Snow) ·9	27
28	·07	17	–	·24	·05	·06	·02	–	–	–	·01	·07 (pl. snow)	28
29	·07		–	–	–	–	–	–	–	·23	·07	–	29
30	–		–	·03	·20	·11	·27	–	–	·22	–	·35 (pl. snow)	30
31	·11		–		–		·17	–		·024		·14	31
Totals	6·21	3·55	2·24	1·77	3·94	2·31	1·38	4·40	1·60	7·55	4·15	3·91	43·31
Total from Jan. 1	21	18	13	~~20~~ 10	22	9	15	13	6	22	18	17 8	184 5

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1906

Kept at Heanlenke, Saundersfoot

in the County of Pembroke

by Herbert C. Lewis

Lat. 51° 43½ N Long. 4° 40 W

Nearest Railway Station Saundersfoot

RAIN GAUGE.

Time of Observation 9.30 am

Diameter 5 in.

Height of top above Ground 2 ft. 5 in.

" " Sea Level 206 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27	–	.24	–	.18	–	–	.48	–	.74	.03	.30	1
2	.59	.16	–	–	.36	–	–	.99	–	1.29	.14	–	2
3	.12	–	–	–	.18	–	.03	–	–	.24	.54	–	3
4	.32	–	–	–	.03	–	–	–	–	.88	–	.06	4
5	.88	–	.04	.11	.45	–	.06	.03	–	.03	.03	.12	5
6	.26	.04	–	–	.51	–	.03	.01	–	.24	.10	–	6
7	.28	.05	.22	–	.03	–	–	–	–	–	.14	.02	7
8	.16	–	.05	–	.08	–	–	–	–	.09	.33	.16	8
9	.04	.21	.02	–	.03	–	–	–	–	.02	–	–	9
10	–	–	.50 (pl. snow)	–	–	–	–	–	–	.04	–	.07	10
11	.45	.15 (snow)	.50	–	.33	–	–	.62	.22	–	–	.30	11
12	.39	.40	.05	–	–	–	.08	.65	.13	.22	–	.30	12
13	.14	.05	.37	–	–	–	.10	.12	.48	.10	–	–	13
14	–	.23	.10	–	–	–	.01	.48	.67	–	.11	.10	14
15	.44	.20	.21	–	.02	.07	–	.03	–	.05	.29	.20	15
16	.36	.40	–	.01	.06	–	–	–	.08	.28	.33	.13	16
17	.36	–	.18	–	.28	.31	–	.12	.02	1.12	.30	–	17
18	.21	.12	–	–	–	–	.19	–	–	–	.37	–	18
19	–	.25	–	.03	–	–	–	.02	–	–	–	–	19
20	–	–	–	–	.07	.08	.03	–	–	.53	1.18	–	20
21	–	–	–	.04	–	.06	.06	–	–	–	.09	–	21
22	–	.50	.06	–	.18	–	.04	–	–	.13	–	–	22
23	–	.09	–	.35	.18	.88	–	.84	–	.21	–	–	23
24	.08	.25	–	.56	.02	–	–	–	–	–	–	.21	24
25	.01	.05	–	.18	.18	–	–	.01	–		.03	.43 (pl. snow)	25
26	–	–	–	–	.25	.13	.21	–	–	.33	–	.73 (snow)	26
27	–	.23	–	.22	.27	.61	.08	–	–	.52	.06	.22 (snow) .18	27
28	.07	.17	–	.24	.05	.06	.02	–	–	–	.01	.07 (pl. snow)	28
29	.07		–	–	–	–	–	–	–	.23	.07	–	29
30	–		–	.03	.20	.11	.27	–	–	.22	–	.35 (pl. snow)	30
31	.11		–		–		.17	–		.04		.14	31
Totals	6.21	3.55	2.54	1.77	3.94	2.31	1.38	4.40	1.60	7.55	4.15	3.91	43.31
Total from Jan. 1	21	18	13	10 ~~20~~	22	9	15	13	6	22	18	17 ~~18~~	184 ~~185~~

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Sa.

REGISTER OF RAINFALL IN 1907

FORM A. BRITISH RAINFALL. 1908

Kept at Haverbastle, Saundersfoot

in the County of Pembroke

by Herbert C. Lewis

Lat. 51° 43½' N Long. 4° 40' W

Nearest Railway Station Saundersfoot

Time of Observation 9.30 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10½ in.

" " " Sea Level 206 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	·20	02	–	–	·14	·20	·07	·03	1
2	·52	–	–	·77	–	–	·30	·68	–	·19	·18	·12	2
3	·22	–	–	–	20	·04	·07	·04	·21	·18	·02	·23	3
4	–	–	·02	–	–	·59	–	–	·36	–	–	·37	4
5	·05	–	·03	·07	·19	·02	–	·05	–	–	–	–	5
6	·15	–	·16	–	·36	–	–	–	·10	·35	–	·16	6
7	·01	·04	·10	·38	·03	·28	·07	·21	–	·13	–	·60	7
8	·06	·09	·04	·05	·13	–	·04	·12	–	·51	·31	·16	8
9	·07	·16	·07	·02	·08	·25	–	–	–	·05	–	·34	9
10	–	·21	·09	·29	·24	–	–	–	–	·17	–	·31	10
11	·10	·47	–	·28	·10	·28	–	·33	–	·15	·04	·07	11
12	·10	·04	·12	·36	–	·10	–	–	–	·22	·01	·08	12
13	·08	–	–	–	–	·20	·13	·15	–	–	·01	·30	13
14	–	·11	·11	–	–	·26	–	·60	–	·42	·12	–	14
15	·07	·04	·19	–	–	–	–	–	–	·05	–	·01	15
16	–	–	·21	–	–	–	–	·15	–	1.05	–	·06	16
17	–	·04	·15	–	–	·03	–	·44	–	·19	·17	·10	17
18	–	·14	–	–	–	·03	–	–	–	·21	–	·08	18
19	–	·31	·04	–	–	–	–	·01	–	–	–	·10	19
20	·11	·03	–	·67	–	·19	–	–	–	·44	·10	·14	20
21	·34	–	–	–	–	·02	–	–	–	·98	–	–	21
22	–	–	–	–	–	·06	–	·12	–	·34	·69	–	22
23	–	–	–	–	–	·11	–	–	–	·04	–	–	23
24	–	–	–	–	–	·13	·14	–	–	·24	·58	·04	24
25	–	–	–	·02	–	·12	·03	·09	–	·10	·38	–	25
26	·13	–	–	·37	–	·01	·11	–	·01	·04	·23	–	26
27	·01	–	–	·02	–	·06	·23	–	–	·08	·22	–	27
28	·15	–	–	·18	–	–	–	–	–	·03	·08	–	28
29	·07	–	–	·04	·19	·06	·02	–	·03	·43	–	–	29
30	·14	–	–	·09	·82	·04	·02	–	–	·39	–	–	30
31	–		–		·15	–	–	–		–		·02	31
Totals	2.38	1.68	1.33	3.61	2.69	2.90	1.16	2.99	·85	7.18	3.21	3.32	TOTAL for year 33.30
No. of Rain Days	18	12	13	15	12	22	11	13	6	26	16	20	184

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London
,000, XI '07. Price 2d.

REGISTER OF RAINFALL IN 1908

FORM A. BRITISH RAINFALL. 15 JAN 1909

Kept at Heaw Castle, Saundersfoot

in the County of Pembroke

by Herbert Clarke Lewis

Lat. 51° 43½ N Long. 4° 40' W

Nearest Railway Station Saundersfoot

Time of Observation 10 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10½ in.

" " " Sea Level 206 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·03	·01	-	·58	-	-	·08	-	-	-	1
2	-	-	·20	·01	·38	-	-	-	-	-	-	-	2
3	-	·05	·01	·03	·05	-	-	-	-	-	-	·14	3
4	-	-	-	-	·08	-	-	-	-	·02	-	-	4
5	·11	-	·33	-	·15	-	-	-	-	-	-	·40	5
6	·25	·02	·10	-	-	-	-	-	·03	-	-	·10	6
7	·74	-	·06	-	·25	-	·40	-	-	-	-	·01	7
8	·06	-	·04	-	·08	-	·20	-	·23	·10	-	·40	8
9	-	·01	·04	-	-	-	1·00	-	·13	-	-	·27	9
10	-	-	-	·21	-	·04	·29	-	-	·15	·10	·22	10
11	-	·06	-	-	·05	·30	·28	-	·19	-	·22	-	11
12	-	-	-	-	·06	-	-	-	-	-	·29	·34	12
13	-	·13	·23	-	·08	·13	·02	-	-	-	·20	·08	13
14	-	·10	-	-	·19	[illegible]	-	·01	·06	-	-	·39	14
15	·29	·09	-	-	-	·12	·07	-	-	·63	-	1·35	15
16	·28	·74	-	-	·01	-	·67	-	·32	·03	·02	·14	16
17	·04 ·04	·06	-	-	·01	·16	-	-	-	1·01	-	·15	17
18	·01	·01	-	·01	-	-	-	-	-	·10	·34	·08	18
19	·06	-	-	-	-	-	·01	-	·27	-	-	·02	19
20	-	-	-	-	-	-	-	·49	-	·40	·05	·08	20
21	-	-	·28	-	·14	-	-	·05	·05	-	·39	·01	21
22	-	-	·03	·12	-	·03	01	·38	·02	-	-	·13	22
23	-	·03	-	·05 [snow]	·04	-	-	·61	·03	-	·01	·02	23
24	-	-	·99	·26 [.]	·04	-	·26	·52	-	-	·08	-	24
25	-	·05	-	-	-	-	-	·05	·38	-	·10	-	25
26	·11	·22	-	·08	-	-	-	·62	·13	-	·03	-	26
27	·02	·12	·22	·68	-	-	-	·77	-	-	-	·11 (snow)	27
28	·17	·09	-	·08	-	-	-	·10	-	·33	·34	·20 ("	28)
29	-	·74	·19	·80	·01	-	-	·01	-	-	-	·80 (snow)	29
30	·12		·20	-	·11	-	-	·04	-	·13	-	·02 (snow)	30
31	-		·02		-		-	·94					31
Total	2·26	2·52	2·97	2·34	1·73	1·36	3·21	4·59	1·92	2·90	2·17	5·46	TOTAL for year 33·4
No. of Rain Days	13	16	16	12	17	7	11	13	13	10	13	23	164

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

6,000, XI, '08. Waterlow and Sons Limited, Printers, London Wall, London. Price 2d.

REGISTER OF RAINFALL IN 1909

FORM A 2.
BRITISH RAINFALL.
14 JAN 1910

Kept at Heaw Castle, Saunderfoot

in the County of Pembroke

by Mr H. G. Lewis

RAIN GAUGE — Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. 10½ in. " " " Sea Level 206 ft.

Time of Observation 9.30

Nearest Railway Station — Name Saunderfoot Distance ½ Mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·02 (Snow)	-	-	-	-	·11	·01	·02	-	·08	1
2	-	-	·21 (Snow)	·05	-	-	·06	-	-	·32	-	·21	2
3	·06	-	·09 (Snow)	-	-	·03	·07	-	·03	·16	-	·71	3
4	-	·04	·05 (Snow)	-	-	-	-	-	·37	·14	·03	·25	4
5	·16	-	·28	-	-	-	·04	-	-	·01	·05	·33	5
6	·14	-	-	-	-	·21	·19	-	·07	-	-	·35	6
7	·07	-	·08	-	-	-	-	-	·17	·25	-	·02	7
8	-	·15	·29	-	-	-	-	-	-	-	-	·02	8
9	·07	·16	-	-	-	-	·55	-	-	·73	-	·21	9
10	·36	-	-	-	-	-	-	-	-	-	-	·72	10
11	·01	-	-	·15	-	-	-	-	-	·66	·03	·20	11
12	·10	-	-	·23	-	-	-	-	-	·17	-	-	12
13	·10	-	·05	·12	-	-	·02	-	-	·03	·48	-	13
14	·15	-	·10 (Snow)	-	-	-	-	-	-	·23	·07	-	14
15	·27	-	·13 (Snow)	·05	-	-	·02	-	-	·28	·01 (Snow)	-	15
16	-	-	·11 (Snow)	-	-	-	-	-	-	·22	-	·24 (part Snow)	16
17	-	-	·07	·16	·04	-	-	1·27	-	·04	-	-	17
18	·06	-	·03	-	-	·05	·01	·08	-	-	-	·25	18
19	-	-	·02	·13	-	·25	-	·20	-	·29	-	·07 (Snow)	19
20	-	-	·17	-	-	·20	·07	·03	-	·09	-	-	20
21	-	-	·07	-	-	·17	-	·03	-	·07	-	1·00	21
22	-	-	·09	·21	·01	·59	·02	·09	-	·16	-	·20	22
23	-	-	·07	·29	-	·16	-	·05	·30	·44	-	·11	23
24	-	-	·42	-	·33	-	·09	·04	·04	·20	·02	·10	24
25	-	-	·05	·30	·22	-	·09	-	-	·22	-	·12	25
26	-	-	-	·21	·17	-	·28	-	-	·28	·25	·01	26
27	-	-	·48	·02	-	-	·84	-	·44	-	·11	·14	27
28	·08	-	·27	·06	·12	-	·05	-	1·54	-	·19	·04	28
29	-		·06	·42	-	-	-	·23	-	·04	·08	·03	29
30	-		·02	·01	·05	-	-	-	·12	-	·32	-	30
31	-		·06	-			·28	·01		-			31
Total	1·63	·35	3·29	2·41	·94	1·66	2·68	2·14	3·09	5·05	1·64	5·41	TOTAL for year 30.29
No. of Rain Days	13	3	25	15	7	8	16	11	10	23	12	23	166

7,000. X. '09.

Ex DL

REGISTER OF RAINFALL IN 1910

FORM A2. BRITISH RAINFALL.

9 JAN 1911

Kept at Heanbasde, Saundersfoot

in the County of Pembroke 4

by Herbert L. Lewis.

RAIN GAUGE — Pattern

Diameter of top 5 in.

Height of top above Ground 1 ft. 10½ in.

" " " Sea Level 206 ft.

Time of Observation 9.30

Nearest Railway Station — Name Saundersfoot

Distance ½ mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·26	·11	-	-	·06	-	·65	-	·01	·03	·45	1
2	-	·03	-	-	-	·04	·10	·17	-	·24	·18	-	2
3	-	·07	-	·04	·12	-	-	·13	-	-	·29	-	3
4	-	·10	·02	-	·15	·09	·03	·03	-	-	·08	·25	4
5	-	·18	·02	·17	·07	·33	·13	-	-	-	·26	·55	5
6	-	·37	·07	·08	·03	·02	-	·03	-	-	·27	·09	6
7	-	·06	·02	·12	·03	·22	-	-	-	-	·15	·03	7
8	·07	-	·21	·20	·29	·06	-	·23	-	-	·04	·58	8
9	·10	-	·31	·03	-	·14	-	-	-	-	·06	·48	9
10	·27	·09	-	-	-	·28	-	-	·02	·38	·25	-	10
11 (Snow)	·45	·12	-	·01	-	-	-	·32	-	·40	-	·39	11
12	·07	·01	-	-	·07	-	-	·14	-	·06	·24	·26	12
13	·11	·16	-	-	-	-	-	-	-	-	·29	·31	13
14	-	·36	-	-	·06	-	-	·16	·08	-	·16	·84	14
15	·15	·01	-	·07	·11	-	-	-	-	·09	·10	·50	15
16	·26	·05	·03	·03	·11	-	·24	·16	-	·11	-	·38	16
17	-	·02	·06	·13	·22	-	·03	-	-	·03	·19	-	17
18	·18	·21	·01	·01	·42	-	~~·06~~	·48	-	·26	-	·03	18
19	·08	·02	·04	·15	-	-	·06	·15	-	·03	·19	·03	19
20	·05	·19	-	-	-	·01	·56	·04	-	-	-	·28	20
21	-	·14	-	·17	-	·41	·01	-	-	-	~~·~~	-	21
22	·22	·07	-	-	-	·01	-	·18	-	-	·42	·01	22
23	·53	·17	-	-	-	·21	·22	·63	-	-	·51	·05	23
24	·06	·25	-	·07	-	·26	·34	·01	-	·02	·02	-	24
25 (Snow)	·03	·05	-	·13	-	·15	-	·48	-	·11	·11	·06	25
26	-	·19	-	·04	-	-	·01	-	-	·07	·11	·04	26
27	·26	·13	·03	-	-	·14	·04	·94	-	·13	1·01	-	27
28	·11	·08	-	·11	-	·03	·26	·55	-	·52	·01	·10	28
29	-		-	·06	·03	·01	·01	·48	-	-	-	-	29
30	·02		-	-	·23	-	·03	-	-	-	·06	·02	30
31	·30		-		·16		-	·08		·46		·11	31
Total	3·32	3·39	0·93	1·62	2·10	2·47	2·07	6·01	0·10	2·92	5·03	5·88	TOTAL for year 35·84
No. of Rain Days	19	26	12	18	15	18	15	21	2	16	24	23	209

9,000, IX. '10.

5.W.

REGIS

TREFFGARNE HALL
PEMBROKESHIRE
1905 - 1910

Kept at Treffgarne Ha

in the County of Pembroke

by Col. R. O. Lloyd Ana

Long. 4°58' W

tion Haverfordwest

n 9. 4 m

in.

Ground 1 ft. 1 in.

Sea Level 286 ft.

NOTE.—Full instructions respecting the ... of the British Rainfall Organization are given in "*Rules for Rainfall Observers*," ... on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·30	·19	·11	·025	·76	·02	1
2							·10	·56	—	·14	·155	·105	2
3							—	·20	—	·10	·175	—	3
4							—	·25	·08	·09	·42	·02	4
5							·17	—	·12	·08	·03	·45	5
6							—	·65	·09	·035	·22	·335	6
7							—	·17	·14	·16	·015	·255	7
8							—	·19	·22	—	—	·11	8
9							—	·23	·71	—	·175	—	9
10							·14	—	—	—	1·43	—	10
11							·31	—	—	—	·225	—	11
12							—	—	·05	—	·36	—	12
13							—	—	·07	·03	·525	—	13
14							·07	—	—	·05	·04		14
15							—	[illegible]	·005	·10	·015	—	15
16							—	—	—	—	·07	—	16
17							·005	·23	—	—	—	—	17
18							—	·08	—	—	—	·17	18
19							—	·14	·01	—	—	·025	19
20							—	—	—	·02	—	·04	20
21							·01	·19	—	—	—	·045	21
22							·17	·63	—	—	·96	—	22
23							·01	—	—	·06	·02	—	23
24							—	·08	—	·06	—	—	24
25							·05	·68	—	—	·59	—	25
26							·13	·32	—	·20	·32	—	26
27							—	·64	—	—	·46	·355	27
28							·20	·25	—	·295	·045	—	28
29							·12	·10	—	·43	·44	—	29
30							—	·02	—	·145	·11	·025	30
31							·05	—		·03		—	31
Totals							1·835	5·80	1·605	2·05	7·56	1·955	
Total from ... 1													

REGISTER OF RAINFALL IN 1905

Kept at Treffgarne Hall

in the County of Pembroke

by Col. R. O. Lloyd Asst Engineer Retired

RAIN GAUGE.

Lat 51°52'20" Long. 4°58' W

Nearest Railway Station Haverfordwest

Time of Observation 9. a.m.

Diameter 5 in.

Height of top above Ground 1 ft. 1 in.

" " Sea Level 286 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·30	·19	·11	·025	·76	·02	1
2							·10	·56	—	·14	·155	·105	2
3							—	·20	—	·10	·175	—	3
4							—	·25	·08	·09	·42	·02	4
5							·17	—	·12	·08	·03	·45	5
6							—	·65	·09	·035	·22	·335	6
7							—	·17	·14	·16	·015	·255	7
8							—	·19	·22	—	—	·11	8
9							—	·23	·71	—	·175	—	9
10							·14	—	—	—	1·43	—	10
11							·31	—	—	—	·225	—	11
12							—	—	·05	—	·36	—	12
13							—	—	·07	·03	·525	—	13
14							·07	—	—	·05	·04		14
15							—	[illegible]	·005	·10	·015	—	15
16							—	—	—	—	·07	—	16
17							·005	·23	—	—	—	—	17
18							—	·08	—	—	—	·17	18
19							—	·14	·01	—	—	·025	19
20							—	—	—	·02	—	·04	20
21							·01	·19	—	—	—	·045	21
22							·17	·63	—	—	·96	—	22
23							·01	—	—	·06	·02	—	23
24							—	·08	—	·06	—	—	24
25							·05	·68	—	—	·59	—	25
26							·13	·32	—	·20	·32	—	26
27							—	·64	—	—	·46	·355	27
28							·20	·25	—	·295	·045	—	28
29							·12	·10	—	·43	·44	—	29
30							—	·02	—	·145	·11	·025	30
31							·05	—		·03		—	31
Totals							1·835	5·80	1·605	2·05	7·56	1·955	
Total from [illegible]													

REGISTER OF RAINFALL IN 1906

FORM A. BRITISH RAINFALL.

Kept at Treffgarne Hall

in the County of Pembroke

by Colonel R. Oldfield R. E. Retired

RAIN GAUGE.

Lat. 51° 52' 20" Long. 4° 58' W

Nearest Railway Station Haverfordwest

Time of Observation 9 a.m.

Diameter 5" in.

Height of top above Ground 1 ft. 1 in.

" " Sea Level 286 ft.

JAN 1907

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	·06	·30	—	·075	·035	·065	2·30	—	·75	·185	·325	1
2	·79	·095	—	—	·39	—	—	1·62	—	1·08	·065	·20	2
3	·105	·08	—	—	·12	—	—	—	—	·08	·385	·02	3
4	·255	·01	·02	—	·02	—	—	—	—	1·76	—	·06	4
5	1·08	—	·115	—	1·12	—	·13	·065	—	—	·045	·115	5
6	·025	·13	—	—	·165	—	—	·025	—	·20	·30	·02	6
7	·53	—	·475	—	·045	—	·05	—	—	·13	·125	·14	7
8	·18	·04	·065	—	·17	—	—	—	—	·67	·305	·215	8
9	·11	·28	·045	—	—	—	·02	·10	—	·07	—	·05	9
10	·025	·30	1·02	—	·015	—	—	—	—	·06	—	·22	10
11	·555	·03	·23	—	·265	—	—	·07	·06	·075	—	·345	11
12	·48	·15	·08	—	·01	—	·115	1·58	—	·24	—	·27	12
13	·095	·035	·41	·02	·10	—	·055	·17	—	·15	—	·05	13
14	·04	·19	·10	—	—	—	·055	·145	·65	·07	·32	·045	14
15	·60	·20	·205	—	—	·02	—	·02	·49	·08	·275	·305	15
16	·265	·49	·015	·04	·135	·015	—	·03	·03	·30	·31	—	16
17	·70	·01	·105	—	·20	·46	·04	·085	—	·77	·35	—	17
18	·155	·19	·055	—	·27	—	·13	—	—	·03	·62	·015	18
19	—	·035	—	·08	·01	—	—	·03	—	—	—	·03	19
20	·06	·015	—	—	·025	·105	—	·02	—	·345	·85	—	20
21	·02	—	—	·035	—	·09	·05	·025	—	·215	·17	—	21
22	—	·59	·065	—	·135	·01	·095	—	—	·24	—	—	22
23	—	·09	—	·035	·195	·46	—	·38	—	·24	·015	·015	23
24	·655	·34	·06	·415	·15	·04	—	·73	—	,015	—	·18	24
25	·02	·08	·02	·155	·19	—	—	·115	—	—	·04	·48	25
26	·01	·225	—	—	·59	·18	·305	—	—	·63	·07	·085	26
27	·06	·085	—	·285	·93	·67	·15	—	—	·40	·03	1·07	27
28	·10	·21	—	·195	·065	—	—	—	—	·36	·025	·60	28
29	·07		—	·075	—	—	—	—	—	·15	·105	·415	29
30	—		—	·09	·16	—	·25	—	·03	·63	—	·34	30
31	·21		—		—		·15	—		·03		·30	31
Totals	7·595	3·98	3·385	1·425	5·55	2·085	1·66	7·51	1·26	9·77	4·59	5·91	
Total from Jan. 1	7·595	11·545	14·93	16·355	21·905	23·99	25·65	33·16	34·42	44·19	48·78	54·69	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

REGISTER OF RAINFALL IN 1907

FORM A. BRITISH RAINFALL. 1908

Kept at Treffgarne Hall

in the County of Pembroke

by Colonel R. O. Lloyd late R.E.

Lat. 51° 22' 20" Long. 4° 58 W

Nearest Railway Station Haverfordwest

Time of Observation 9 a m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " Sea Level 286 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·58	—	—	—	·405	—	—	—	·285	·405	·105	·065	1
2	·12	—	—	·82	~~·405~~	—	·37	1·015	·035	·14	·16	·52	2
3	—	—	—	·055	·175	—	·355	·285	·235	·295	·05	·115	3
4	·07	·04	·03	·025	~~·175~~	1·15	·145	—	·52	—	·035	·305	4
5	·265	—	·015	·225	·29	·06	—	·0075	—	·115	—	·02	5
6	·05	—	·175	·15	·265	·015	—	·035	~~·22~~	·30	—	·105	6
7	·03	·11	·115	·265	·08	·555	·155	·335	·005	·03	—	·59	7
8	·10	·27	·05	·08	·18	·145	·065	·285	—	·50	·135	·14	8
9	·095	—	·115	·23	·095	·215	·125	·055	—	·086	·005	·36	9
10	·135	·31	·04	·10	1·065	·015	—	—	—	·65	—	·155	10
11	·03	·62	—	·33	·145	·35	—	·65	—	·21	·215	·02	11
12	·035	·135	·235	·53	—	·345	—	·075	—	·295	·01	·215	12
13	·085	—	—	·01	—	·205	·295	·275	—	·175	·025	·435	13
14	·01	·195	·125	—	—	·355	—	·685	—	·555	·245	—	14
15	·06	·02	·14	—	—	—	—	—	—	·05	—	·085	15
16	·03	·01	·375	—	—	—	—	·34	—	1·68	·435	·13	16
17	—	·06	·145	—	—	·04	—	·395	—	·32	·11	·21	17
18	—	·21	—	—	—	·05	—	—	—	·425	—	·095	18
19	~~·14~~	·315	·055	—	—	·015	—	—	—	·05	·295	·285	19
20	·14	·055	—	1·00	—	·335	—	—	—	·365	·01	·28	20
21	·51	·01	—	·055	·01	·05	—	—	—	·48	—	·165	21
22	—	·035	—	·015	·015	·02	—	·105	—	·43	·695	·01	22
23	—	—	—	·015	·03	·20	—	—	—	·12	·02	—	23
24	—	—	—	·01	·045	·255	·89	—	—	·225	·80	·03	24
25	—	—	—	·045	·015	·16	·045	·085	—	·495	·585	·005	25
26	·225	—	—	·45	·015	·02	·12	—	—	·035	·355	—	26
27	·025	—	—	·02	—	·07	·445	—	—	·10	·185	—	27
28	·04	—	—	·285	—	—	·125	—	—	·01	·165	—	28
29	—		—	·03	·26	—	·005	·03	—	·205	—	—	29
30	·075		—	·085	·90	—	—	—	—	1·42	—	Snow ·01	30
31	—		—		·125		—	—		—		—	31
Total	2·71	2·395	1·615	4·83	4·115	4·625	3·14	4·657	1·30	10·165	4·64	4·35	TOTAL for year 48·542
No. of Rain Days	21	15	13	23	18	22	13	16	6 5	29	21	24 3	221

6,000, XI. '07. EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C. Waterlow and Sons Limited, Printers, London Wall, London Price 2d.

REGISTER OF RAINFALL IN 1908

FORM A. BRITISH RAINFALL. 9 JAN 1909

Kept at Treffgarne Hall

in the County of Pembroke

by Col. R. O. Lloyd late Royal Engineers

Lat. 51° 22' 20" Long. 4° 58'

Nearest Railway Station Haverfordwest

Time of Observation 9 a m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " Sea Level 286 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	·06	·03	—	·765	—	—	·025	—	—	—	1
2	—	·08	·445	·03	·29	·055	—	—	·315	—	—	—	2
3	—	·005	·105	—	—	—	—	—	·20	—	—	·10	3
4	—	—	—	·01	·35	—	—	—	—	—	—	—	4
5	·23	·025	·82	—	·42	·01	—	·035	—	—	—	·45	5
6	·35	·005	·07	—	—	—	—	—	·03	·04	—	·275	6
7	·885	—	·08	—	·41	·035	·65	—	·35	·06	—	·055	7
8	·06	—	·055	—	·11	—	·16	—	·20	·255	—	·585	8
9	—	·03	·05	—	·04	·005	1·485	—	·20	·14	—	·465	9
10	—	·03	·01	·275	—	·04	·185	·08	·07	—	·14	·11	10
11	—	·04	—	—	·01	·54	·415	—	·16	—	·155	—	11
12	—	—	—	—	·02	—	·04	—	—	—	·285	·37	12
13	·035	·175	·37	·005	·11	·04	·015	·08	·02	—	·315	·165	13
14	·05	·275	·03	—	·485	—	·07	·025	·20	·005	—	·78	14
15	·63	·12	·06	—	—	·135	·215	—	—	·47	—	1·77	15
16	·30	·85	·06	—	·015	—	·80	—	·58	·165	·075	·175	16
17	·04	·02	—	—	·03	—	·03	—	—	·79	—	·095	17
18	·01	·055	—	—	·025	—	—	—	·02	·125	·345	·125	18
19	·055	·01	—	—	—	—	·01	—	·585	·005	·09	·07	19
20	—	·02	—	—	—	—	—	·455	—	·62	·095	·115	20
21	—	·045	·43	—	·115	—	—	·115	·11	—	·455	·08	21
22	·005	·01	·155	·095	·02	·025	—	·385	—	—	—	·315	22
23	[illegible]	·025	·23	·105	—	—	—	1·255	—	—	·045	·015	23
24	·025	·025	1·145	·345	·105	—	·80	·21	—	—	·12	—	24
25	—	—	—	·045	—	—	—	·145	·51	—	·055	—	25
26	·10	·305	—	·035	—	—	—	1·09	—	—	—	·63	26
27	·015	·165	·52	1·00	—	—	·10	·275	·09	—	—	·065	27
28	·075	·09	·005	·10	—	—	—	·01	·02	·295	·69	·285	28
29	·03	·38	·24	·82	—	—	—	—	—	—	—	·195	29
30	·175	X	·22	·02	—	—	—	·05	—	·08	—	·465	30
31	—	X	·01	X	·04	X	—	1·22	—	—	X	·025	31
Total	3·07	2·835	5·17	2·915	2·595	1·65	4·975	5·430	3·685	3·05	2·865	7·78	TOTAL for year 46·02
No. of Rain Days	18	24	22	14	17	10	14	15	18	13	13	25	203

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
6,000, XI. '08. Price 2d.

REGISTER OF RAINFALL IN 1909

FORM A2. BRITISH RAINFALL. 4 JAN 1910

Kept at Treffgarne Hall

in the County of Pembroke

by Col. R. O. Lloyd late Royal Engineers

RAIN GAUGE: Pattern Negretti & Zambra; Diameter of top 5 in.; Height of top above Ground 1 ft. 1 in.; " " " Sea Level 286 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name R. O. Lloyd; Distance 6 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·05	·06	—	·15	—	—	·07	·105	—	·015	·09	1
2	—	—	·32	·115	—	—	·07	—	—	·64	·03	·35	2
3	—	—	·135	·375	—	·025	·055	—	·03	·135	·01	·56	3
4	—	·055	·09	—	—	—	—	—	·225	·39	—	·185	4
5	·115	—	·91	—	—	—	·075	—	·26	·05	·15	·34	5
6	·085	—	—	—	—	·02	·20	—	·04	·015	·10	·53	6
7	·185	—	·40	—	—	—	—	—	·06	·38	·035	·01	7
8	·025	·245	·30	—	—	—	—	—	—	—	—	—	8
9	·105	·045	—	—	—	—	·75	—	·01	·28	·075	·50	9
10	·57	·115	—	—	—	—	·01	—	—	·425	—	1·24	10
11	—	—	—	·13	—	—	—	—	—	·49	·04	·11	11
12	·085	—	·04	·295	—	—	—	—	—	1·25	·025	—	12
13	·115	—	·18	·09	—	—	·075	—	—	·08	·165	—	13
14	·385	—	·355	—	—	—	—	—	—	·25	·02	—	14
15	·34	—	·075	·115	—	—	·03	—	—	·50	—	—	15
16	—	·015	·125	·025	—	—	—	—	—	·325	—	·21	16
17	·03	—	·245	·42	·045	—	·015	·63	—	·055	—	·14	17
18	·175	—	·045	—	—	·09	—	·09	—	—	—	·26	18
19	—	—	·15	·195	—	·10	—	·15	—	·50	—	·095	19
20	—	—	·035	—	—	·35	·15	·025	—	·06	—	—	20
21	—	—	·10	·03	—	·42	—	·115	—	·065	·04	1·06	21
22	—	—	·045	·30	·105	·435	·04	·17	—	·27	—	·18	22
23	—	—	·215	·545	—	·195	—	·025	·23	·48	—	·09	23
24	—	—	·55	·12	·51	—	·71	·055	·03	·165	—	·205	24
25	—	—	·065	·045	·155	—	·11	—	—	·145	·11	·255	25
26	—	·135	—	·07	·345	—	·31	·025	—	·36	·325	·08	26
27	—	·07	·495	·045	—	—	·92	—	·425	—	·22	·34	27
28	·055	·03	·92	·115	·145	—	·05	—	1·93	—	·215	—	28
29	—	—	·08	·52	—	—	·01	·33	—	·085	·11	·015	29
30	·005	—	—	·04	·08	—	—	—	·145	—	·365	·30	30
31	—	—	·065	—	·055	—	·23	—	—	—	—	—	31
Total	2·315	·76	6·00	3·59	1·59	1·635	3·81	1·685	3·49	7·395	2·05	7·145	TOTAL for year 41·465
No. of Rain Days	14	9	25	19	9	8	18	11	12	24	18	23	190

7,000. X. '09.

REGISTER OF RAINFALL IN 1910

FORM A2. BRITISH RAINFALL.

19 JAN 1911

Kept at Treffgarne Hall

in the County of Pembroke 4

by Col. R. O. Lloyd late Royal Engineers

RAIN GAUGE: Pattern Negretti & Zambra; Diameter of top 5 in.; Height of top above Ground 1 ft. 1 in.; " " " Sea Level 286 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Haverfordwest; Distance 5 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·36	·285	—	—	·36	—	·68	·005	·105	·025	·21	1
2	·06	·03	—	—	—	—	·20	·14	·005	·39	·34	—	2
3	·03	·01	—	·05	·155	·03	·04	·26	—	—	·50	—	3
4	·02	·215	—	—	·23	·035	·05	·12	—	—	·135	·27	4
5	·01	·34	·01	·21	·11	·305	·05	—	—	—	·27	·90	5
6	—	·11	·22	·315	·075	·026	—	·04	—	—	·15	·26	6
7	—	·035	·07	—	·04	·11	—	—	—	—	·16	·235	7
8	·175	·075	·50	—	·355	·17	—	·18	—	—	·075	1·00	8
9	·05	·045	·33	—	·01	·095	—	—	—	—	·04	·32	9
10	·28	·07	·01	—	—	·50	—	—	·055	·06	·25	·27	10
11	·35	—	—	·04	—	—	—	·355	—	·265	—	·37	11
12	·035	·02	—	·185	·03	·03	—	·255	—	·89	·37	·40	12
13	·17	·21	—	·43	·135	—	—	·015	—	—	·26	·105	13
14	·055	·415	·035	·05	·17	—	—	·46	·195	—	·145	·655	14
15	·32	—	—	·36	—	—	—	—	—	·08	·11	·63	15
16	·24	·15	·045	·085	—	—	·105	·27	—	·15	—	·37	16
17	·04	·045	·15	·31	·285	—	—	—	—	·015	—	—	17
18	·045	·44	·01	Not taken 2 days	—	—	—	·52	—	·33	·11	·035	18
19	·085	·03	·04	·15	·295	—	·09	·34	—	·46	·19	·035	19
20	·035	·565	—	—	·05	·08	·89	·07	—	·65	—	·325	20
21	·345	·03	—	·17	·01	·30	·04	·085	—	—	·03	·015	21
22	·31	·13	—	—	—	—	·025	·105	—	—	·64	—	22
23	·54	·215	—	·115	—	·38	·37	1·70	—	—	·46	·155	23
24	·11	·23	—	·025	—	·50	·22	—	—	—	·045	·055	24
25	·13	·10	—	·09	—	—	—	·21	—	—	·175	—	25
26	—	·185	—	—	—	—	·035	—	·04	·08	·165	·075	26
27	·63	·25	·075	—	—	·11	·245	·89	—	·58	·58	·105	27
28	·22	·075	—	·23	·04	—	·64	·13	·02	·21	—	·08	28
29	—		—	—	—	—	—	·135	·015	—	—	—	29
30	—		—	—	·50	—	·015	·025	—	xna	·10	—	30
31	·215		—		·16		·085	·05		·46		·165	31
Total	4·590	4·380	1·780	2·815	2·650	3·030	3·190	7·035	·335	4·725	5·325	7·040	TOTAL for year 46·000
No. of Rain Days	26	26	13	16	17	15	16	23	7	15	24	24	122 ~~122~~ ~~113~~ 22

9,000, IX. '10.

Sa.

WHITLAND.
TREWERN
PEMBROKESHIRE
1906 - 1910

REG... 08

FORM A.
BRITISH RAINFALL.

Kept at Sunbury. Whitland

in the County of Pembro... Fine in. (5")

by Godfrey Potter... bove Ground about ft. Six in.

Sea Level ft.

NOTE.—Rain should be measured daily at ... Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.03	.02	.04	.	.66	.	–	1.32	.	.	.	1
2	–	.46	.24	.03	.39	.12		–	.34	1.07	.	.	2
3	–	–	.03	–	.	.	.	–	.36	.01	.	.14	3
4	–	–	–	.05	.22	.	.	–	.	.01	.	.62	4
5	–	–	1.20	–	.37	.	.	–	–	.	.	.34	5
6	.62	–	.09	–	–	.	.	–	.	.01	.	.07	6
7	.64	–	.08	–	.41	.	.64	–	.04	.62	.	.01	7
8	.03	–	.08	–	.14	.	.13	–	.49	.18	.	.66	8
9	–	.01	.05	–	.2	.	1.51	–	.38	.25	.	.67	9
10	–	.02	–	.32	.	.	.21	74	.15	.11	.15	.25	10
11	–	–	–	–	.	.54	.56	–	.23	.	.36	–	11
12	–	–	–	–	.18	–	.	–	.	.	.70	1/4	12
13	–	.15	.32	–	.25	.13	.	–	.03	.	.49	.04	13
14	.01	.	.01	–	.58	.	.	–	.07	.05	.	1.09	14
15	.80	.07	.02	–	.2	.21	.45	–	.	.90	.01	1.14	15
16	.40	.77	.04	–	.	.1	.94	–	.40	.06	.04	.25	16
17	–	.06	–	–	.	.	.4	.	.	1.59	–	.10	17
18	–	.02	–	–	.1	.	.	.	.01	.16	.42	.11	18
19	–	.02	–	–	.	.	.	.	.36	.	.01	.05	19
20	.10	.01	–	–	.	.	.	.	.01	.10	.	.07	20
21	–	.12	.69	–	.	.	.	.59	.10	.66	.78	.10	21
22	–	–	.19	.37	.27	.	.	.52	.04		.	.23	22
23	–	.02	.12	.23	.	.	.	1.12	.		.05	.01	23
24	–	–	.93	.13	.13	.	.37	1.27	.	.	.	–	24
25	–	.01	–	–	.	.	.7	.17	.69	.	.22	–	25
26	.21	.33	–	.04	.	.		1.15	.07	.	.	–	26
27	.07	.11	.32	.88	.	.	.	.54	.10	.	.02	.37	frozen water
28	.10	.06	–	.14	.	.	.	.4	.03	.31	.70	.45	frozen water
29	.02	.68	.22	1.12	.	.	.	–	–	.	.	.37	frozen water
30	.14		.53	.	.	.	.	–	–	.13	.01	.12	30
31	–		–	–	.23	.		1.74	–			.44	31
Total	3.14	2.55	5.18	3.35	32 2	1.64	4.92	7.28	4.90	4.46	3.96	7.22	TOTAL for year 37.86
No. of Rain Days	12	18	19	11	14	6	10	10	20	17	14	25	176

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

6,000, XI '07. Waterlow and Sons Limited, Printers, London Wall, London Price 2d.

Sa.

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

Kept at Sunnyside.

in the County of Pembroke.

by Godfrey Pritchard Bapson.

Lat. ..... Long. .....

Nearest Railway Station Whitland

Time of Observation 9 a.m.

Diameter of Rain Gauge Five in. (5")

Height of top of Gauge above Ground One ft. Six in.

" " " Sea Level ..... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.03	.02	.04	.	.68	.	–	1.38	.	.	.	1
2	–	.46	.24	.03	.39	.12		–	.34	1.07	.	.	2
3	–	–	.03	–	.	.	.	–	.36	.01	.	.14	3
4	–	–	–	.05	.22	.	.	–	.	.01	.	.02	4
5	–	–	1.20	–	.37	.	.	–	.	.	.	.31	5
6	.62	–	.09	–	–	.	.	–	.	.01	.	.07	6
7	.64	–	.08	–	.41	.	.64	.	.04	.02	–	.01	7
8	.03	–	.08	–	.14	.	.13	–	.49	.18	.	.66	8
9	–	.01	.05	–	.2	.	1.51	–	.38	.25	.	.67	9
10	–	.02	–	.32	.	.	.21	.74	.15	.11	.15	.23	10
11	–	–	–	–	.	.54	.56	–	.23	.	.36	–	11
12	–	–	–	–	.18	.	.	–	.	.	.70	.14	12
13	–	.15	.32	–	.25	.13	.	–	.03	.	.49	.04	13
14	.01	.	.01	–	.58	.	.	–	.07	.05	.	1.09	14
15	.80	.07	.02	–	.2	.21	.45	–	.	.90	.01	1.14	15
16	.40	.77	.04	–	.	.1	.94	–	.40	.06	.04	.25	16
17	–	.06	–	–	.	.	.4	.	.	1.59	–	.10	17
18	–	.02	–	–	.1	.	.	.	.01	.16	.42	.11	18
19	–	.02	–	–	.	.	.	.	.36	.	.01	.05	19
20	.10	.01	–	–	.	.	.	.	.01	.10	.	.07	20
21	–	.12	.69	–	.	.	.	.59	.10	.66	.78	.10	21
22	–	–	.19	.37	.27	.	.	.52	.04		.	.23	22
23	–	.02	.12	.23	.	.	.	1.12	.	.	.65	.01	23
24	–	–	.93	.13	.13	.	.37	1.27	.	.	.	.	24
25	–	.01	–	–	.	.	.7	.17	.69	.	.22	–	25
26	.21	.33	–	.04	.	.	.	1.15	.07	.	.	–	26
27	.07	.11	.32	.88	.	.	.	.54	.10	.	.02	.37	27 Snow Water
28	.10	.06	–	.14	.	.	.	.4	.03	.31	.70	.45	28 Snow Water
29	.02	.68	.22	1.12	.	.	.	–	–	.	.	.37	29 Snow Water
30	.14		.53	.	.	.	.	–	–	.13	.01	.12	30
31	—		–	.	.23	.		1.74	–			.44	31
Total	3.14	2.55	5.18	3.35	3.22	1.67	4.92	7.28	4.90	4.46	3.96	7.22	TOTAL for year 47.85
No. of Rain Days	12	18	19	11	14	6	10	10	20	17	14	25	176

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London
6,000, XI '07.
Price 2d.

REGISTER OF RAINFALL IN 1909

FORM A. BRITISH RAINFALL. 4 JAN 1910

Kept at Tenby.

in the County of Pembroke.

by J. Rotheroe Beynon.

Lat. ... Long. ...

Nearest Railway Station Whitland

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 ins. in.

Height of top of Gauge above Ground 3 ft. — in.

" " " Sea Level not certain about 30 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02							.12		.02		.09	1
2				.16			.04			.55	.01	.39	2
3				.36		.02	.12		.05	.22		.52	3
4		.03	.40						.25	.35	.09	.20	4
5	.05						.07		.19	.03	.08	.53	5
6	.20					.12			.30	.01			6
7	.09		.53				.10		.11	.75			7
8	.04									.01		.01	8
9	.03	.40					1.00			.89	.04	.46	9
10	.51	.03					.02			1.30		1.23	10
11										.75	.01	.13	11
12	.05			.46						.79	.01	.07	12
13	.09			.12			.17			.07	.55		13
14	.40									.38			14
15	.27		.36	.13			.03			.60			15
16		.02	.13	.05						.47		.42	16
17	.06		.50	.26				1.17		.17		.22	17
18	.25		.10									.19	18
19				.22		.20		.07		.83		.12	19
20			.28			.20	.19	.40		.02		.05	20
21			.07			.58	.01			.20		1.15	21
22				.60	.06	.28	.05	.32		.26		.35	22
23			.45	.42		.21		.05	.43	1.03		.27	23
24			.40	.03	.53		.20		.05	.02		.08	24
25				.30	.30		.16			.35	.07	.35	25
26			.06	.45	.27	.02	.31			.17	.42	.05	26
27			.69				1.16				.28	.37	27
28	.09		1.00	.12	.28		.08	.03	2.43		.30	.04	28
29	.02		.32	.38	.09		.01	.35		.15	.28	.01	29
30			.01	.07	.09				.14	.07	.11	.20	30
31	.02		.05				.25					.01	31
Total	2.19	.48	5.35	4.13	1.53	1.63	3.97	2.51	3.95	10.40	2.25	7.45	TOTAL for year 45.94
No. of Rain Days	16	4	16	16	6	8	18	8	9	27	13	26	167

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
6,000, XI. '08. Price 2d.

REGISTER OF RAINFALL IN 1910

FORM A2. BRITISH RAINFALL.

RECEIVED 2 JAN 1911

Kept at Tenure. Whitland

in the County of Pembroke. 4

by J. Es. Rothwell-Baynon

RAIN GAUGE: Pattern ..... Diameter of top 5 in. Height of top above Ground 1 mile ft. — in. " " " Sea Level ..... ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Whitland Distance 2 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.38	.49	—	—	.58	—	.52	.02	.12	.01		1
2	.03	.02	—	—	—	—	.18	.40	—	.40	.10	.30	2
3	.01	.05	—	.10	.14	.04	.04	.25	—	—	.55	—	3
4	.01	.10	—	—	.29	.10	.03	.31	—	—	.17	.48	4
5	—	.39	.04	.13	.22	.53.	.15	—	—	—	.32	.71	5
6	—	.21	.46	.35	.05.	.01	—	—	—	.01	.23	.10	6
7	.01	.06	.13	—	.06	.31.	—	—	—	—	.15.	.20	7
8	.13	.05	.35	—	.18	.03.	—	.08	—	—	—	1.15	8
9	.14	.03	.65	—	—	.09	—	—	—	—	—	.94	9
10	.31	.15	.02	—	—	.58	—	—	.03	.50	.42	.24	10
11	.45	.01	—	—	—	—	—	.40	—	.59	—	.13	11
12	.05	.02	—	.39	.05	—	—	.24	—	.15	.68	.64	12
13	.19	.18	—	.41	.08	—	—	.02	—	—	.40	.27	13
14	—	.77	.01	.06	.11	—	—	.20	.16	—	.19	1.32	14
15	.41	—	—	.23	—	—	—	—	—	.13	—	.84	15
16	.24	.31	.03	.02	—	—	.15	.26	—	.08	.22	.40	16
17	.10	.06	.18	.29	.40	—	.07	.02.	—	.02	.02	.07	17
18	.04	.32	.02	.01	—	—	—	.67	—	.47	.14	.04	18
19	.02	.08	.02	.12	.62	—	.09	.16	—	.40	.19	.05	19
20	.08	.49	—	.19	.87	.01	.93	.31	—	.05	—	.30	20
21	.08	.05	—	—	.07	.42	.01	—	—	—	—	—	21
22	.26	.13	—	—	—	.29	.07	.08	—	—	.60	.03	22
23	.38	.47	—	.11	—	.31	.26	1.12	—	—	.20	.15	23
24	.07	.32	—	.63	—	.35	.40	—	—	—	.02	.08	24
25	.09	.11	—	.03	—	.23	—	.59	.01	.05	.25	.07	25
26	—	.29	—	.01	—	—	.12	—	.11	.17	.28	.05	26
27	.56	.34	.04	.05	—	.15	.25	1.63	—	.43	.99	—	27
28	—	.11	—	.29	—	.05	.61	.37	—	.24	—	.08	28
29	.08	—	—	—	—	.03	.03	.44	—	—	—	—	29
30	—	—	—	—	.40	.02	.02	.04	—	—	.14	—	30
31	.46	—	—	—	.13	—	.01	.02	—	.45	—	.09	31
Total	4.26	5.49	2.44	2.82	2.81	4.13	3.42	6.13	.33 .33	4.26	4.27	8.61	TOTAL for year 52.97
No. of Rain Days	25	17	13	18	15	19	18	22	5	14	22	25	226

7,000. X. '09.